FUJIFILM

Preventative Maintenance Procedures

Dart Series Engines

4000, 4000II
4100
4300, 4300E, 4300S

SAL/MAL

Customer Name: _____

Dart S/N: _____

Dart F/W Rev: _____

SAL S/N: _____

MAL S/N: _____

Check the **User Maintenance Error Log.** Note recurring errors and during PM inspect those areas.

1. ☐ Clean the **Plate Input Rollers** and **Plate Insert Section.**
2. ☐ Remove the Unloading Tray and clean the **Green Transport Roller.** Also clean the **Nip Roller**. After cleaning, make sure Green Transport Roller is properly Seated.
3. ☐ Clean the **Transport Guide** after the Transport Roller. Older Darts (4000) use an Unloading Guide that is covered with Teflon Tape. Clean/Inspect this tape and replace if necessary. Newer Darts (4302) have belts that drive the plate in Transport Guide Section. Clean the drive belts as needed.
4. ☐ Clean and Inspect **Punch Section**. Clean **guides** around punches. Clean **punch dust chute.** If needed, **punches can be cleaned**. Use "**Punch for Cleaning**" function in User Maintenance and Oiled paper to remove aluminum dust.
5. ☐ Check the **Coil Springs** on the **Path Unit**. If broken, replace.
6. ☐ Inspect the **Leading Clamps**. Look for any dislodged rubber. Check/Clean the **Registration Pins** for any abnormality. Check the Operation of the **Hooks**. Make sure they open/close properly with operation of lead clamp. Ensure they do not interfere with plate loading.
7. ☐ Check the **Tail Clamps.** Put the clamps on drum using service mode. Remove and inspect. Clean. Check to see if **latches** are in good working condition.
8. ☐ Clean **Drum.**
9. ☐ Clean the Drum **Squeegee Roller and Cleaning Roller.**
10. ☐ Check/Clean the **Drum Balance Weights and Groove**. DO NOT apply grease.
11. ☐ Clean the **Calibration Sensor.** Also clean the **Recording Head Lens**.
12. ☐ Check the **Recording Head filter element**. Rotate a ¼ turn. Replace if necessary.
13. ☐ Check the **M41 RH compressor**. If it is an older style, you can change **carbon blades** on a yearly basis. If older style one is not functioning, replace with new style Piston Type compressor. Check compressor **filter elements**. Clean or replace.
14. ☐ Clean the **Air Filter** on intake side of machine.
15. ☐ **Wipe down/Vacuum** inside of Dart where dust or punch debris have built up. Watch for punch chads that have fallen where they should not be.
16. ☐ Run **Laser Calibration.** Check for weak diodes.
17. ☐ Check **Consumable Timers**. Warn customer if something is about to expire. **Reset** timers were applicable.
18. ☐ Confirm **Exposure Settings.**
19. ☐ Check **Focus** for all resolutions customer is using.
20. ☐ Also check **Zoom** and **Vertical 1x1**

21. ☐ Run **Zero Tint** and **50% tint** on LHPJ. Check Image Quality.

22. ☐ **Update firmware** as needed. Verify customer has a back-up of machine data. If not, then **back-up all data.**

Single Auto Loader

1. ☐ Clean/Lube the **Guide Rails** of Paper Pad and Plate Pad assemblies. Use white Lithium grease, sparingly.

2. ☐ Check/Clean the **Suction Pads** of Paper Pad and Plate Pad assemblies. Replace if necessary.

3. ☐ Clean the **Brown drive rollers**. Clean the **Green cleaning roller**.

4. ☐ Clean the **Transport path** and rollers.

5. ☐ Inspect the **silencer filter** and replace if necessary.

Multi Auto Loader

1. ☐ Use **Cassette Exchange** and operate each cassette.

2. ☐ Make sure **MAL doors** open properly and support each cassette. Check cassette bearings are properly rolling out onto door frames.

3. ☐ **Clean/vacuum** cassettes. Confirm **plate side guide position.**

See the following page for a list of commonly used PM Parts

Notes:

Common PM Parts for Dart Series

RH Filter Element	70584840-00
RH Compressor Filter Element (In)	100046946V00
RH Compressor Filter Element (Out)	100046505V00
Unloading Guide Springs	70584776-00
Suction Cups Paper Pad	100034127V00
Suction Cups Plate Pad (Main)	100008058V00
Suction Cups Plate Pad (Sub)	100018300V00
Main suction cup has a wider top.	
SAL Filters	70584911-00
SAL Silencers	435545000
Blue Chiller Fluid	100075295V10 (ships ground only)

PM Kit Contents

Compressor Carbon Blades	35508
Compressor Filter	AF10-M5-2