FUJIFILM

Workflow XMF Installation Checklist

Customer:	Customer Contact:

The following checklist will be completed by the Fujifilm Professional Services Group Technician for all XMF Installations to ensure that all the necessary steps are taken to plan, configure and install Fujifilm Workflow XMF at the Customer site.

Installation Task | Customer:	Date	PSG Tech. Initials
1. Pre-Installation Phone Conference (prior to on-site install)		

☐ **Contact Spoken With:**
Name:_____

☐ **XMF Disc & Dongle On-Site**
- Version #: _____
- Obtained Licenses?

☐ **XMF Central Server On-Site**
XMF Satellites # _____*
- Box, keyboard, monitor, mouse
- Surge Protection?

☐ **Network Access (IT Domain / Administrator)**
- Static IP _____
- Gateway _____
- DNS_____/_____
- Router/Switch: _____

☐ **Output Engine(s): #**_____
- Type:
- If not installed, when? _____/_____/_____
- If PIF, proximity of XMF Server_____ft.

☐ **Proofer Engine(s): #** _____
- Type:
- CMS/RIP used:
- If not installed, when? _____/_____/_____

☐ **Workstations**
- Number and Type:

☐ **Available instrumentation**
- Spectros / Plate Readers:

Installation Scope Description:

* For multi-box installations, please see the following document: **Multi-Platform Installation.pdf.**

2. **On-Site Installation: Hardware and Server/Client Software** (Day 1)		

☐ **Install PIF Card/Driver (if needed)**

☐ **Power up XMF Server/Connect to Network**
- Check for C://D:// partitions
- Assign Static IP Address
- Test Network Connection (drag/drop file)
- Maximize Data Throughput
- Set Windows Performance

☐ **Copy/Share XMF Resources Folder to D://**
- Load Installer in XMF_Installer Folder
- Copy License Codes, Marks and ICC Profiles

☐ **Unzip and Run XMF Setup.exe**
- Install as **Stand Alone (even if mutli-box)**
- Add licenses (may be copied as group)
- Install **XMF Complete**
- Select General, Engine and Proofer Bundles (only show licensed items)
- Install location: always D://Program Files
- Review summary and execute

☐ **Restart XMF Server**
- Insert dongle / **NO** to Dot Releases/Service Packs
- Accept prompt to invoke Configuration Tool

☐ **Setup Configuration Tool**
- Change APPE band height to 1024 and Max Virtual Memory to 2048. (Based on 4GB RAM)
- Add Engine/Resolutions Change Port: **FFPif10**
- Add TIFF Export/Resolutions/Path (if used)
- Add Proofers / Resolutions (if any)
- Add Digital Proofers/Resolutions (if any)
- Setup up JDF Web: IP Address and Host Name
- Save Box Configuration

☐ **Accept launch of XMF Server Application**
- Inspect services properly running
- Launch Client on XMF Server: Confirm Connect

☐ **Test CTP Engine Connection (if any)**
- Run Calibration Manager
- Pole PIF-Connected Engines for Plate Sizes

Installation Task	Date	PSG Tech. Initials

3. On-Site Installation: Base Plate and Proofer Workflows (Day 1)		

☐ **Set Up Calibration Manager**
- Gather Customer Plate Specs
- Confirm magazine settings (PIF-Devices)
- Set up plates/media sizes (1-Bit TIFF Export)
- Run uncalibrated plate for desired screensets
- Apply values
- Run confirming linear plate & measure
- Apply linearization to screensets
- If Eccomax, plug in default Characterization

☐ **Set Up Admin**
- Define presses, max. sheet sizes, # Units
- Define CIP4 parameters (if option purchased)
- Create Press Media with final ICC Target
- Set Characterization: Default Press CMYK Linear
- Import customer ICC profiles / Marks
- Import PDF Profiles/Action Lists

☐ **Run Plate Verification**
- Import any custom marks (Color Bars)
- Impose test form with guide marks/color bars
- Run single plate to confirm Centering/Setbacks
- Run full set of linear plates for press run

☐ **Build Base Characterization**
- Following press run, build base characterization
- Apply characterization to Press Profiles

☐ **Load Client on workstations (Mac or PC)**
- Load PPD's as needed (for PS files only)
- Test Client connections to XMF Server

☐ **Set Up Base Proof Workflow**
- Establish Output Format:
  ☐Raster PDF ☐Finished PDF ☐RIP Proof
- Choose shares/paths for hot folders (if any)
- Set resolutions/format parameters (as required)
- Run test proof connected through workflow

☐ **Build Base Job Templates**
- Define standardized "Presets" and Parameters
- Change Preferences: Low Folio Forced to Front
- Define Job Description/Input Parameters
- Build base 1up imposition with signature and color bars in locked position
- Link base Plate/Proof Workflow Items into Sets

XMF Support - call 1-800-FLY-FUJI , Option 1

Phone support and on-site support are chargeable activities. Please ask about payment options when placing the support call.

Date Installation Completed	Signature	
		FUJIFILM PSG Tech.
		Customer

Service Call No. :	**PSG Tech. Name:**	
Customer:	**Customer Contact:**	
Address:	**City:**	**State:**
XMF Version No.:	**Dongle No. :**	

FUJIFILM Workflow XMF Customer Training Syllabus

Customer:	Customer Contact:

All training components that are applicable are to be initialed by the FUJIFILM Professional Services Group Technician and Customer Representative. Those that are not pertinent to the customer are to be marked as **N.A.**

Task Trained	Trainee Initials	PSG Tech. Initials
1. Customer Expectation Review with Management		
2. How to Use the XMF Documentation System, Contextual Help, Training Videos		
3. Introduction to Fujifilm Workflow XMF		

☐ **XMF Background**
- XMF Complete Product
- Core Technologies (APPE / JDF / PDF)

☐ **XMF Server / Client**
- Start/Stop Server / Client
- Database Backup Procedure

4. OVERVIEW: XMF Client (Basic Components Identified ONLY)		

☐ **Demo of Typical XMF Job**
- Brief introduction to building simple job

☐ **XMF "Desktop" Interface**
- "About" & Contextual Help
- Download Manager
- Queues: Filtered Views / Quick Status
- Job Status View / Log Viewer (Detailed)
- Job Editor

☐ **Function Tray**
- New Job / Edit Job / View / Status / Tools /Admin

☐ **Job Element Manager**
- Source Files: Add, Replace, Open
- Read Order: Sequence for Imposition
- Job Structure Parameters / Sections

☐ **Job Structure Parameters**
- Input / Drop Folders /Page Prep / Normalizer
- Finished PDF
- Fonts / Preflight
- Ink Pools / ICC Management / Screening
- Trapping / Overprints / Versioning
- Job & Client Info.
- Rendered 3D Proof

☐ **Workflow Manager**
- Understanding Items, Sets & Streams
- Parameters for Workflow Items
- Linking Workflow Items (Press as "hub")

☐ **Item Parameters**
- Settings when click on Job Element or Workflow
- "Presets"

5. Building Jobs & Using Workflow Items		

☐ **Importing Files**
- PDF, EPS, PS supported
- Drag & Drop Source Files onto XMF Desktop
- New Job from Bouncy Icon (Function Tray)

☐ **Workflow Item: Plate Templates**
- Imposition Templates
- Selecting Output Devices / TIFF Export
- Media Profiles / Screening
- Ink Controls (Blank Plates / Surfaces)

☐ **Workflow Item: Rip Proof Templates**
- Directly driving Inkjet devices
- Imposition vs. Press
- Use of Proof Profiles / Blueline Marks / Rulers

☐ **Workflow Item: Section Proof (Rip Proof/PDF)**
- Section Proof - 1x2 and 1x1
- JDF Connector to Fiery / Raster PDF Output

☐ **Workflow Item: PDF Export**
- Vector vs. Raster PDF / Imposition vs. Press
- Blueline Marks / Rulers

☐ **Holds & Approvals**
- Inspecting Plates and Proofs before release
- Holds: Status / Page Level Approvals
- Local Approval: User Level Approvals

☐ **Workflow Item: Press**
- ICC Target / Media Profiles
- Press Linearization & Characterization

Task Trained	Trainee Initials	PSG Tech. Initials

6. Job Description Functions (Global Parameters)

☐ **Input & Drop Folders**
- Inputs: PDF / PS / EPS / JDF / 1Bit TIFFs
- Autoflow (Unrestricted, By Page or Document)
- Input File Renaming
- Adding Correction files to "JobDrops"
- Auto-Page Mapping

☐ **Page Prep Preferences**
- Setting up Ink Pools
- Autoflowing Pages / Documents

☐ **Postscript Conversion (Normalizing)**
- Options: General / Color / Advanced
- Document Structuring / Image Compression

☐ **Finished PDF**
- Open PDF/X Format / Device Independent
- Level 1 = X-1a / Level 2 = X-4

☐ **Fonts**
- Embedding / Subsets / Emulation

☐ **Pitstop Preflighting**
- Using PDF Profiles
- Using Action Lists
- Failed Pages / Override
- View Pitstop Reports
- Acrobat Edits / File Replacements

☐ **ICC Color Management**
- Engines: Adobe vs. Fujifilm
- Document Retargeting
- Device Link Profiles (DLPs)

☐ **Ink Management**
- Ink Pools: System vs. User Defined
- Adding / Defining Colors
- Color Types / Calculating Densities
- Aliasing & Remapping Colors (Colorant Rules)

☐ **Screening & Angle Mapping**
- Selecting Screens: Job vs. Plate Level
- Angle Mapping (Spot Automatic / Manual)
- Screening Rules by Object Type

☐ **Trapping & Overprinting**
- Global Trap Settings / Zonal Trapping
- Global Overprint Settings

☐ **PDF Versioning & Layers**
- Turning Layers on-off for Proofs / Plates / PDFs
- Creating Sections to Handle Layers
- Building Versioned PDFs from Separate PDFs

☐ **Job & Customer Information**
- Job Priorities & Due Dates
- Customers: Assigning IDs
- Customers: Assigning Contacts
- Editing Customer Database

☐ **Archiver**
- Automated Schedules / Triggers

☐ **Rendered 3D Proof**
- Displays Traps/Overprints/Spot Color Remaps
- Displays Gutters / Creep

7. Read Order & Section Management

☐ **Read Order: Page Changes**
- Changing Sequence
- Deleting / Replacing pages
- Mapped vs. Unmapped Pages
- Inserting Blanks
- Blind Folio Styles
- Page Level: Job/Customer Info

☐ **Read Order: Page Mapping View**
- Toggle to Table View for long documents

☐ **Read Order: PDF Viewer**
- Change PDF Media Box Definitions
- Rotate / Scale
- Splitting Spreads / Adjusting Bounding Box

☐ **Read Order: Working with Spread Brochures**
- Splitting For Brochure
- 3D Proof for 2, 3 and 4 Panel Folds

☐ **Sections: Edits**
- Naming / Replacing / Reordering / Deleting
- Assigning to Workflow Items
- Assigning Workflow Streams Separately

☐ **Page Specific Changes**
- Color / Screening / Traps / Overprints / Versions
- Viewing / Changing Versioning
- Assigning to Workflow Items

Task Trained	Trainee Initials	PSG Tech. Initials

8. Imposition: Stripping & Layout

☐ **Interface: Imposition Editor**
- Create New Template (Stripping / Layout)
- Search / Edit Templates
- Double-Click Plate Surface Opens
- Navigation Tools / Views (bottom)
- Imposition Parameters (top right)

☐ **Stripping Imposition Options**
- Imposition: Plate / Press Sheet / Creep
- Sheet: Work Styles / Binding / Marks
- Saving Stripping Sheet Templates
- Signature: Fold Patterns/Page Attributes /Gutters
- Signature: Reference Point Positioning
- Signature: Step & Repeat / Overfold Info Slugs
- Alignment: Centering / Object-to-Object
- Gutters: Visibility / Asymmetrical
- Custom Marks: Importing / Applying / Ref. Points / Smart Positioning / Stepping
- Dynamic Marks / Sheet Edge / Control Strips
- Plate Sluglines: 4 Allowed / Reorder / Unique ID
- Signature Sluglines: Multiple Sigs per Surface
- Settings: Document vs. Render Mode
- Dragging out and using Guides/Snap To

☐ **Layout Imposition Options**
- Freely Assign "Product" Pages
- Imposition: Plate / Press Sheet
- Surfaces: Non-Dynamic Sheet Styles
- Content: Adjust Trims / Reassigning Slots
- Alignment: Object-by-Object (ref. point)
- Marks: Importing Only
- Plate Sluglines: (Reorder)
- Settings: Document vs. Render Mode
- Settings: Color Managed Previews
- Dragging out and using Guides/Snap To

☐ **Working with Different Types of Impositions**
- Work Styles: Sheet / W&T / Tmbl / Flat / Perfect
- Bound and Folded Work
- Step&Repeat: Duplicate / Number Across & Up
- Ganged Work: Folded and Flat
- Mixed Sheet Impositions / Multiple Folds
- Copying/Cloning Sheets & Signatures
- Re-Usable JDF Layouts / Reassigning Slots
- Multiple Sheet / Large Bound Work / Creep
- Creating/Editing Imposition Patterns (Folding)
- Saving Stripping Sheet Templates
- Editing Bindery Signature Sequence

☐ **Working with Stripping Sheet Templates**
- Defines sheet signatures, work/binding styles, marks, number up, target press
- Advanced Search Criteria
- Required for Flat-Based Control

☐ **Flat-Based Control for Complex Jobs**
- Pagination Mode Interface
- Define Signatures, Sheets & Sheet Groups
- Dynamic Moving of Signatures

☐ **Come & Go and N-Up Impositions**
- Come & Go For Large Format Presses
- N-Up for books smaller than bindery equipment

☐ **Web-Press Support**
- Folding/Pagination for Multiple Ribbons
- Folding/Pagination for Multiple Webs
- Stack Order and Surface swap

☐ **Barcodes**
- QR and Rules-Based 2/5 Interleaved Formats

9. Advanced Workflows

☐ **Multiple Workflow Items**
- Sections Assigned to Different Workflow Items
- Multiple Plate Workflow Items (Same Press)
- Multiple Proof / PDF Export Workflow Items
- Multiple Holds / Local Approvals

☐ **Multiple Workflow Sets (Tabs) & Streams**
- Only One Press per Stream or Set
- Sections Assigned to Workflow Stream or Set
- Up to 5 Streams per Workflow Set (Tab)

☐ **Press Streaming**
- Quickly Change Presses
- Different Linearizations / Characterizations

☐ **PDF Versioning (Mulitburn)**
- XMF Management of Layered 1.8 PDF
- Job Description: Layer Groups Vs. Layers
- Turning On/Off Layers: Proof / PDF / Plates
- Controlling Layers within Sections
- Building Layered PDF from Separate PDF Files

☐ **Unique ID: Autoplate Retry**
- Search & Retry Plate Separation
- Read Barcode / Retry

☐ **Applying Custom Creep / Per Page Overrides**

Task Trained	Trainee Initials	PSG Tech. Initials

10. Administration: Managing Templates

☐ **Defining / Editing Templates**
- Jobs / Workflow Items
- Impositions (Stripping vs. Layout)
- Stripping Sheets
- Barcodes

☐ **Setting Up TIFF Bypass Job Templates**
- Input File naming and Combining 1Bit TIFFs

☐ **Delete-Only Templates**
- Workflow Parameters (Set in Job Editor)
- Workflow Sets (Save & Load in Job Editor)

☐ **File Name Templates**
- Rules-based file naming
- Output for Exports
- Input for Job ID / 1Bits / Page Mapping

11. Administration: Ink Management

☐ **Ink Pools**
- System vs. User Defined
- Manually Adding Inks / Importing
- Assign at Job Template Level only

☐ **Remapping Colorant Naming Rules**

☐ **Defining Ink Settings**
- Types: Normal / Dieline / Transparent / Opaque
- CMYK Builds / Calculating Densities
- Modes / Aliases / Overrides at Job Level

☐ **Ink Controls by Surface / Don't Print Blanks**

12. Administration: Press Profiles

☐ **Final Target for Workflow**
- Press Description: Format / # of Units
- Device Profile: Final Press: CIP4 Output

☐ **Media Profiles**
- Target ICC Profile for Proofing
- Paper Profile: Defining Specific Media Types
- Press Station Stretch
- Characterization Curves applied by Surface

☐ **Digital Press Connectivity**
- DocuColor / Fiery / JDF Connector
- Media Types / Profiles
- Target ICC profiles

☐ **MIS JDF Imposition Connectivity**

13. Administration: Import / Export Resources

☐ **Pitstop PDF Profiles / Action Lists**
- Import / Export / Delete / Apply
- Part of the Normalization

☐ **ICC Profiles**
- Import / Remove / Apply

☐ **Acrobat Submission Templates**
- Import / Delete / Apply to Acrobat

☐ **Custom Marks**
- Import / Remove / Use in Imposition
- FUJI:Spot1-16 for remapping

14. Administration: Users & Customers

☐ **User Administration**
- Personal Information
- Capability Sets (New vs. Based On)
- Use at Log-in

☐ **Customer Administration**
- Associate with ID and Billing Codes
- Personal Information
- Contact Lists

15. Administration: Libraries

☐ **Imposition Patterns**
- JDF Folding Library
- Create New Folds with Wizard

☐ **Compound Screens**
- CMYK Primary / Spots Secondary

☐ **System Fonts**

Task Trained	Trainee Initials	PSG Tech. Initials

16. System Tools: Libraries

☐ **Preferences**
- Unit Lengths / Resolutions / Rulings
- Thumbnails
- Language
- Low-Folio to Front

☐ **Acrobat Exporter**
- Templates for PDF Exporting
- Acrobat Submission Templates
- JDF Templates

17. JDF Workflows

☐ **Configuration / Remote Devices**
- Exporting to Satellite XMF Servers

☐ **Administration: Export URLs**
- Naming / Establishing HTTP addresses
- Tickets triggering events on JDF Consumer

☐ **Workflow Item: JDF Export**
- Defining JDF format for Export
- Selecting URL and Tickets

☐ **Importing JDF Impositions**
- Layout-based Impositions
- Possible edits to Impositions

☐ **Drop Folders to Consume JDF**
- JDF Impositions: Metrix, Preps, Dynastrip
- MIS JDF to Drive Workflows

☐ **Acrobat JDF Submission Templates**
- Setting up in Admin / System Tools
- Importing/Exporting from Acrobat

18. XMF Utilities & Backup / Restore Procedures

☐ **Configuration Tool**
- Requires Server Stopping
- Essential Components per Box
- Multiple Box Configurations
- Backup / Load Configurations

☐ **License Tool**
- Viewing Enabled Options
- Adding / Removing Licenses
- Dongle Inspection

☐ **Server Application**
- Starting and Stopping Server
- Monitoring Services
- Restarting Services

☐ **Database Utility**
- Requires Server Stopping
- Verification & Repair
- Viewing / Exporting Logs

☐ **Calibration Manager**
- Requires Server Running
- Managing Devices & Proofers
- Linearizing Plate Devices (Tiff Export)
- Building Characterizations Curves
- Defining / Loading Device Media

☐ **Archiver**
- Scheduling / Location Rules
- Job Triggers: Last Activity / Due Date
- List / Logs / Restore
- Select Content to be Archived

☐ **Using Acronis True Image**
- Requires Server Stopping
- Making Disk Images.
- Co-location Disk Images
- Acronis Startup DVD

☐ **XMF Instance Backup**
- Copy entire folder: programs/fujifilm/XMF

19. Webex Follow-up Training (2 Hours)

☐ **Interview Customer on Training Needs**
- Identify gaps to cover in Webex training
- Instructions for Setting up Webex
- Call 800-FLY-FUJI to schedule within

☐ **List of Areas to Cover:**

XMF Support - call 1-800-FLY-FUJI , Option 1

Phone support and on-site support are chargeable activities. Please ask about payment options when placing the support call.

Date Training Completed	Signature	
		FUJIFILM PSG Tech.
		Customer Trainee(s)
		Customer Trainee(s)
		Manager / Owner

Service Call No. :	**PSG Tech. Name:**	
Customer:	**Customer Contact:**	
Address:	**City:**	**State:**
XMF Version No.:	**Dongle No. :**	

NOTES

Fujifilm Technical Solutions & Support
A division of FUJIFILM North America Corporation
Graphic Systems Division

Fujifilm Workflow XMF™ Complete

Customer Expectations

Network Requirements.
Fujifilm Workflow XMF™ ("XMF") requires connection to a network. The customer is required to ensure that all XMF Central and Satellite Servers have proper connectivity to their network. Each XMF Server platform requires its own static IP address, a Subnet Mask, Gateway and Primary and Alternate DNS. A Cat 5 Ethernet cable is also required for connection of each Central and/or Satellite Sever to be configured into the customer's XMF system. For optimal performance, it is recommended that the XMF Server and all XMF Client workstations be connected through high-speed Ethernet Gigabit 1000BASE-T connections. Any XMF Server or XMF Client connection using 100BASE-T or slower connections will be noticeably degraded in performance. The customer is responsible for providing all network connections prior to scheduled date of installation.

Inkjet Proofing.
XMF has the ability to drive ink jet devices directly using its "Media Profiler" feature, an ICC-based color management system. Directly driving inkjet proofers within XMF is not recommended where consistent color matching to Gracol, SWOP or a known press condition is required, or the ability to re-calibrate. In installations where precise color matching to inkjet proofers is required, it is recommended that an external color management system (such as ORIS ColorTuner) that supports linearization, re-calibration, Device Link Profiles and iterative color matching based upon spectral data, be utilized.

ORIS ColorTuner Web.
With the current version of CGS ORIS ColorTuner Web, the server on which the Inkjet Color Management system operates places high demands upon the platform's resources through its use of Apache Webserver, PHP and MySQL. As such, it is not recommended that any Satellite Server(s) be operated on the ORIS ColorTuner Web platform. All XMF Central and Satellite Servers require operation on independent platforms dedicated to XMF Server software.

Imposition.
Fujifilm Workflow XMF includes a full-featured imposition editor that is integrated directly into the XMF Client and may be operated on an unlimited number of XMF Clients that are directly connected to the network in which the XMF Server(s) operates. Understanding and use of the XMF Imposition Editor assumes prior experience with imposition by the customer operators using the XMF Workflow.

Connection to Output Devices.
For Fujifilm Luxel-T CTP equipment: A XMF Central or Satellite Server must be connected directly to the supported Fujifilm Luxel T-6000 AKA DART or T-9000 AKA JAVELIN plate output device(s) via a PIF cable connected to a PIF screening card inserted in the PCI slot within the XMF Central or Satellite Server. As such, the location of the XMF server containing the PIF screening card must be positioned within 20 meters of the output device. It is also required that the PIF cable be laid or hung in a location that is free of interference from undue weight and/or electrical current.

Fujifilm Technical Solutions & Support

A division of FUJIFILM North America Corporation
Graphic Systems Division

Fujifilm Workflow XMF™ Complete

Customer Expectations

XMF Server and Client Software/Platform Specifications
The minimum platform requirements for XMF Servers and XMF Client workstations are listed in the: FNAC Published Specifications for XMF 3.0 document. Also supported inkjet proofers, CTP devices and desktop applications may be found in this specification document.

System Performance.
The performance and throughput of the XMF system cannot be guaranteed. Actual performance will be based upon such factors as: The volume and types of jobs being processed; the number of concurrent XMF Clients connected to the XMF Server(s); the complexity of the XMF workflows; and the number of proofing and plating devices being driven by the XMF Server(s). Performance may be enhanced by scaling the XMF system with additional XMF Satellite Servers and/or APPE RIPs.

Customer Training & Core Competencies.
FTSS has established a Training Syllabus that covers all the core functions and features of the workflow system. During the on-site training, each section of this syllabus will be addressed and signed by both the FTSS technician conducting the training, as well as by at least one customer trainee**.** The customer's manager or officer is also required to provide final signoff for the on-site training. Within 180 days following the on-site training, the customer is entitled to a two-hour Webex follow-up training session designed to address any potential gaps in their training knowledge that may surface after a period of time using the XMF system. The Webex follow-up may also provide training in advanced workflow concepts. The XMF Training Syllabus assumes that the customer trainee has previous experience with one or more digital prepress workflow systems. If the customer trainee does not possess such experience, fundamental prepress training may be purchased at an additional cost.

FTSS Customer Support Agreement.
With the purchase of XMF, a Customer Support Agreement ("CSA") for the first twelve (12) months is required and included in the price of the software. FTSS will provide at no charge: toll-free telephone support; remote access support; and all point-release and full-version software upgrades from the date of completed installation or from the date of annual CSA renewal, purchasable for each successive 12-month period following the first year. This CSA does not cover any labor or travel costs associated with on-site support that is requested by the customer. All support services will be provided to the customer during normal business hours. Normal business hours are defined as: Monday through Friday, 7:00am to 7:00pm Central Time. FTSS holidays are excluded. Any support requested by the customer during hours outside those business hours herein defined, will be charged at FTSS's current hourly rates.

Fujifilm Technical Support Hotline: 1-800-359-3854

FUJIFILM
NORTH AMERICA CORPORATION
Graphic Systems Division

Published Specifications for XMF v3.0

Document Release 1.0.1 XMF V3.0 - July 2010

1. XMF Client Software Minimum Platform/OS Requirements (PC and Macintosh)

1.1. The Operator XMF Client workstations, whether PC or Macintosh, must meet minimum specifications. Please see the minimum requirements for Client workstations in the table below:

Configuration	PC	Macintosh
Processor Type	Pentium IV	G5 or higher / Intel Mac
Monitor Resolution	1280x1024	1280x1024
Removable Media	DVD Drive	DVD Drive
Internal Disks	40GB minimum	40GB minimum
RAM	2GB	2GB
Operating System	Windows XP SP2 / Vista / 7	Mac OSX 10.5 and 10.6

2. XMF Server Software Minimum Platform/OS Requirements (PC and Macintosh)

2.1. **Microsoft Windows 2003 Server.** Sales for Fujifilm North America Corporation, Graphic Systems Division can provide a complete XMF platform configuration.

3. Inkjet Proofer Drivers

3.1. **Direct Driving Inkjets.**The XMF Proofing Option allows XMF to directly drive a range of Epson and HP proofers. The VLF Proofer Driver allows a longer media length to be output for poster work.

XMF 2up / LR TIFF Driver Max size: 600mm x 450mm	XMF 4up / LR TIFF Driver Max size: 830mm x 830mm	XMF 8up & VLF / LR TIFF Driver Max size 8up: 1250mm x 1160mm Max VLF Length: 4000mm
No devices driven directly. Required for XMF Remote. Scan be used for DP connectivity for 2up format	Epson 7000 Epson 7600 Epson 4000 Epson 4800 & 4880 Epson 7800 & 7880 Epson 7900	HP 5000, 5500 HP 1050, 4000 HP Z2100, Z3100 Epson 9000, 10000 Epson 9600 Epson 10600, 10800 Epson 9800, 9880 Epson 9900
Maximum resolution for TIFF output: 2880dpi.		

3.2. **Resolutions Supported Inkjet Proofers.** The following table provides a list of support resolutions and options for each Inkjet Proofer that XMF can drive directly:

Inkjet Proofer	Resolutions & Screening Supported
HP 5000, 5500	600 dpi
HP 1050	300 dpi
Epson 7000, 9000	360 & 720 dpi
Epson 10000. 10600	360, 720, 1440 dpi
Epson 7600, 9600	360, 720, 1440 dpi
Epson, 3800, 4000, 4800, 4880	360, 720, 1440 dpi
Epson 7800, 7880, 9800, 9880, 10800	360, 720, 1440 dpi
HP Design Jet 4000ps	600, 1200 dpi

4. Platesetters & TIFF Drivers

4.1. **Supported Devices.** XMF drives the CTP devices listed below directly via the appropriate interface card. All other devices are driven via 1-bit TIFF export.

XMF 4up / TIFF Driver	XMF 8up / TIFF Driver	XMF VLF / TIFF Driver
Fujifilm Dart Series Engines	Fujifilm Javelin Series Engines	No direct connection supported
Maximum Size: 830mm x 830mm 32.677 x 32.677 inches	Maximum Size: 1260mm x 1160mm 49.606 x 45.275 inches	Maximum Size: 2000mm x 2000mm 78.74 x 78.74 inches

5. Supported Desktop Applications.

5.1. Files from the following desktop applications are qualified: A comprehensive range of application packages, as listed below, are tested with Fujifilm Workflow XMF Products. Note that the latest versions of application packages are validated on an on-going basis through the product's commercial life. Please check with a qualified Fujifilm Representative if a later application is not detailed below:

Macintosh Applications	PC Applications
Image Editing, Page Makeup and Prelfight	
QuarkXPress V6 / V7 / V8	QuarkXPress V6 / V7 / V8
Adobe In-Design CS3 / CS 4 / CS5	Adobe In-Design CS3 / CS 4 / CS5
Adobe Illustrator CS3 / CS 4 / CS5	Adobe Illustrator CS3 / CS 4 / CS5
Adobe Photoshop CS3 / CS 4 / CS5	Adobe Photoshop CS3 / CS 4 / CS5
Adobe Acrobat V7 / V8 / V9	Adobe Acrobat V7 / V8 / V9
Adobe Creative Suite CS3 / CS 4 / CS5	Adobe Creative Suite CS3 / CS 4 / CS5
Enfocus Pit Stop V8 / V9	Enfocus Pit Stop V8 / V9