Step 1: Import Data

- Add **Source node**
- Load your dataset (amazon_ecommerce_1M.csv)



Step 2: Drag Type node

Delivery_status → Target
Other variables → Input
Price, rating, etc. → Continuous
Brand, category → Categorical
Purchase_date → Date




Stream1* - IBM® SPSS® Modeler
delivery_status
File
Generate
View
Preview
Model
Viewer
Summary
Settings
Annotations
1
All
is_returned in ["False"] [Mode: Delivered] ⇨ Delivered
is_returned in ["True"] [Mode: Returned] ⇨ Returned
Predictor Importance
Target: delivery_status
is_returned
0.0
0.2
0.4
0.6
0.8
1.0
is_returned
Least Important
Most Important
View: Predictor Importance
OK
Cancel
Apply
Reset

Data Audit


Data Audit of [13 fields] #7
File
Edit
Generate
Audit
Quality
Annotations
Field
Sample Graph
Measurement
Min
Max
Mean
Std. Dev
Skewness
Unique
Valid
category Nominal -- -- -- -- -- 5 1000000
subcategory Nominal -- -- -- -- -- 16 1000000
brand Nominal -- -- -- -- -- 12 1000000
price Continuous 200.030 79999.7... 13224.1... 18079.6... 2.130 -- 1000000
discount Continuous 5.000 70.000 28.996 14.681 0.423 -- 1000000
rating Continuous 1.500 5.000 3.927 0.519 -0.067 -- 1000000
review_count Continuous 0 3408 32.627 43.382 6.381 -- 1000000
stock Continuous 0 500 250.023 144.567 0.000 -- 1000000
[1] Indicates a multimode result [2] Indicates a sampled result
OK
Outputs
Streams
Models
delivery_s...
Classes
CRISP-DM
Favorites
Sources
Record Ops
Field Ops
Graphs
Modeling
Output
Export
IBM® SPSS® Statistics
Python
Spark
Graphboard
Plot
Multiplot
Time Plot
Distribution
Histogram
Collection
Web
Evaluation
Map Visualization
E-Plot(Beta)
t-SNE
Server: Local Server
216MB / 279MB

Step 3: Add CHAID Node

- Go to **Modeling tab**
- Drag **CHAID node**



Step 4: View Results



Step 5: Tab on CHAID