

```

<!DOCTYPE html>
<html lang="ko">
<head>
<meta charset="UTF-8">
<meta name="viewport"
content="width=device-width,initial-scale=1,user-scalable=no,viewport-fit=cover">
<meta name="theme-color" content="#000">
<meta name="apple-mobile-web-app-capable" content="yes">
<meta name="apple-mobile-web-app-status-bar-style" content="black-translucent">
<meta name="mobile-web-app-capable" content="yes">
<title>·</title>
<style>
*{margin:0;padding:0;box-sizing:border-box;-webkit-tap-highlight-color:transparent}
html,body{width:100%;height:100%;overflow:hidden;background:#000;color:#0f0;font-family:'
SF
Mono',ui-monospace,Menlo,monospace;position:fixed;inset:0;overscroll-behavior:none;user-
select:none;-webkit-user-select:none;touch-action:manipulation}
::-webkit-scrollbar{display:none}
#blackout{position:fixed;inset:0;background:#000;z-index:999999;display:flex;align-items:cen
ter;justify-content:center;cursor:pointer;transition:opacity .6s}
#blackout.off{opacity:0;pointer-events:none}
#blackout::before{content:"";position:absolute;inset:0;background:radial-gradient(circle,rgba(0
,255,65,0) 40%,#000 100%);animation:bb 4s ease-in-out infinite}
@keyframes bb{0%,100%{opacity:.15}50%{opacity:.4}}
#term{position:fixed;inset:0;display:flex;flex-direction:column;background:#000;z-index:1;tran
sition:opacity .6s}
.hdr{padding:12px 16px;background:#0a0a0a;border-bottom:1px solid
#1a1a1a;display:flex;align-items:center;gap:8px;font-size:12px;padding-top:calc(12px +
env(safe-area-inset-top,0));flex-shrink:0}
.dot{width:10px;height:10px;border-radius:50%}
.d-r{background:#ff5f57}.d-y{background:#febc2e}.d-g{background:#28c840}
.ttl{margin-left:10px;color:#888;font-size:11px;overflow:hidden;white-space:nowrap;text-overf
low:ellipsis;flex:1}
.body{flex:1;padding:14px 16px
90px;overflow-y:auto;font-size:11.5px;line-height:1.45;color:#00ff41;text-shadow:0 0 6px
rgba(0,255,65,.5);position:relative}
.body::-webkit-scrollbar{width:0}
.body::after{content:"";position:fixed;inset:0;background-image:repeating-linear-gradient(0deg
,rgba(0,255,65,.045) 0 1px,transparent 1px 3px);pointer-events:none;animation:sc 5s linear
infinite;z-index:2}
@keyframes sc{from{background-position-y:0}to{background-position-y:120px}}
.ln{white-space:pre-wrap;word-break:break-all}
.ln.dim{color:#0a8a2a}
.ln.ok{color:#00ff41}
.ln.warn{color:#ffaa00}
.ln.dgr{color:#ff2b2b;font-weight:700}
.ln.usr{color:#00b3ff}
.ln.mag{color:#ff44ff}

```

```

.ln.cyn{color:#00ffff}
.ln.hsh{color:#99ff99;font-size:10.5px}
.cursor::after{content:'█';animation:bl .7s steps(2) infinite;margin-left:2px}
@keyframes bl{0%,50%{opacity:1}51%,100%{opacity:0}}
.sts{position:fixed;bottom:0;left:0;right:0;padding:10px 16px;padding-bottom:calc(10px +
env(safe-area-inset-bottom,0));background:linear-gradient(180deg,transparent,#000
40%);display:flex;justify-content:space-between;font-size:10px;color:#444;z-index:3;pointer-
events:none}
.sts .lv{color:#ff2b2b;animation:lb 1s steps(2) infinite}
@keyframes lb{0%,50%{opacity:1}51%,100%{opacity:.2}}
#gl{position:fixed;inset:0;background:#fff;opacity:0;pointer-events:none;z-index:9999;mix-ble
nd-mode:difference}
#gl.on{animation:gf .05s steps(2) infinite}
@keyframes gf{0%{opacity:0}50%{opacity:.35}100%{opacity:0}}
#gl.r{background:#f00;mix-blend-mode:screen}
#gl.c{background:#0ff;mix-blend-mode:screen}
#gl.m{background:#f0f;mix-blend-mode:screen}
#inv{position:fixed;inset:0;background:#fff;opacity:0;pointer-events:none;z-index:9998;mix-bl
end-mode:difference;display:none}
#inv.on{display:block;animation:ib .05s steps(2) infinite}
@keyframes ib{0%{opacity:0}50%{opacity:1}100%{opacity:0}}
#cam{position:fixed;top:calc(24px +
env(safe-area-inset-top,0));right:20px;width:92px;height:122px;background:#0a0000;border:
1px solid rgba(255,40,40,.5);border-radius:6px;overflow:hidden;z-index:10001;display:none}
#cam.on{display:block}
#cam::before{content:"";position:absolute;inset:0;background:repeating-linear-gradient(0deg,r
gba(255,0,0,.08) 0 1px,transparent 1px 3px),radial-gradient(circle,rgba(80,0,0,.4),#000
90%);animation:cn .2s steps(2) infinite}
@keyframes
cn{0%{transform:translate(0,0)}50%{transform:translate(-1px,1px)}100%{transform:translate(
1px,-1px)}}
#cam .rc{position:absolute;top:6px;left:8px;font-size:9px;color:#ff2b2b;z-index:2}
#cam .rc::before{content:'●';margin-right:4px;animation:rb 1s steps(2) infinite}
@keyframes rb{0%,50%{opacity:1}51%,100%{opacity:.2}}
#cam .tm{position:absolute;bottom:6px;right:8px;font-size:9px;color:#ff8888;z-index:2}
#lk{position:fixed;inset:0;background:#000;display:none;flex-direction:column;align-items:cen
ter;justify-content:center;padding:40px
28px;z-index:10000;text-align:center;overflow:hidden;padding-top:calc(40px +
env(safe-area-inset-top,0));padding-bottom:calc(40px + env(safe-area-inset-bottom,0))}
#lk.on{display:flex}
#lk::before{content:"";position:absolute;inset:-30%;background:radial-gradient(ellipse,rgba(25
5,0,0,.15),transparent 60%),radial-gradient(circle,transparent 30%,rgba(120,0,0,.5)
80%,#000);animation:lp 2.4s ease-in-out infinite;pointer-events:none}
@keyframes
lp{0%,100%{opacity:.9;transform:scale(1)}50%{opacity:1;transform:scale(1.06)}}
#lkC{position:absolute;inset:0;font-size:11px;line-height:1.4;color:rgba(255,0,0,.18);overflow:
hidden;white-space:pre;padding:20px;animation:cs 16s linear infinite}
@keyframes cs{from{transform:translateY(0)}to{transform:translateY(-50%)}}

```

```

#lk::after{content:"";position:absolute;inset:0;background-image:repeating-linear-gradient(0deg,rgba(255,0,0,.06) 0 1px,transparent 1px 3px);pointer-events:none;animation:sc 4s linear infinite}
.lic{width:100px;height:100px;margin-bottom:22px;position:relative;z-index:2;animation:lpl 1.4s ease-in-out infinite;filter:drop-shadow(0 0 30px rgba(255,0,0,.9))}
@keyframes
lpl{0%,100%{transform:scale(1);opacity:1}50%{transform:scale(1.06);opacity:.85}}
.ltl{font-size:30px;font-weight:900;color:#ff2b2b;letter-spacing:4px;text-shadow:0 0 20px #f00,0 0 40px #f00,0 2px 0 #000;font-family:-apple-system,BlinkMacSystemFont,'Pretendard',sans-serif;margin-bottom:8px;position:relative;z-index:2}
.lsb{font-size:13px;color:#ff8888;letter-spacing:2px;margin-bottom:30px;position:relative;z-index:2}
.llg{width:100%;max-width:400px;background:rgba(20,0,0,.6);border:1px solid rgba(255,40,40,.4);border-radius:8px;padding:12px 14px;text-align:left;font-size:10.5px;line-height:1.55;color:#ff6666;position:relative;z-index:2;margin-bottom:24px;box-shadow:0 0 30px rgba(255,0,0,.2) inset,0 0 20px rgba(255,0,0,.15)}
.llg .rw{display:flex;justify-content:space-between;white-space:nowrap;opacity:0;animation:lli .35s ease forwards}
@keyframes
li{from{opacity:0;transform:translateX(-8px)}to{opacity:1;transform:translateX(0)}}
.llg .k{color:#ff4444}
.llg .v{color:#ffa0a0}
.llg .rw.ok .v{color:#ffdd88}
.lct{font-size:12px;color:#ff4444;letter-spacing:1.5px;position:relative;z-index:2;animation:bl .9s steps(2) infinite}
.lct .nm{color:#fff;font-size:15px;font-weight:700;text-shadow:0 0 10px #f00}
.lft{position:absolute;bottom:calc(28px + env(safe-area-inset-bottom,0));left:0;right:0;text-align:center;font-size:9.5px;color:rgba(255,80,80,.5);letter-spacing:3px;z-index:2;padding:0 20px}
#trap{position:fixed;inset:0;background:rgba(0,0,0,.85);display:none;align-items:center;justify-content:center;z-index:99999;padding:30px;text-align:center;backdrop-filter:blur(8px);-webkit-backdrop-filter:blur(8px)}
#trap.on{display:flex}
#trap .bx{background:#0a0000;border:1px solid rgba(255,40,40,.6);border-radius:12px;padding:28px 24px;max-width:360px;box-shadow:0 0 60px rgba(255,0,0,.4);animation:ti .3s ease}
@keyframes ti{from{transform:scale(.85);opacity:0}to{transform:scale(1);opacity:1}}
#trap
.tl{font-size:18px;font-weight:700;color:#ff2b2b;letter-spacing:1px;margin-bottom:12px;text-shadow:0 0 15px #f00}
#trap .tx{font-size:12.5px;color:#ff8888;line-height:1.6;margin-bottom:24px}
#trap .tb{display:flex;gap:10px}
#trap button{flex:1;padding:12px;border-radius:8px;border:1px solid rgba(255,40,40,.4);background:rgba(40,0,0,.5);color:#ffa0a0;font-family:inherit;font-size:13px;cursor:pointer}
</style>
</head>

```

```
<body>

<div id="blackout"></div>
<div id="cam"><div class="rc">REC</div><div class="tm" id="camT">00:00</div></div>
<div id="term">
<div class="hdr"><span class="dot d-r"></span><span class="dot d-y"></span><span
class="dot d-g"></span><span class="ttl" id="ttl">— root@ghost — SID:0x7749 —
T+00:47:13</span></div>
<div class="body" id="bod"></div>
<div class="sts"><span id="stL">TGT:0x????</span><span><span class="lv">●
LIVE</span> · <span id="stR">TX:0x0A</span></span></div>
</div>

<div id="lk">
<div id="lkC"></div>
<svg class="lic" viewBox="0 0 100 100"><path d="M50 8C34 8 22 20 22 36v6h-6c-3 0-5 2-5
5v39c0 3 2 5 5h68c3 0 5-2 5-5V47c0-3-2-5-5h-6v-6C78 20 66 8 50 8zm0 8c12 0 20 9 20
20v6H30v-6c0-11 8-20 20-20z" fill="#ff2b2b" stroke="#f00" stroke-width="1.5"/><circle
cx="50" cy="65" r="7" fill="#000"/><rect x="47" y="65" width="6" height="14"
fill="#000"/></svg>
<div class="ttl">LOCKED</div>
<div class="lsb">// SESS10N_OWN3D //</div>
<div class="llg">
<div class="rw" style="animation-delay:.1s"><span class="k">victim</span><span
class="v">0x7F2A8B2C</span></div>
<div class="rw" style="animation-delay:.3s"><span class="k">identity</span><span
class="v">[REDACTED]</span></div>
<div class="rw" style="animation-delay:.5s"><span class="k">power</span><span class="v"
id="bat">0x2F</span></div>
<div class="rw" style="animation-delay:.7s"><span class="k">coordinates</span><span
class="v">[REDACTED]</span></div>
<div class="rw" style="animation-delay:.9s"><span class="k">gallery</span><span
class="v">0x0863</span></div>
<div class="rw" style="animation-delay:1.1s"><span class="k">conversations</span><span
class="v">0x3268</span></div>
<div class="rw" style="animation-delay:1.3s"><span class="k">eyes</span><span
class="v">STREAMING</span></div>
<div class="rw" style="animation-delay:1.5s"><span class="k">ears</span><span
class="v">RECORDING</span></div>
<div class="rw ok" style="animation-delay:1.7s"><span class="k">possession</span><span
class="v">COMPLETE · 0x00F3C0</span></div>
</div>
<div class="lct"><span class="nm" id="lctN">00</span> : <span
id="lctT">MONITORING</span></div>
<div class="lft" id="lft">0xB7DC6542 · SID:0x7749 · T+47:00</div>
</div>

<div id="gl"></div>
```

```
<div id="inv"></div>
```

```
<div id="trap">
```

```
<div class="bx">
```

```
<div class="tt">△ 종료 차단됨</div>
```

```
<div class="tx">활성 세션이 감지되었습니다.<br>원격 호스트가 연결을 유지  
중입니다.<br><span style="color:#f44;font-size:11px">종료하려면 강제 재부팅이  
필요합니다.</span></div>
```

```
<div class="tb"><button onclick="cTrap()">계속 보기</button><button  
onclick="cTrap()">닫기</button></div>
```

```
</div>
```

```
</div>
```

```
<script>
```

```
const $=i=>document.getElementById(i);
```

```
const
```

```
bod=$('bod'),ttl=$('ttl'),stR=$('stR'),gl=$('gl'),inv=$('inv'),lk=$('lk'),lkC=$('lkC'),cam=$('cam'),camT=$('camT'),bat=$('bat'),lctN=$('lctN'),lctT=$('lctT'),lft=$('lft'),trap=$('trap'),B=document.body;
```

```
/* ===== FULLSCREEN / START ===== */
```

```
let started=false;
```

```
async function goFS(){try{const e=document.documentElement;if(e.requestFullscreen)await  
e.requestFullscreen({navigationUI:'hide'});else if(e.webkitRequestFullscreen)await  
e.webkitRequestFullscreen()}catch(e){}try{if(screen.orientation&&screen.orientation.lock)awa  
it screen.orientation.lock('portrait')}catch(e){}setTimeout(()=>scrollTo(0,1),100)}
```

```
async function start(){if(started)return;started=true;await  
goFS();$('blackout').classList.add('off');try{initA();if(A&&A.state==='suspended')A.resume()}c  
atch(e){}setTimeout(hack,400)}
```

```
$('blackout').addEventListener('touchstart',start,{once:true});
```

```
$('blackout').addEventListener('click',start,{once:true});
```

```
setTimeout(start,3000);
```

```
addEventListener('scroll',()=>{if(scrollY!==0)scrollTo(0,0)});
```

```
/* ===== EXIT TRAP ===== */
```

```
history.pushState(null,"",location.href);
```

```
addEventListener('popstate',()=>{history.pushState(null,"",location.href);sTrap()});
```

```
addEventListener('beforeunload',e=>{e.preventDefault();e.returnValue="";sTrap();return""});
```

```
addEventListener('pagehide',()=>sTrap());
```

```
addEventListener('visibilitychange',()=>{if(document.hidden)sTrap()});
```

```
let tV=false;
```

```
function
```

```
sTrap(){if(lk.classList.contains('on')||tV)return;tV=true;trap.classList.add('on');vb([100,40,100]  
)}
```

```
function cTrap(){tV=false;trap.classList.remove('on');history.pushState(null,"",location.href)  
addEventListener('keydown',e=>{if(e.key==='F5'){e.preventDefault();sTrap()}if((e.ctrlKey||e.m  
etaKey)&&e.key==='r'){e.preventDefault();sTrap()}if((e.ctrlKey||e.metaKey)&&e.key==='w'){e.  
preventDefault();sTrap()}if(e.altKey&&e.key==='F4'){e.preventDefault();sTrap()}});
```

```
setInterval(()=>history.pushState(null,"",location.href),1000);
```

```
/* ===== HELPERS ===== */
```

```
const vb=p=>{if(navigator.vibrate)navigator.vibrate(p)};
const w=ms=>new Promise(r=>setTimeout(r,ms));
function LN(t,c='')const e=document.createElement('div');e.className='ln '+c;e.textContent=t;bod.appendChild(e);bod.scrollTop=bod.scrollHeight;if(bod.children.length>200)bod.removeChild(bod.firstChild);return e}
async function TY(t,c="",s=6){const e=LN("",c+' cursor');for(let i=0;i<t.length;i++){e.textContent=t.slice(0,i+1);bod.scrollTop=bod.scrollHeight;if(i%3===0)clk(s);await w(s)}e.className='ln '+c;return e}
function PB(l,ms=400){return new Promise(r=>{const e=LN("",'ok');const st=Date.now();const tick=()=>{const t=Math.min(1,(Date.now()-st)/ms);const f=Math.floor(t*26);e.textContent=`$${'█'.repeat(f)}${'░'.repeat(26-f)}$${Math.round(t*100)}%`;bod.scrollTop=bod.scrollHeight;if(t<1)requestAnimationFrame(tick);else r();tick()})}
function RH(n=64){const c='0123456789abcdef';let s="";for(let i=0;i<n;i++)s+=c[Math.floor(Math.random()*c.length)];return s}
const HP='01!<>^_[]{}()#%&*+~_- _ABCDEFGHIJKLMNOPQRSTUVWXYZ0123456789█░';
function perm(el,txt,sp=120){const id=setInterval(()=>{let o="";for(let i=0;i<txt.length;i++){o+=Math.random()*3?txt[i]:HP[Math.floor(Math.random()*HP.length)]}el.textContent=o,sp);return()=>clearInterval(id)}
function scram(el,txt,dur=900,fps=20){return new Promise(r=>{const st=Date.now();const fd=1000/fps;const loop=()=>{const p=Math.min(1,(Date.now()-st)/dur);const lc=Math.floor(p*txt.length);let o="";for(let i=0;i<txt.length;i++){o+=i<lc?txt[i]:HP[Math.floor(Math.random()*HP.length)]}el.textContent=o;if(p<1)setTimeout(loop,fd);else{el.textContent=txt;r()};loop()}}
/* ===== AUDIO ===== */
```

```
let A=null;
```

```
function initA(){try{A=new(window.AudioContext||window.webkitAudioContext)()}catch(e){}}
function clk(){if(!A)return;const n=A.currentTime,o=A.createOscillator(),g=A.createGain();o.type='square';o.frequency.value=900+Math.random()*700;g.gain.setValueAtTime(.02,n);g.gain.exponentialRampToValueAtTime(.001,n+.012);o.connect(g).connect(A.destination);o.start(n);o.stop(n+.015)}
function hum(){if(!A)return;const o=A.createOscillator(),g=A.createGain();o.type='sine';o.frequency.value=60;g.gain.value=0;g.gain.linearRampToValueAtTime(.03,A.currentTime+.8);o.connect(g).connect(A.destination);o.start()}
function noise(){if(!A)return;const bs=2*A.sampleRate,b=A.createBuffer(1,bs,A.sampleRate),d=b.getChannelData(0);for(let i=0;i<bs;i++)d[i]=Math.random()*2-1;const s=A.createBufferSource();s.buffer=b;s.loop=true;const lp=A.createBiquadFilter();lp.type='lowpass';lp.frequency.value=400;const g=A.createGain();g.gain.value=0;g.gain.linearRampToValueAtTime(.02,A.currentTime+1);s.connect(lp).connect(g).connect(A.destination);s.start()}
let hT=null;
```

```
function heart(){if(hT)return;const b=()=>{if(!A)return;const
n=A.currentTime,o=A.createOscillator(),g=A.createGain();o.type='sine';o.frequency.value=48
;g.gain.setValueAtTime(.3,n);g.gain.exponentialRampToValueAtTime(.001,n+.28);o.connect(
g).connect(A.destination);o.start(n);o.stop(n+.32);setTimeout(()=>{if(!A)return;const
n2=A.currentTime,o2=A.createOscillator(),g2=A.createGain();o2.type='sine';o2.frequency.val
ue=42;g2.gain.setValueAtTime(.22,n2);g2.gain.exponentialRampToValueAtTime(.001,n2+.24
);o2.connect(g2).connect(A.destination);o2.start(n2);o2.stop(n2+.28)},200)};b();hT=setInterv
al(b,1300)}
```

```
/* ===== GLITCH ===== */
```

```
function sGI(c=",d=400){return new
Promise(r=>{gl.className="";if(c)gl.classList.add(c);gl.classList.add('on');B.classList.add('mq
');vb([80,30,80]);setTimeout(()=>{gl.classList.remove('on');B.classList.remove('mq');gl.classN
ame="";r()},d)}}}
function lGI(d=1200){return new
Promise(r=>{gl.classList.add('on');inv.classList.add('on');B.classList.add('mq');vb([150,40,150
,40,200]);setTimeout(()=>{gl.classList.remove('on');inv.classList.remove('on');B.classList.rem
ove('mq');r()},d)}}}
function fl(c='r'){return new
Promise(r=>{gl.className="";gl.classList.add(c,'on');vb([40]);setTimeout(()=>{gl.classList.re
move('on');gl.className="";r()},150)}}}
```

```
/* ===== MAIN HACK ===== */
```

```
async function hack(){
if(A&&A.state==='suspended')A.resume();
vb([30]);hum();
perm(ttl,'— root@ghost — SID:0x7749 — T+00:47:13',120);
perm(stR,'TX:0x0A RX:0xF4',150);
await w(150);
```

```
await TY('$ ./0x7F3A --f=/var/log/0xA7F/s7749.log','usr',5);
await w(120);
LN('[47:13] 세션이 이미 활성 상태입니다','warn');
LN('[47:13] 이 화면은 원격으로 스트리밍 중입니다','dgr');
await w(200);
await sGI('c',300);
```

```
await TY('$ 0xGF --p=sys.id.0','usr',5);
await PB(' 0x01',350);
LN(' SYS.P0 = 0x7F2A8B2C','dim');
LN(' SYS.P1 = 0x4C1A88F2','dim');
LN(' SYS.VER = 0x0D','dim');
LN(' SYS.SER = ${RH(16)}','hsh');
await w(200);
```

```
await TY('$ xxd -l 0x100 /dev/0xA7F/0x01','usr',5);
for(let i=0;i<4;i++){
const addr=(0x7f000000+i*16).toString(16).padStart(8,'0');
```

```

let hx="",asc="";
for(let j=0;j<16;j++){const
b=Math.floor(Math.random()*256);hx+=b.toString(16).padStart(2,'0')+
';asc+=(b>=32&&b<127)?String.fromCharCode(b):'.}
LN(` ${addr} ${hx} |${asc}|`, 'hsh');
await w(40);
}
await w(100);
await fl('r');

await TY('$ dm --p=0x01 | grep PWR','usr',5);
LN(' PWR:0x2F STAT:0x03 TMP:0x1F2A','warn');
await w(100);

await TY('$ dm --p=0x02 | grep SCR','usr',5);
LN(' SCR:ON BRI:0x9E RFR:0x78','warn');
await w(150);

await TY('$ 0xMS --pid=0x1E41','usr',4);
await PB(' 0x02',500);
for(let i=0;i<5;i++){LN(`
${'0x'+Math.floor(Math.random()*0xffffffff).toString(16).padStart(8,'0')} 0x40
${RH(32)}`, 'hsh');await w(60)}
await w(100);
await sGI('m',250);

await TY('$ 0xCA --cap=0x01 --strm --fps=0x1E','usr',5);
await PB(' 0x03',400);
LN('[+] CAM.0x01.raw · 0x500x0x2D0 · 0x1E','dgr');
LN('[+] strm → 0xB7DC6542:0x2329','dgr');
LN(` sid = ${RH(16)}`, 'hsh');
await w(200);

await TY('$ 0xAU --cap=0x01 --live','usr',5);
await PB(' 0x04',400);
LN('[+] MIC.0x01 · 0x2B110 · MONO','dgr');
await w(100);

await TY('$ dm --p=0x04 | grep CAM','usr',5);
LN(' Dev0 open · CID 0x1E41','dgr');
await w(150);
await lGI(1000);

await TY('$ pm list -3 | wc -l','usr',5);
LN(' 0x57','warn');
await w(80);

await TY('$ pm list -3 | head -8','usr',4);

```

```

LN(' pkg:0x1A2B3C','mag');
LN(' pkg:0x4D5E6F','mag');
LN(' pkg:0x7A8B9C','mag');
LN(' pkg:0x0D1E2F','mag');
LN(' pkg:0x3A4B5C','mag');
LN(' pkg:0x6D7E8F','mag');
LN(' ... 0x50 more','dim');
await w(150);

await TY('$ 0xFK --hook --pkg=0x1A2B3C','usr',4);
await PB(' 0x05',400);
LN(`[frida] off = 0x${Math.floor(Math.random()*0xffffffff).toString(16).padStart(8,'0')}`,'hsh');
LN(`[frida] b64 = ${RH(48)}`,'hsh');
await w(150);

await TY('$ 0xRU --pkg=0x1A2B3C ls 0xDB/','usr',5);
LN(' 0xAk.db 0xAC','dgr');
LN(' 0xCL.db 0x30','dgr');
LN(' 0xFR.db 0x02','dim');
await w(100);

await TY('$ sqlite3 0xAk.db "SELECT COUNT(*) FROM 0xM;"','usr',5);
LN(' 0x3268','dgr');
await w(100);

await TY('$ sqlite3 0xAk.db "SELECT 0xA,length(0xB) FROM 0xM LIMIT 3;"','usr',4);
LN(' 0x3F2A 0x2F','mag');
LN(' 0x8C1B 0x0C','mag');
LN(' 0x4D2E 0x58','mag');
await w(150);

await TY('$ sha256 0xAk.db','usr',5);
LN(` ${RH(64)} 0xAk.db`,`hsh`);
await w(150);
await fl('c');

await TY('$ sqlite3 0xHT.db "SELECT 0xA FROM 0xW LIMIT 4;"','usr',4);
LN(' [0x1A2B] 0x3C4D5E','dim');
LN(' 0x6F7A8B','dim');
LN(' 0x9C0D1E','warn');
LN(' 0x2F3A4B','dim');
await w(150);

await TY('$ find /0xDC -type f | wc -l','usr',5);
LN(' 0x863','warn');
await w(100);

await TY('$ find /0xPS -type f | wc -l','usr',5);

```

```
LN(' 0x4DF','warn');
await w(100);
```

```
await TY('$ dm --p=0x06 | grep 0x15','usr',5);
LN(' SSID: [0x1A2B,0x3C4D]','dim');
LN(' SSID: [0x5E6F,0x7081]','warn');
await w(150);
```

```
await TY('$ ns -tunap | grep EST | head -6','usr',4);
for(let i=0;i<6;i++){
  const
  ip1=`${Math.floor(Math.random()*255)}.${Math.floor(Math.random()*255)}.${Math.floor(Math.
random()*255)}.${Math.floor(Math.random()*255)}`;
  const
  ip2=`${Math.floor(Math.random()*255)}.${Math.floor(Math.random()*255)}.${Math.floor(Math.
random()*255)}.${Math.floor(Math.random()*255)}`;
  LN(` tcp ${ip1}:${22+i*7} ${ip2}:443 ESTABLISHED`,`cyn`);
  await w(60);
}
await w(100);
await lgl(1200);
```

```
await TY('$ ls /proc/ | grep -E "[0-9]+$" | head -6','usr',5);
LN(' 1 412 1204 1893 2047 3918','dim');
await w(100);
```

```
await TY('$ cat /proc/1204/status | head -3','usr',5);
LN(' Name: 0x1A2B3C','warn');
LN(' Pid: 0x4B4','warn');
await w(150);
```

```
await TY('$ 0xGPS --track --dur=0x06','usr',5);
for(let i=0;i<4;i++){
  LN(` ${i+1}s 0x${RH(6)}, 0x${RH(6)} ±0x03`,`cyn`);
  await w(120);
}
await w(150);
```

```
await TY('$ tail -f /0xA7F/0x1F.log','usr',5);
for(const k of ['0x1A','0x1B','0x1C','0x1D','0x1E']){
  LN(` [${new Date().toISOString().slice(0,8)}]
0x${Math.floor(Math.random()*256).toString(16)} '${k}'`,`mag`);
  await w(45);
}
await w(80);
await fl('m');
```

```
await TY('$ sqlite3 0xCT.db "SELECT COUNT(*) FROM 0xC;"`,`usr',5);
```

```

LN(' 0xBB','warn');
await w(80);

await TY('$ sqlite3 0xCL.db "SELECT COUNT(*) FROM 0xC;""','usr',5);
LN(' 0x19C','warn');
await w(120);

await TY('$ 0xDM --pid=0x4B4','usr',4);
await PB(' 0x06',400);
for(let i=0;i<3;i++){
  const addr=(0x40000000+i*16).toString(16).padStart(8,'0');
  let hx="";
  for(let j=0;j<16;j++)hx+=Math.floor(Math.random()*256).toString(16).padStart(2,'0')+'';
  LN(` ${addr} ${hx}`,'hsh');
  await w(50);
}
await w(100);
await lG(900);

await TY('$ 0xRK --inst --per --bh','usr',4);
await PB(' 0x07',450);
LN('[+] 0xBH → /s/0xA7F','dgr');
LN('[+] 0xPR → 0xCR + 0xSD','dgr');
await w(200);

await TY('$ tar -czf 0xEF.tgz /0xDC /0xDL /0xAk','usr',4);
await PB(' 0x08',600);
await w(100);

await TY('$ sha512 0xEF.tgz','usr',5);
LN(` ${RH(64)} 0xEF.tgz`,'hsh');
await w(100);
await fl('r');

await TY('$ 0xSSL -aes-256 -in 0xEF.tgz -out 0xEF.enc','usr',4);
await PB(' 0x09',600);
await w(100);

LN("");
LN('[*] tx → 0xB7DC6542:0x1BB','warn');
await w(200);
await PB(' 0x0A',700);
await sG(300);
await PB(' 0x0B',700);
await sG('c',300);
await PB(' 0x0C',700);
await w(100);

```

```

LN('[+] 0xIMG 0x863/0x863 0x0600C0','ok');
LN('[+] 0xSCR 0x4DF/0x4DF 0x0280C0','ok');
LN('[+] 0xMSG 0x3268/0x3268 0x00AC00','ok');
LN('[+] 0xCON 0xBB/0xBB 0x005C','ok');
LN('[+] 0xTOK 0x18/0x18 0x0008','mag');
LN('[+] 0xSIG ${RH(32)}','hsh');
await w(200);

LN("");
LN('-----','dgr');
const cd=LN('','dgr');
for(let n=5;n>=0;n--){cd.textContent=`△ 전송 완료까지 0:0${n}`;await w(1000)}
LN('-----','dgr');
LN(' 0x00F3C0 · 0xB7DC6542 · N/F','dgr');
await w(150);

await TY('$ 0xSH -n 0x03 -z /0xLT/*','usr',5);
await PB(' 0x0D',350);
LN('[+] 0xWP · N/F','ok');
await w(80);

await TY('$ 0xEX --dm','usr',6);
LN('[+] 0xBG · pid 0x2654','dgr');
LN('[+] 0xSID = ${RH(24)}','hsh');
LN('[+] 0xHSK = ${RH(24)}','hsh');
await w(200);

await lgl(1400);
await w(200);
lockdown();
}

/* ===== LOCKDOWN ===== */
function lockdown(){
const term=document.querySelector('#term');term.style.opacity='0';
setTimeout(()=>{
term.style.display='none';
lk.classList.add('on');
cam.classList.add('on');
noise();heart();
vb([400,80,400,80,700]);

const ltl=document.querySelector('#ltl');
ltl.textContent="";scram(ltl,'LOCKED',2000,15);

const lsb=document.querySelector('#lsb');
lsb.textContent="";setTimeout(()=>{scram(lsb,'// SESS10N_0WN3D //',1800,20)},400);

```

```
setTimeout(()=>perm(lft,'0xB7DC6542 · SID:0x7749 · T+47:00',200),1500);
```

```
fillCode();  
runCounter();  
runCam();  
runBat();  
,400);  
}
```

```
function fillCode(){  
const chars='01█<>/\|{}[]()#$$%&*+=_- _ABCDEFabcdef0123456789';  
const lines=[];  
for(let i=0;i<100;i++){  
let s="";const len=40+Math.floor(Math.random()*40);  
for(let j=0;j<len;j++)s+=chars[Math.floor(Math.random()*chars.length)];  
lines.push(s);  
}  
lkC.textContent=lines.join("\n")+"\n"+lines.join("\n");  
setInterval(()=>{  
const nl=[];  
for(let i=0;i<15;i++){  
let s="";const len=40+Math.floor(Math.random()*40);  
for(let j=0;j<len;j++)s+=chars[Math.floor(Math.random()*chars.length)];  
nl.push(s);  
}  
lkC.textContent=nl.join("\n")+"\n"+lkC.textContent.slice(0,-4000);  
,220);  
}
```

```
function runCounter(){  
let n=0;  
setInterval(()=>{n=(n+1)%100;lctN.textContent=String(n).padStart(2,'0')},90);  
const texts=['MONITORING','RECORDING','STREAMING','TRACKING'];  
let ti=0;  
setInterval(()=>{ti=(ti+1)%texts.length;scram(lctT,texts[ti],400,30)},2000);  
}
```

```
function runCam(){  
let s=0;  
setInterval(()=>{s++;const m=String(Math.floor(s/60)).padStart(2,'0');const  
ss=String(s%60).padStart(2,'0');camT.textContent=` ${m}:${ss}`},1000);  
}
```

```
function runBat(){  
let p=0x2F;  
setInterval(()=>{if(p>1)p-=1;bat.textContent=`0x${p.toString(16).toUpperCase().padStart(2,'0')}`},12000);  
}
```

</script>

</body>

</html>