WorkBuddy Use Report

Team 1076 – Tomorrow

Project title Resilience Travel Assistant
Thematic track Green Transport & Smart Mobility

Project description
A travel decision-support tool that helps Hong Kong and cross-border commuters choose departure times, compare disruption risks, and prepare alternatives using transport data, transparent rules, and constrained explanations.

Team member	University	Level
Ji Jie	Lingnan University	UG
Xiaowen LI	City University of Hong Kong	PG
xu tianyi	The University of Hong Kong	PG
Liu jiaming	Lingnan University	UG
Jiang Yunhan	The University of Hong Kong	UG

A bounded, traceable contribution

The project archive attributes a decision-interface draft, imported on 6 October 2026, to WorkBuddy and team role C. The team used the draft as input to contract design, then reconciled its assumptions with the working application [E1–E3].

We attribute neither the whole application nor later testing and release work to WorkBuddy. The archive does not establish its underlying model, full prompt history, token use or time saved.

1 Human judgement shaped integration

The team needed a clear boundary between transport data, decision logic and text shown to travellers. The archived draft supplied a concrete schema and provenance principles, but also made corridor and naming assumptions that required human correction [E1].

Draft element	Team decision	Evidence
Placeholder Tuen Mun to Kowloon West corridor	Use the main Hang Hau to Central corridor. Do not import unrelated route assumptions.	E1, E3
snake_case interface fields	Map into the main camelCase contract while preserving compatible additions.	E2, E3
Action, switch deadline, basis and uncertainty	Reconcile supported decision and provenance fields with the main response.	E2
AI wording for a computed decision	Keep route and timing calculations deterministic; give text generation only selected facts.	E4–E6

Implemented result

The decision engine computes routes, timing, risks and go / hold status. A separate server-side adapter can produce a short explanation when privately configured. Its input is a whitelist of decision facts. Error, missing configuration or rejected numeric claims leave the structured result intact [E4–E6].

This implemented boundary does not prove WorkBuddy wrote every later code change. The documentary attribution remains the interface draft and recorded integration decisions [E1–E3].

2 Reusable contract and validation workflow

Step 1 Define the decision boundary

Specify structured inputs, authoritative sources, outputs and uncertainty fields before asking an AI tool to draft an interface.

Step 2 Review assumptions

Compare the draft with the actual corridor, identifiers and conventions; record accepted and rejected changes.

Step 3 Separate calculation from wording

Compute the decision from transport data and rules. Give the model selected facts only, never authority to alter the result.

Step 4 Test failure paths

Test unsupported numbers, malformed output, missing key, provider failure and timeout. Keep the rule result available.

Step 5 Preserve provenance

Keep the draft, human reconciliation, implementation and regression evidence together; attribute only recorded work.

Engineering outcome and current model status

On 18 October 2026 the integrated application passed 595 tests in 43 files. This is engineering evidence, including AI-adapter regression tests, not a measured causal effect of WorkBuddy or a completed user trial [E6–E7].

The application includes an optional qwen-plus server adapter, and a locally configured demonstration produced an AI journey explanation. The public repository contains no credentials. Whether the live site generates text depends on its private server configuration; missing configuration is labelled in the UI [E5–E6].

3 Responsible use and evidence register

Operational facts remain under human-designed rules. The model receives whitelisted facts rather than raw addresses or credentials. Provider keys stay server-side and are excluded from the public repository [E5–E7].

Numeric checks cannot establish full semantic truth. A sentence could reuse allowed numbers and still mislead. A wider pilot needs factuality review, traveller comprehension tests, accessibility checks and privacy review of provider-bound data [E5–E6].

We do not present archived role C as a named member without confirmation, or claim user trials, travel-time improvements, congestion reduction, or quantified WorkBuddy efficiency gains.

Traceable source artifacts

E1 Archived WorkBuddy interface draft

E2 Decision contract change request

E3 Integration reconciliation record

E4 Rule-based explanation boundary

E5 Optional server-side model adapter

E6 AI explanation regression tests

E7 Release review and limitations

The historical review links identify the archived integration evidence; the model adapter link follows the maintained main branch. The record does not include a complete original WorkBuddy session export.

Alignment with the special-prize criteria

Purposeful collaboration: a draft addressed a specific interface problem. Reuse: schema, reconciliation and regression tests form a transferable method. Outcomes: fields and working code provide observable evidence. Responsibility: provenance and failure behavior are documented. Efficiency: no quantitative gain is claimed.

Official judging criteria · final submission requirements, checked 18 October 2026.