




Figure 1. FastQC raw-data results for Control_R1_Rep1, showing the quality statistics and per-base sequence quality of the raw reads before quality filtering.




Figure 2. FastQC report webpage for Control_R1_Rep1 showing the quality assessment of the raw sequencing reads, including basic statistics, per-base sequence quality, sequence quality scores, and other quality-control metrics.




Figure 3. FastQC raw-data results for Control_R1_Rep2, showing the quality statistics and per-base sequence quality of the raw reads before quality filtering.




Figure 4. FastQC report webpage for Control_R1_Rep2 showing the quality assessment of the raw sequencing reads, including basic statistics, per-base sequence quality, sequence quality scores, and other quality-control metrics.




Figure 5. FastQC raw-data results for Control_R2_Rep1, showing the quality statistics and per-base sequence quality of the raw reads before quality filtering.




Figure 6. FastQC report webpage for Control_R2_Rep1 showing the quality assessment of the raw sequencing reads, including basic statistics, per-base sequence quality, sequence quality scores, and other quality-control metrics.




Figure 7. FastQC raw-data results for Control_R2_Rep2, showing the quality statistics and per-base sequence quality of the raw reads before quality filtering.




Figure 8. FastQC report webpage for Control_R2_Rep2 showing the quality assessment of the raw sequencing reads, including basic statistics, per-base sequence quality, sequence quality scores, and other quality-control metrics.




Figure 9. Raw FastQC data of Infected_R1_Rep1 showing the basic statistics and quality scores of the sequencing reads before quality filtering.




Figure 10. FastQC report webpage for Infected_R1_Rep1 showing the quality assessment of the raw sequencing reads, including basic statistics, per-base sequence quality, sequence quality scores, and other quality-control metrics.




Figure 11. Raw FastQC data of Infected_R1_Rep2 showing the basic statistics and quality scores of the sequencing reads before quality filtering.




Figure 12. FastQC report webpage for Infected_R1_Rep2 showing the quality assessment of the raw sequencing reads, including basic statistics, per-base sequence quality, sequence quality scores, and other quality-control metrics.




Figure 13. Raw FastQC data of Infected_R2_Rep1 showing the basic statistics and quality scores of the sequencing reads before quality filtering.




Figure 14. FastQC report webpage for Infected_R2_Rep1 showing the quality assessment of the raw sequencing reads, including basic statistics, per-base sequence quality, sequence quality scores, and other quality-control metrics.




Figure 15. Raw FastQC data of Infected_R2_Rep2 showing the basic statistics and quality scores of the sequencing reads before quality filtering.




Figure 16. FastQC report webpage for Infected_R2_Rep2 showing the quality assessment of the raw sequencing reads, including basic statistics, per-base sequence quality, sequence quality scores, and other quality-control metrics.




Figure 17. Successful execution of the MultiQC tool in Galaxy, showing the generated MultiQC outputs for the infected and control RNA-seq samples and confirming that the quality control reports were successfully processed and combined.




Figure 18. MultiQC report generated in Galaxy showing the general statistics of the RNA-seq samples, including GC content, duplication rate, and the total number of sequencing reads for each analyzed sample.