

Distributed Shared Memory (DSM) Architecture

Name: Jilesh Yadav

Roll No: 25MCAR162

Subject: Advanced Distributed Operating Systems & Message Passing

Assignment Topic: Distributed Shared Memory Architecture

Submitted as part of academic assignment work.

Introduction to Distributed Shared Memory

Distributed Shared Memory (DSM) Architecture is a concept used in distributed computing systems where memory physically distributed across multiple computers appears to users and applications as a single shared memory space. DSM allows processes running on different machines to communicate and share data without explicitly using message passing methods. This improves programming simplicity and allows developers to work with distributed systems similarly to shared-memory multiprocessor systems. In traditional distributed systems, processes communicate using messages. However, message passing can be difficult to manage in large-scale systems. DSM simplifies this by providing a virtual shared memory abstraction. Each node in the distributed system contributes a portion of its local memory, and the DSM software coordinates access, consistency, and synchronization among nodes. The main objective of DSM architecture is to combine the advantages of distributed systems, such as scalability and resource sharing, with the ease of programming found in shared-memory systems. DSM is commonly used in parallel processing, distributed databases, scientific computing, and cloud-based applications. There are different types of DSM systems based on implementation techniques. Hardware-based DSM uses special hardware support for memory coherence, while software-based DSM relies on operating system support and communication protocols. Software DSM is more flexible and cost-effective compared to hardware DSM. DSM architecture improves resource utilization because all nodes can access shared data efficiently. It also supports transparency, meaning users do not need to know the exact physical location of data in memory.

Features, Advantages, and Challenges of DSM

Distributed Shared Memory architecture provides several important features. One major feature is transparency, where users can access remote memory as if it were local memory. Another important feature is scalability, allowing systems to expand by adding more computers without major changes in programming structure. DSM systems use consistency models to maintain synchronization between copies of shared data stored on different machines. Common consistency models include sequential consistency, weak consistency, and release consistency. These models define how updates are propagated across nodes. Advantages of DSM include easier programming, efficient resource sharing, reduced communication complexity, and support for parallel processing. Developers can write programs without worrying about explicit communication protocols, which increases productivity and reduces software complexity. Despite its advantages, DSM also faces several challenges. Maintaining memory consistency across distributed nodes can be difficult and may introduce communication overhead. Synchronization delays and network latency can reduce performance in large distributed environments. Fault tolerance is another challenge because node failures may affect shared memory access and data availability. Applications of DSM architecture include distributed databases, scientific simulations, cloud computing, multi-processor systems, and collaborative applications. Modern distributed systems continue to use DSM concepts to improve performance and simplify distributed application development. In conclusion, Distributed Shared Memory architecture is an important concept in distributed operating systems. It combines the benefits of shared memory programming with distributed computing capabilities. Although DSM introduces challenges related to synchronization and consistency, it remains a powerful approach for building scalable and efficient distributed applications.