ME416 Homework 2 Report

Jilin Zheng

March 18, 2024

Problem 1: Reference Frames and Coordinates

Question 1.1

$$ {}^{B_1}x = {}^{B_1}R_{B_2}\ {}^{B_2}x + {}^{B_1}T_{B_2} \tag{1} $$

Question 1.2

$$ {}^{W}x = {}^{W}R_{B_1}\ {}^{B_1}x + {}^{W}T_{B_1} = {}^{W}R_{B_1}\ {}^{B_1}x \tag{2} $$

Question 1.3

$$ \begin{aligned} {}^{W}x &= {}^{W}R_{B_1}\ {}^{B_1}x + {}^{W}T_{B_1} && (3)\\ &= {}^{W}R_{B_1}\ ({}^{B_1}R_{B_2}\ {}^{B_2}x + {}^{B_1}T_{B_2}) + {}^{W}T_{B_1} && (4)\\ &= {}^{W}R_{B_1}\ ({}^{B_1}R_{B_2}\ {}^{B_2}x + {}^{B_1}T_{B_2}) && (5) \end{aligned} $$

Question 1.4

$$ \begin{aligned} {}^{W}x &= {}^{W}R_{B_1}\ ({}^{B_1}R_{B_2}\ {}^{B_2}x + {}^{B_1}T_{B_2}) && (6)\\ &= {}^{W}R_{B_1}\ {}^{B_1}R_{B_2}\ {}^{B_2}x + {}^{W}R_{B_1}\ {}^{B_1}T_{B_2} && (7)\\ &= {}^{W}R_{B_2}\ {}^{B_2}x + {}^{W}T_{B_2} && (8) \end{aligned} $$

Problem 2: Keyboard Teleoperation

Question 2.1

```
16  class KeyOp(Node):
17      '''
18      Inherited Node class that collects key presses from user,
19      passes them to a KeysToVelocities object,
20      and publishes the velocities as Twist messages.
21      '''
22      def __init__(self):
23          super().__init__('key_op')
24
25          # create publisher to topic robot_twist
26          self.publisher = self.create_publisher(Twist,
27                                                 'robot_twist',
28                                                 10)
29
30          # create object from class KeysToVelocities
31          self.key_translate = KeysToVelocities()
32
33          print(f'''
34  Available commands:
35  w, W: Increase linear speed
36  s, S: Decrease linear speed
37  a, A: Increase angular speed
38  d, D: Decrease angular speed
39  z, Z: Set linear speed to zero
40  c, C: Set angular speed to zero
41  x, X: Set both linear and angular speed to zero
42  q, Q: Quit key translation to velocities
43
44  Current speeds:
45  speed_linear = {self.key_translate.speed_linear}
46  speed_angular = {self.key_translate.speed_angular}
47                '''')
```

Question 2.2

```
        # key presses checked at 50 Hz
        self.timer = self.create_timer(1.0/50,
                                       self.timer_callback)
        self.getch = mu._Getch()
        self.is_running = True

    def timer_callback(self):
        '''
        Process key pressed and publish Twist msg
        '''
        key = self.getch()
        if key.isalpha():
            [speed_linear, speed_angular, text_description] = self.key_translate.update_speeds(key)
            print(f'''
{text_description}
Updated speeds:
speed_linear = {speed_linear}
speed_angular = {speed_angular}
                  ''')

            msg = Twist()
            msg.linear.x = self.key_translate.speed_linear
            msg.angular.z = self.key_translate.speed_angular
            self.publisher.publish(msg)

            if key in ('q', 'Q'):
                self.get_logger().info(f'Shutdown initiated by {self.get_name()}')
                self.destroy_node()
                self.is_running = False


def main(args=None):
    '''
    Initialize and continue to spin node until user quits with 'q'
    '''
    rclpy.init(args=args)
    ko = KeyOp()
    while ko.is_running:
        rclpy.spin_once(ko)
    rclpy.shutdown()


if __name__ == '__main__':
    main()
```