

Telegram Music Bot Deployment on Render

This guide provides instructions to deploy your Telegram Music Bot on Render's free tier, including a keep-alive mechanism to prevent the service from spinning down due to inactivity.

Files Included

- `bot.py` : The main bot script, modified to include an HTTP health check server and a self-ping mechanism.
- `requirements.txt` : Lists Python dependencies, now including `requests` for the self-ping functionality.
- `Dockerfile` : Defines the Docker image for the bot, exposing port 10000 for the health check.
- `render.yaml` : Render blueprint configuration for deploying the bot as a web service, with health check path and port configured.

Deployment Instructions

Follow these steps to deploy your Telegram Music Bot on Render:

Step 1: Create a GitHub Repository

1. **Initialize a Git repository** in your project directory (where `bot.py` , `requirements.txt` , `Dockerfile` , and `render.yaml` are located).

Bash

```
git init
```

2. **Add your files** to the repository.

Bash

```
git add .
```

3. **Commit your changes.**

Bash

```
git commit -m "Initial commit: Telegram Music Bot with Render deployment file"
```

4. **Create a new repository on GitHub** (e.g., `telegram-music-bot`). Do NOT initialize it with a README or license.
5. **Link your local repository to the GitHub repository** and push your code.

Bash

```
git remote add origin https://github.com/YOUR_USERNAME/telegram-music-bot.git
git branch -M main
git push -u origin main
```

(Replace `YOUR_USERNAME` with your GitHub username).

Step 2: Deploy to Render

1. **Log in to your Render account** or sign up if you don't have one.
2. Go to the [Render Dashboard](#).
3. Click on **"New Blueprint Instance"**.
4. Connect your GitHub account if you haven't already, and select the repository you just created (`telegram-music-bot`).
5. Render will detect the `render.yaml` file and propose a new Blueprint instance. Confirm the details.
6. **Configure Environment Variables:**
 - **TOKEN** : Your Telegram Bot API Token. Obtain this from BotFather on Telegram.
 - **RENDER_EXTERNAL_URL** : This environment variable is automatically provided by Render and contains the public URL of your service. It's used by the self-ping mechanism. You don't need to set this manually; Render will inject it.
7. Click **"Apply"** to create and deploy your service.

Step 3: Verify Deployment

1. Once the deployment is complete, navigate to your service dashboard on Render.
2. Check the logs to ensure the bot starts successfully and the HTTP server is running on port 10000.
3. The health check endpoint will be available at `YOUR_RENDER_URL/health` (e.g., `https://telegram-music-bot.onrender.com/health`). Visiting this URL should return "Bot is running".

4. The self-ping mechanism will periodically ping this endpoint to keep your service awake.

Your Telegram Music Bot should now be running 24/7 on Render's free tier!