Suggested user flows for Altru

Prepared by Specbee for Altru | Provider, service and location UX | Updated October 28, 2026

For potential user-flow exploration only. These suggested user flows build on Altru's existing website design. This guide and the clickable mockup are provided solely to explore and discuss how visitors might move between services, providers and locations.

Use the guided review to walk seven visitor journeys, or explore the mockup freely. Pages 2-5 pair dated hospital-site references with the Altru concept to explain the relationships.

Multi-location Hospital examples

Health system	Observed public structure	Application to Altru
Northwestern Medicine	A heart-care overview connects to treatments, locations and teams. Its heart-location page explicitly notes that services vary by location. The general location finder offers city/ZIP, specialty and map/list controls. S1 S2 S3	Keep distinct provider, service and location paths. Let visitors use geography to find relevant places, then confirm the care available there.
UCHealth	The heart-care overview links to specialists and locations. The Longs Peak Hospital heart-care page combines local services, a care team, address, hours and directions. Its vascular-care overview also states that services may vary by location. S4 S5 S6	Use a shared service explanation plus a local offering or program page when local details are substantial. Connect that offering to its actual team and place.
Mayo Clinic Health System	The shared cardiology page connects conditions, treatments, care team and locations, with an early warning that care options vary locally. Cardiology in Mankato has its own location details and provider list. S7 S8	Make local differences visible before visitors assume every treatment is nearby. Use a community-specific page when it adds useful care and provider context.

Potential flows to explore

- **Offer three connected entry points:** find a provider, understand a service, or find a clinic.
- **Explain care once:** maintain the main clinical explanation and show verified offerings by location.
- **Make local capability explicit:** distinguish consultations, testing, rehabilitation and procedures; a disclaimer alone cannot identify the right place.
- **Offer the appropriate next step:** connect services, places and people while letting each visitor finish their own task. Browsing local offerings does not require finding a provider.

These are observed structural examples, not usability results or a requirement to copy an entire site. Cross-page location persistence and an equivalent treatment-by-location comparison were not verified across these systems. Altru's content relationships still require clinical validation.


Northwestern Medicine + Altru

Connect service navigation, locations and teams | Visual comparison

The shared pattern is a connected specialty journey. Visitors can understand care, find its locations and reach a relevant team.


1. Keep place and provider paths in the service journey

PUBLIC SITE | Northwestern Medicine



The Heart & Vascular navigation keeps Locations and Meet the Teams together. Service locations

SPECBEE CONCEPT | Altru



Find a provider opens relevant results; the service content remains visible, with a separate care-location shortcut. Altru concept capture refreshed October 28, 2026.

What Altru carries forward

The relationship stays consistent across navigation: a shared service has care locations and relevant teams. Northwestern also connects its local hospital page to cardiovascular subspecialty teams. Local hospital example

Public-site references were captured October 23, 2026. Refreshed Altru panels are dated October 28 where noted. Specbee annotations are illustrative; incoming-region names, care coverage and provider relationships require Altru validation.

UCHealth + Altru: local offerings

Separate the local offering from the people who deliver care

UCHealth links from shared heart-care education to specialists or locations. The local Longs Peak Hospital page then describes the care offered at that place.


1. PUBLIC SITE | UCHealth heart-care overview



Two distinct links lead to specialists or heart-care locations. Shared service page


2. Describe what can be received at this location

PUBLIC SITE | Longs Peak Hospital



The local heart-care page lists diagnostic procedures; a separate treatment list follows. Local service page

SPECBEE CONCEPT | Regional Hospital



What you can receive here distinguishes visits, testing and rehabilitation, including onsite delivery. Altru concept capture refreshed October 28, 2026.

What Altru makes explicit

The Altru concept separates consultations, testing and rehabilitation, with a delivery label for each. This helps visitors see how a local clinic or hospital differs from other care locations. The sample local page also links onward to the relevant providers.

Public-site references were captured October 23, 2026. Refreshed Altru panels are dated October 28 where noted. Specbee annotations are illustrative; incoming-region names, care coverage and provider relationships require Altru validation.


Related providers are an optional continuation

A service page can connect to people without forcing every visitor to choose one

Local service pages may offer relevant care-team links for visitors who want a provider. This is an optional continuation. The nearby-offerings journey ends at local service information.


1. Pair the local service with its relevant providers

PUBLIC SITE | Longs Peak Hospital



The local service page includes provider cards and profile links.
Local service page

SPECBEE CONCEPT | Regional Hospital



The same sample local offering shows its cardiology team and links to profiles or provider results.

When a visitor chooses to continue

If a visitor follows a care-team link, keep the chosen service and location in the provider results and profile. This connection supports provider-seeking visitors; it is not a required step in browsing what nearby locations offer.

Public-site references were captured October 23, 2026. Refreshed Altru panels are dated October 28 where noted. Specbee annotations are illustrative; incoming-region names, care coverage and provider relationships require Altru validation.

Mayo Clinic Health System + Altru

Shared specialty content connects to local pages and providers

The shared cardiology overview links to community service pages. The Altru concept uses the same relationship, while stating sample local care differences directly on the location summary.


1. Give each local offering a useful destination

PUBLIC SITE | Shared cardiology page



A community card includes practical details and a link to that community's cardiology page. Shared service page

SPECBEE CONCEPT | Shared heart-care page



Regional Hospital's location summary states sample local offerings and opens its dedicated heart-care page. Altru concept capture refreshed October 28, 2026.

What the local page adds

A dedicated local page is useful when it provides local care details, contacts or a relevant team. Mayo's cardiology page in Mankato also shows providers and practice communities. Local service and provider example


Public-site references were captured October 23, 2026. Refreshed Altru panels are dated October 28 where noted. Specbee annotations are illustrative; incoming-region names, care coverage and provider relationships require Altru validation.

One search. No mode selection.

One query, an approximate location and a clear correction option

A single bar accepts a provider name, specialty or clinic. The planned experience estimates a starting area from IP and lets visitors change it or search without a location. A named doctor remains findable across communities.

SPECBEE CONCEPT | Estimated location and Change



The guided example discloses the approximate estimate and demonstrates correcting it. IP detection is simulated; no lookup is performed by the review.

Visitor task	Expected behavior
Known doctor	Search the name across communities, open the profile and use the prominent office phone.
Specialty or care term	Return relevant providers. Use Services for broader clinical education.
Familiar clinic	Start in Locations, open the clinic page and choose View providers. Clinic search remains a useful secondary shortcut.
Location correction	A correct estimate needs no action. A manual city/ZIP or community choice takes precedence and persists.

Keep matching and recovery predictable

Label name, specialty and clinic suggestions. Keep explicit filters visible and easy to clear. When filters hide a known provider, offer a clear route to search across Altru rather than treating proximity as proof that care is unavailable.


The guided review uses prepared examples. Production IP accuracy, fallback behavior, persistence and TruSearch matching require implementation and validation.

Find the doctor, then contact the office

A phone-first profile supports a familiar visitor task

A visitor who knows a doctor should be able to reach the office phone directly from the profile. Care locations support the contact information; another location-page visit is not required.

SPECBEE CONCEPT | Known-doctor profile



The office phone is prominent beneath the provider identity. The guided call action is simulated and never places a call.

Website flow	Useful endpoint
Home > Find a Provider > name search > matching result > profile	The visitor can confirm the doctor and use the office phone.
Care locations on the profile	Show confirmed practice locations and identify the place associated with each contact number.

Use verified contact information

The example number is the office contact listed on Matthew Amundson's official Altru profile. Incoming-region contact details remain withheld until confirmed. Label a facility contact separately when it is not a provider-office number.


Phone contacts and care-location relationships require Altru ownership and review. The concept adds no appointment booking or live availability; MyChart remains a separate existing option.

A service page is a front door

Read the overview, then choose the continuation that fits the visit

Services are a key entrance into the site. Keep useful care education visible, and let visitors act when ready. Finding a provider does not require scrolling through every clinical topic.

SPECBEE CONCEPT | Direct provider action



Services > Heart & Vascular Care > read overview > Find a provider > matching heart-care results. Clinical-topic exploration is optional.

Visitor goal	Natural continuation
Find a provider from the service	Choose Find a provider beside the overview; carry Heart care into results.
Learn about a condition or treatment	Explore the clinical topics and open the relevant existing information page.
See what care is available nearby	Open Care locations and browse all care types at nearby places using the approximate estimate. Filtering is optional.

Content order is not a required click path

Overview, clinical topics, care approach, local offerings, provider connections and resources can remain on the same service page. Shortcuts let visitors follow their own purpose. General information about Altru's approach is supporting content, not a separate required journey.


Clinical topics explain care. Local-offering records establish where it is offered. Neither a system-level service page nor a provider's presence proves a procedure is available at every site.

Apply the pattern across services

Useful service content comes before providers and practice locations

Primary care, pediatrics, cancer, kidney care, orthopedics and pregnancy/birth now follow the same reading-first structure as Heart & Vascular. Find a provider is the primary hero button on all seven pages and opens the matching provider results. The service explanation is visible in the page.

SPECBEE CONCEPT | Family Medicine & Primary Care



A useful overview and service topics lead into the care approach. Providers and practice locations follow farther down the page.

Service and public source	Content offered before people and places
Primary care	Continuing care, annual physicals, common conditions, screening and immunizations.
Pediatrics	Well visits, hospital care, pediatric therapy and family prevention topics.
Cancer care	Screening and diagnosis, treatment, cancer types and support for patients and families.
Kidney care	Nephrology, dialysis and home dialysis education; a link to Altru's full service information.
Orthopedics	Medical orthopedics, joint replacement, orthopedic surgery and athletic training.
Pregnancy & birth	Prenatal care and education, labor and delivery, and support after birth.

Show the right level of local detail

The new practice-location sections use the sample provider relationships, with links to place details or that location's service-filtered team. Three places show initially; an inline disclosure reveals additional matches. An estimated or visitor-chosen origin orders matching places without excluding other communities.

Practice locations do not prove treatment availability. Only Heart has authored capability comparisons in this concept. Confirm all local offerings independently. Public clinical links open in new tabs, preserve the concept and remain subject to Altru editorial and clinical review.

Start with the visitor's task

Three connected ways in; one Altru experience

Seven suggested journeys start from the website menu and stop when the visitor's own task is complete. They do not require understanding the acquisition or choosing a regional site.

Visitor goal	Website flow	Endpoint
Find a doctor you know	Find a Provider > name search > profile	Prominent office phone; locations secondary.
Find providers at a familiar clinic	Locations > clinic page > View providers > profile	Chosen clinic retained.
Find a nearby provider	IP estimate > optional correction > search > provider > care location	Explicit location choice carries forward.
Find a provider from a service page	Services > Heart & Vascular > overview > Find a provider	Matching heart-care providers.
Explore a diagnosis or treatment	Services > Heart & Vascular > overview > clinical topic	Existing clinical information.
Explore care at nearby locations	Care locations > browse all nearby offerings > local service details	Understand care at places; no provider selection.
Find a clinic or hospital	Locations > facility page > Services / Getting Here > directions	Practical place information and map handoff.

Keep location context separate from clinic choice

Use an approximate IP estimate to help with nearby care, and make correction obvious. Choosing a clinic or opening a profile must not silently replace the visitor's starting point. A visitor-selected location takes precedence.


Every guided journey starts paused. Play and Replay are explicit options. The cursor demonstrates website actions, never reviewer-menu clicks. These are potential flows, not validated patient outcomes.

See the care offered at nearby locations

Browse places and care types first; filtering is optional

Opening Care locations should show nearby places and the care available at each. The visitor does not need to choose a care type first. The IP estimate sets context; it is not a gate.

SPECBEE CONCEPT | Nearby location offerings



The sample shows onsite visits, testing and rehabilitation at one place, a visiting consultation at another, and a different mix elsewhere. Distances and coverage are illustrative.

The nearby-offerings journey ends at local service details. It does not continue into a care team, provider results or a provider profile. A provider-seeking visitor can use the separate provider paths.

Use the right content level

- **Shared service:** explain the care once and offer direct learning, provider and location paths.
- **Local offering:** state verified care types, delivery mode and useful local instructions. Add a local program page when it contributes meaningful detail.
- **Location page:** provide practical place information, services and optional provider connections.

Provider presence does not establish procedure capability. Clinical owners must approve the service-to-location relationship separately; missing sample data does not prove care is unavailable.

Keep each screen focused

Interaction guidance and the reasoning behind the layout

Surface	Recommended behavior	Why it belongs here
Provider finder	One query plus an approximate IP-based starting location and a visible Change option. Profiles feature verified phone contact before secondary place details.	Visitors can enter what they know without choosing a mode. Results remain providers; Services has its own menu and explanatory pages.
Clinic finder	Locations is the primary familiar-place entry. Search a clinic, open its own page, then choose View providers when that is the task.	A familiar clinic name should be quick to enter. A starting location should help the search without becoming a required gate.
Wide-screen map	Align the selected-location map with the result list. Highlight the corresponding row and provide Show on map and directions.	The map explains where a listed place is; it should not compete with the search controls.
Phone finder	Stack controls, use a native Community select, and let the dialog scroll as one surface. Keep location-page/direction links.	Reclaim space from control chrome without shrinking text or touch targets. The overlay map yields when there is insufficient room.
Location page	Put name, address, phone and main actions early. On phones, place them before the exterior. Then show Getting Here, About, Services and providers.	Visitors can verify a place and take the next step before reading background information or scrolling past photography.
Service page	Lead with a useful overview. Find a provider works directly from it; clinical topics and local offerings are optional continuations.	People may arrive to learn before choosing a place. Clinical topics and local capability filters answer different questions.

Keep the next step predictable

- **Related providers:** carry the service/location into provider results and provide a clear return link.
- **Back and close:** preserve origin and visible choices. Dialog Escape should return focus to the initiating control; direct links and browser Back should remain usable.
- **Empty results:** keep the query and starting location visible. Offer a specific reset or widening action; do not turn unrecognized text into an all-results search.
- **Directions:** hand a verified public destination to Google Maps. Let visitors choose their starting point there; do not send a fictional or anonymous destination.
- **Map dependency:** maps need a connection. Keep the address and an external directions link useful when an embedded map cannot be shown.

These are design rules and production acceptance criteria. The mockup demonstrates selected flows; it is not a complete accessibility, geocoding or cross-browser implementation.

Make the content trustworthy

The relationships matter as much as the page design

The experience depends on reliable relationships between people, places and care. A shared page structure cannot resolve inconsistent source data. Confirm the content model and ownership before turning the demo into a production service.

Record	Required relationships and facts	Proposed owner
Provider	Stable ID, public name, specialty, verified office contacts and their associated care locations; actual practice relationships.	Provider-directory owner
Location	Stable ID, approved public/legacy names, address, contact details, department hours, approved services and map destination.	Location operations + web team
Service	Shared clinical explanation, care-type taxonomy, patient-language aliases and links to relevant providers.	Clinical service lead + editorial
Local offering	Service/care type + location + onsite/visiting/other delivery + relevant team + local instructions where verified.	Clinical lead + location owner
Verification	Source of truth, reviewer, verification date, status and next review trigger.	Named content owner

Three content decisions to protect

- **Unknown is different from unavailable.** Do not label a location as lacking care merely because a feed, page or sample has no record. Use approved wording and show validated alternatives.
- **Share the explanation; approve the variation.** Maintain common clinical content once. Store local capabilities separately, with a clear reviewer and update process.
- **Preserve familiar names.** Validate former clinic/provider names as search aliases and plan approved redirects. The prototype's anonymous labels are demonstration content, not a migration inventory.

Decisions still needed for production

Confirm the roster, approved names and aliases, office/facility contacts, service capabilities, visiting patterns, source systems and content owners. Define approximate IP lookup, correction, manual override, fallback and persistence behavior; validate real geocoding and distance logic.

Keep valid existing Altru location and service URLs wherever possible. A shared UX does not settle React, Drupal, Canvas, integrations, estimates or launch timing. Those remain implementation and scope decisions.

Current status: a suggested-flow concept with sample people, anonymous incoming-region places, fixed illustrative distances and simulated IP detection. It is not a validated acquisition inventory and implements no booking, live availability or clinical triage.

Walk through it, then validate it

A short review plan for Altru stakeholders and representative visitors

Start with the guided review. It contains seven goals and 44 prepared website states. Use Explore freely for the separate interactive mockup and download the review package for the documents and files.

Journey	What to check
Find a doctor you know	Prominent office phone; locations secondary.
Find providers at a familiar clinic	Chosen clinic retained.
Find a nearby provider	Explicit location choice carries forward.
Find a provider from a service page	Matching heart-care providers.
Explore a diagnosis or treatment	Existing clinical information.
Explore care at nearby locations	Understand care at places; no provider selection.
Find a clinic or hospital	Practical place information and map handoff.

What to observe

Check task completion, wrong-location choices, repeated searches, backtracking, phone-number discovery and recovery from empty results. Ask visitors what care each location offers and whether they can correct the estimated location. Set acceptance targets with Altru before claiming benefits.

Logic and browser checks verify selected prototype behavior, not patient usability or production accessibility. IP and call handoffs are simulated in the guided review. Clinical coverage and contact details require Altru validation.

References and review boundary

Dated public-site examples and current Specbee concept materials

The Northwestern Medicine, UCHealth and Mayo Clinic Health System examples were captured October 23, 2026. They illustrate content structure and connections, not measured usability results. Public sites may change.

Altru concept panels refreshed October 28 are labeled in their captions. Other concept screenshots retain their October 23 capture. Annotations and anonymous incoming-region data are illustrative.

Public sources

[S1] Northwestern Medicine: Heart & Vascular
[S2] Northwestern Medicine: Heart & Vascular Locations
[S3] Northwestern Medicine: Location Finder
[S4] UCHealth: Heart & Vascular Care
[S5] UCHealth: Longs Peak Hospital Heart Care
[S6] UCHealth: Vascular Disease Care
[S7] Mayo Clinic Health System: Cardiology
[S8] Mayo Clinic Health System: Cardiology in Mankato
[S9] Altru: Family Medicine Center location page
[S10] Altru: Heart & Vascular Care
[S11] Altru: Matthew Amundson office contact

Current review materials

Guided visitor review | Independent interactive mockup | Executive brief | Download review package

Prepared by Specbee using Altru's existing design, solely for potential user-flow exploration. This is a concept, not approved clinical content, a confirmed acquisition inventory or a validated production specification. Altru must confirm the roster, contacts, local capabilities, integration behavior and content ownership.