Small soft core uP Inventory

©2026 James Brakefield

Opencore and other soft core processors

_uP_all_soft folder	opencores or prmary link	status	author	style / clone	data sz	inst sz	FPGA	reporter	comments	LUTs ALUT	Dff	LUT?	mults	blk ram	F max	date	tool ver	MIPS /inst	clks/ inst	KIPS /LUT	vendor	SOC	src code	#src files	top file	doc	tool chain	fltg pt	Hav'd	max dat	max inst	byte adrs	# inst	adr mod	# reg	pipe len	start year	last revis	secondary web link	note worthy	comments
mini16_cpu	https://github.com/miya4		miya	RISC	16	16	kintexus	miya		186		6	1		710			0.67	1.0	2558	X		verilog	13	top										7		2024		Very small and high performance CPU	data width can be expanded
verilog-harvard	https://github.com/jaywo		Jae-Won Chung	RISC	16	16	**zu-3e**	James	multi-c	171		6			357	##	v21.1	0.67	1.0	1399	X		verilog	5	cpu01	Y		N	N	0	0	N	23		4		2019	2019		multi-driven nets	single cycle CPU that has an IPC of 1
mb-lite_plus	http://www.late	stable	Huib Arriens	uBlaze	32	32	kintex-7-3	James	Brakef	244		6		2	319	##	14.7	1.00	1.0	1308	X	B	vhdl	34	tumbl	Y	yes	N		4G	4G	Y		32		2010	2012		Delft Un. Of Tech. course work	use inferred RAM
pumpkin	https://github.com/Steve		Steve Teal	accum	16	16	**zu-3e**	James	Brakef	166	67	6			625	##	v21.2	0.67	2.0	1261			vhdl	6	hello_wor	Y	asm	N		4K	4K		14				2020		scalable, 16-bit, 16 instruction soft CP	LUT RAM inferred (small size)
microblaze	https://www.xil	proprietar	Xilinx	uBlaze	32	32	virtex ultr	Xilinx		563		6		1	682	##		1.03	1.0	1248	X		proprietary			Y	yes	opt	Y	4G	4G	Y	86		32	3	2002		https://en.wikiped	MicroBlaze MCS, smallest configurati	70 configuration options, MMU optional
riscv_GRVI-pha	http://fpga.org/	beta	Jan Gray	risc-v	32	32	virtex-u-2	Jan Gray		320		6		1	375	##	v16.4	1.00	1.0	1172	X		proprietary			Y	yes	N		4G	4G	Y	45		32	3	2015	2018	https://www.yout	hand fitted & placed	"Hoplite" router, 1680 cores in XCVU9P
leros	https://opencor	stable	Martin Schoeberl	accum	16	16	spartan-6	Martin	Schoe	112		6		1	182			0.67	1.0	1089	AX		vhdl	5	leros	Y	yes	N	Y	256	64K				2	2	2008	2020	https://github.cor	256 word data RAM, PIC like	short LUT inst ROM
J1	www.excamera	stable	James Bowman	forth	16	16	**zu-2e**	James	area o	253		6		1	336	##	v20.1	0.80	1.0	1061	X		vhdl	1	j1	Y	forth	N		64K	64K		20		2	2006	2023	https://github.cor	uCode inst, dual port block RAM	16 deep data & return stacks
nios-v	https://www.intel.com/co		Intel	risc-v	32	32	Agilex 7	Altera	compa	421		A			442	##	q24.2	1.00	1.0	1050	A		proprietary			Y	yes	opt		4G	4G	Y		32		2021	2024	https://www.intel	requires Quartus Prime Pro? Ashling	ALM mystery: off by 2X? No FF counts
verilog-harvard	https://github.com/jaywo		Jae-Won Chung	RISC	16	16	**zu-3e**	James	multi-c	165	96	6			250	##	v21.1	0.67	1.0	1015	X		verilog	7	cpu02	Y		N	N	4G	4G	N	23		4		2019	2019		multi-driven nets	multi cycle CPU that has an IPC of 1
ARM_Cortex_A	https://develope	ASIC	ARM	ARM A53	64	32	asic	Xilinx		6000		A			1500			2.00	0.5	1000			asic			Y	yes	Y				Y						https://en.wikiped	uses pro-rated LC area	dual issue, includes fltg-pt & MMU & caches
Lutiac		custom	David Galloway, David	reg	16	NA	stratix-4	David	Gallow	140		A	4		198			0.67	1.0	947.6	A		vhdl, verilog							64	N	64		32	3		2010	Talks at Un. Toron	synthesis maps PC into ucode	no inst mem: small state machine, ~200 inst op
acc	https://github.c	stable	Juan Gonzalez-Gomez	accum	15	15	kintex-7-3	James	rom &	89	96	6		1	227	##	14.7	0.67	2.0	855.5	AX		verilog	1	acc2	Y	yes	N			4K					2016	2016	https://github.cor	26 chptr course using Apollo Commar	??why LUT count different from agcnorm
hamblen_scon	http://hamblen.	stable	James O. Hamblen	accum	16	16	cyclone-1	James	altera	80		4		1	204	##	q18.0	0.67	2.0	852.7	A		verilog	1	scomp			N	N	256	256	N	4				2008		http://hamblen.ec	from Hamblen 2008 "Rapid prototypi	tiny edu, high IO count
iDEA	https://github.c	alpha	Hui Yan Cheah etal	RISC	16	32	virtex-6	Liu Ch	unable	321		6	1	2	405		13.2	0.67	1.0	845.3	X		verilog	22	cpu_top	Y	yes	N	Y	64K	64K	N	24		32	9	2011	2016	The iDEA DSP Bloc	uses DSP slice in barrel mode for ALU	from GitHub, rq'd NOPs lower actual results
ssbcc	https://opencor	stable	Rodney Sinclair	forth	8	9	kintex-7	Rodney	Sincla	196		6			474		14.7	0.33	1.0	797.9	ALX		verilog	3	core	Y	asm	N	Y	1K	8K	Y	41		3		2012	2020	https://github.cor	Python program generates the Verilo	inst after branch/call/rtn always execs
non-von-1	https://www.ch	stable	Christopher Fenton	accum	8	8	kintex-7-3	James	Brakef	230	89	6			556	##	14.7	0.33	1.0	797.1			verilog	1	nonvontop		no	N		64			Y	30					SIMID in tree structure	A & B regs, instructions broadcast
avr8	https://opencor	beta	Nick Kovach	AVR	8	16	kintex-7-3	James	Brakef	174		6			418	##	14.7	0.33	1.0	792.2	X		verilog	1	rAVR	Y	yes	N		64K	64K	Y	17		4		2010	2010		Reduced AVR Core for CPLD	not a full clone, doc is opencores page
8bit_chapman	http://www.ece	beta	Rob Chapman, Steven	forth	8	8	**zu-3e**	James	vivado	132	63	6			305	##	v21.1	0.33	1.0	762.2	ALX		vhdl	10	stack_pro	Y		N		256	256	Y	24				1998	1998		course work	
mcpu	https://opencor	stable	Tim Boscke	accum	8	8	spartan-6	James	Brakef	41	30	6			384	##	14.7	0.08	1.0	749.0	X		vhdl	1	tb02cpu2	Y	asm	N		64	64	Y	4				2007	2018	https://github.cor	MCPU A minimal CPU for a CPLD	reduced MIPS/clk due to only 4 inst
octavo	http://fpgacpu.c	beta	Charles LaForest	reg	16	16	stratix-4	Charles	LaFor	500		A	1		550			0.67	1.0	737.0	A		verilog	18	Octavo	Y	asm	N					14		16	10	2012	2019	https://github.cor	8 core barrel, adjustable data width	~= performance across word sizes, no call/rtn i
nios2		proprietar	Altera	Nios II	32	32	stratix-5	Altera	consis	584		A			420	##	q16.0	1.00	1.0	719.2	A		proprietary			Y	yes	opt		4G	4G	Y		32		2004			fltg-pt, caches & MMU options	Nios II/e: min LUTs version, DMIPS adj, 1.68 Co
cpu16	http://www.ultr	stable	C.H. Ting	forth	16	5	kintex-7-3	James	Brakef	347		6			364	##	14.7	0.67	1.0	702.1	X		vhdl	1	cpu16			N	N	64K	64K	N	28				2000	2000		P16 in VHDL	CPU24.vhd with width=16
nanoprocessor	https://github.com/yasan		Yasantha Niroshan	RISC	4	12	artix7	James	no LUT	37	50	6			254	##	v24.1	0.10	1.0	687.2	X		vhdl	5	nanoproc	Y		N			8		4				2024			educational: 4 insts MOV, ADD, NEG & JZR	
kraken16	https://people.e	stable	Bruce R. Land	RISC	18	18	kintex-7-3	James	Brakef	281		6		1	278	##	14.7	0.67	1.0	662.3	X		verilog	1	DE2_TOPI	Y	asm	N	N	256	256	N	22		16		2008		https://people.ec	Cornell course material	
pumpkin	https://github.com/Steve		Steve Teal	accum	16	16	**zu-3e**	James	Brakef	230	131	6		1	450	##	v21.2	0.67	2.0	656.1			vhdl	6	myco	Y	asm	N		4K	4K		14				2020			scalable, 16-bit, 16 instruction soft CP	emulates Myco, forced block RAM
p16b		beta	C.H. Ting	forth	16	5	kintex-7-3	James	case c	367		6			355	##	14.7	0.67	1.0	648.1	X		vhdl	1	cpu16	Y	asm	N		64K	64K		28				2000			part of eForth?	data width can be expanded
xr16	https://github.c	stable	Jan Gray	RISC	16	16	kintex-7-3	James	Brakef	273		6			263	##	14.7	0.67	1.0	644.8	X		verilog	4	xr16	Y		N		64K	64K				16		1999	2001	https://github.cor	handcrafted instruction set	tool FPGA P&R, speed mode better
dspuva16	http://www.DTE	stable	Santiago de Pablo	DSP	16	16	kintex-7-3	James	Brakef	332		6			317	##	14.7	0.67	1.0	640.7	X		verilog	1	dspuva16		asm	N	Y	256	4K		40		16		2001	2004	www.1-core.com/	16 bit data memory, 24 bit regs	broken web link
mroell_cpu	https://bitbucke	stable	Matthias Roell	accum	8	8	kintex-7-3	James	added	185		6			357	##	14.7	0.33	1.0	637.1	X		vhdl	8	cpu	Y							10				2014	2016		university course project	
J1a	www.excamera	stable	James Bowman	forth	16	16	kintex-7-3	James	DFF ex	518		6			412	##	14.7	0.80	1.0	636.1	X		verilog	3	j1	Y	forth	N		64K	64K		20			2	2006	2023	https://github.cor	uCode inst, dual port block RAM	DFF used for 18 deep data & return stacks
myrisc1		stable	Muza Byte	RISC	8	8	arria-2	James	Brakef	121		A		2	231	##	q13.1	0.33	1.0	628.7	A		verilog	1	myRISC1	Y		N	Y	256	256	Y	16		4		2011	2011	https://en.wikiped	Verilog source included in PDF file	AKA Mano Machine, LPM macros
s16x4a	https://github.c	stable	Samuel Falvo II	forth	16	4	kintex-7-3	James	Brakef	514		6			476	##	14.7	0.67	1.0	620.7	X	B	verilog	1	s16x4a	Y		N	N	64K	64K	Y	12				2012	2017		kestrel #2, byte & word data	derived from Myron Plichota's design (streame
ippro	https://github.com/fsiddi		Fahad Siddiqui	RISC	16	32	virtex-7	Fahad	Siddiqu	484	447	6	1	1	372	##		0.80	1.0	614.9	X		verilog	31				asm	N		64K	64K		30		32	5	2013	2023		16-bit RISC using DSP48	image processing, several publications
microblaze	https://www.xil	proprietar	Xilinx	uBlaze	32	32	kintex-7	Xilinx		546		6		1	320			1.03	1.0	603.7	X		proprietary			Y	yes	opt	Y	4G	4G	Y	86		32	3	2002			MicroBlaze MCS, smallest configurati	70 configuration options, MMU optional
ARM_Cortex_A	https://develope	ASIC	ARM	ARM A9	32	16	arria V	altera		4500		A			1050			2.50	1.0	583.3			asic			Y	yes	Y		4G	4G	Y	80		16	10		2012	https://en.wikiped	uses pro-rated LC area	dual issue, includes fltg-pt & MMU & caches
egpu	https://arxiv.org/pdf/240		Martin Langhammer	RISC	32	40	agilex	Langh	no RTL	10697	26618	A	32	259	771	##	q22.4	8.00	1.0	576.6	A							Y		4G	4G		63		32		2024	https://ar5iv.labs.	800MHz in Agilex FPGA, word size and	ISA configured for each task
msl16		beta	Philip Leong, Tsang, Le	forth	16	4	kintex-7-3	James	Brakef	303		6			256	##	14.7	0.67	1.0	566.4	X		vhdl	13	cpu	Y	asm	N		256			16				2001			CPLD prototype	
riscuva1	https://www.sc	stable	S. de Pablo	picoBlaze	8	14	kintex-7-3	James	Brakef	109		6			370	##	14.7	0.33	2.0	560.7	X		verilog	1	riscuva1	ome		N	Y	256	1K	Y	35				2006	2006	https://github.cor	Verilog source included in PDF file	also VHDL version by Bikash Gogoi with identic
misc16	https://github.com/Steve		Steve Teal	accum	16	16	**zu-3e**	James	Brakef	197	78	6			500	##	v21.2	0.22	1.0	558.4	X	B	vhdl	1	misc	Y	yes	N		64K	64K	N	10				2021	2021	https://github.cor	16-bit minimal CPU, has a single instruction 'mov' & eforth	
xr16	https://github.c	stable	Jan Gray	RISC	16	16	**zu-2e**	James	needs	346		6			282	##	v20.1	0.67	1.0	547.0	X		verilog	4	xr16	Y		N		64K	64K				16		1999	2001		handcrafted instruction set	tool FPGA P&R, speed mode better
xucpu	https://opencor	alpha	Jurgen Defurne	RISC	16	16	spartan6-	James	Brakef	356		6		4	187	##	14.7	1.00	1.0	524.8	X	Y	vhdl	25	system_4k					4K	4K						2015	2017		Experimental Unstable CPU	
rois	https://opencor	alpha	James Brakefield	RISC	24	24	zu-2e	James	no blk	627		6			382	##	v19.2	0.83	1.0	507.1	X		vhdl	2	rois24_24min			N		16M	16M	N	30		64	1	2016	2017		single pipe stage, passes simulation	24-bit word operations only
limen	https://github.com/domir		Dominik Salvet	RISC	16	16	spartan7	James	Brakef	333	63	6		1	250	##	v23.2	0.67	1.0	503.0	X		vhdl	12	limen_sys	Y		N	Y	256	256	N	24		8		2018	2023	https://github.cor	highschool thesis in Czech	limen_alpha is dual core version
streamer16	http://www.ultr	stable	Myron Plichota	forth	16	3	kintex-7-3	James	Brakef	143		6			417	##	14.7	0.20	1.2	485.6	X		vhdl	8	streamer	Y	yes	N	N	64K	64K	N	8	2			2001	2001	http://www3.sym	MIPS/inst reduced	2nd web adr non-functional
lwrisc	https://opencor	stable	Li Wu	accum	8	12	arria-2	James	Brakef	88		A		1	230	##	q13.1	0.17	1.0	443.6	A		verilog	9	risc_core		asm	N	Y	256	2K	Y	16				2008	2009		ClaiRISC simplified PIC, 4 reg rtn stack	absolute addressing only, lowered MIPS/clk
alwcpu	https://opencor	alpha	Andreas Hilvarsson	RISC	16	16	kintex-7-3	James	Brakef	298	78	6			194	##	14.7	0.67	1.0	437.1	ALX		vhdl	7	top		some	N	N	64K	64K	Y			8		2009	2010		lightweight CPU	minimal features, **uses generics for configur**
atlas_core	https://opencor	beta	Stephan Nolting	RISC	16	16	**zu-3e**	James	Brakef	611	285	6	1		333	##	v21.1	0.80	1.0	436.4	AX		vhdl	8	ATLAS_CP	Y	asm	N	Y	64K	64K	Y	80		8		2013	2015		ARM thumb like inst set	non-MMU version
J1	www.excamera	stable	James Bowman	forth	16	16	kintex-7-3	James	Brakef	335		6		1	180	##	14.7	0.80	1.0	431.0	X		vhdl	1	j1	Y	forth	N		64K	64K		20			2	2006	2023	https://github.cor	uCode inst, dual port block RAM	16 deep data & return stacks
popcorn	http://www.fpg	stable	Jeung Joon Lee	accum	8	8x	kintex-7-3	James	Brakef	267		6			347	##	14.7	0.33	1.0	428.4	X		verilog	4	pc	Y		N		64K	64K	Y	43				1998	2000		small 8 bit uP	
nibblercpu	https://gist.github.com/er		erin candescent	accum	4	8	spartan7	James	Brakef	39	27	6			200	##	v23.2	0.16	2.0	410.3			vhdl	1	nibblercpu	Y		N	Y	4K	4K						2014	https://www.bign	4-bit CPU in VHDL	seondary web link has documentation
mips-cpu	https://github.c	alpha	Jeremiah Mahler	MIPS	32	32	kintex-7-3	James	added	596		6		1	244	##	14.7	1.00	1.0	409.2	X		verilog	15	cpu	Y	yes	N		4G	4G	Y			32	5	2017	2017		Very early stage project, only implem	no outputs, missing im_data.txt
lem1_9min	https://opencor	stable	James Brakefield	accum	1	9	spartan7	James	1 stage	21	36	6		1	213	##	v25.1	0.04	1.0	405.7	ALX		vhdl	3	lem1_9mi	Y	asm	N	Y	64	2K	N	8		64	1	2003	2009		logic emulation machine	
fpga4_mips16	http://www.fpg	stable	Van Loi Le	RISC	16	16	kintex-7-3	James	Brakef	352		6			213	##	14.7	0.67	1.0	405.0	X		vhdl	8	mips_vhdl			N		65K	65K		8		8		2017	2017		educational, no block RAM inferred	actual prog sz=16, actual data mem sz=256
td4	https://github.c	stable	cielo_ee	accum	8	8	spartan-3	James	Brakef	102					200	##	14.7	0.20	1.0	392.2	X		verilog	5	td4_top										16	Y			2012	2015			very small uP
J1a32	www.excamera	stable	James Bowman	forth	32	16	kintex-7-3	James	DFF ex	930		6			358	##	14.7	1.00	1.0	384.4	X		verilog	3	j1	Y	forth	N		64K	64K		20			2	2006	2023	**https://pythonli**	uCode inst, dual port block RAM	DFF used for 18 deep data & return stacks
drv16/mcpu16	https://github.com/jecelj		Jecel de Assumpção	risc	8	8	gowin	Jecel de	Assu	69	48	4			313	##		0.17	2.0	378.8	AGLX		schematic			Y		N		256	256				16			2024	https://www.mdp	very simple accumulator based 8 bit uP	with four instructions
riscv_niosv	https://www.int	proprietar	Intel	risc-v	32	32	agilex	intel	fastest	1509		A		2	566	##	q21.3	1.00	1.0	375.2	A		proprietary			Y	yes	N		4G	4G	Y		32	5		2021		free license, small inst & data mem	RV32IA spec, M20K for reg file, interrupts
riscv_vexriscv	https://github.c	beta	Charles Papon	risc-v	32	32	artix-7	Charles	Papo	481		6			346			0.52	1.0	374.1	X		scala		smallest	Y	yes			4M	4M	Y					2023	https://riscv.org/2	preformance #s for 8 configurations c	"Briey" is SOC variant
rois	https://opencor	alpha	James Brakefield	RISC	24	24	kintex-7-3	James	Brakef	384		6		1	170	##	14.7	0.83	1.0	368.8	X		vhdl	2	rois24_24min			N		16M	16M	N	30		64	1	2016	2017		single pipe stage, passes simulation	24-bit word operations only
riscv_rudolv	https://github.com/bobbl		Jörg Mische	risc-v	32	32	kintex-7-3	Jörg	Mische	545		6			200	##		1.00	1.0	367.0	ALMX		verilog	4	pipeline	Y	yes	N		4G	4G	Y			32	5		2021		RISC-V processor for real-time system	34 clock mult & divide
cosmac	https://github.c	beta	Eric Smith	1802	8	8	kintex-7-3	James	Brakef	244		6			270	##	14.7	0.33	1.0	365.5	X		vhdl	1	cosmac	Y	asm	N	N	64K	64K	Y	100		16		2009	2020		AKA COSMAC ELF of 1976	Fmax is for bare core, runs CamelForth
mimafpga	https://github.c	stable	Manuel Killinger	accum	24	24	spartan7	James	Brakef	275	288	6			125	##	v23.2	0.80	1.0	363.6	X		vhdl	32	mimaproc	Y		N		1M	1M		19				2019	2021		Minimal Machine processor taught at	has testbench
fpga4_mips16	http://www.fpg	stable	Van Loi Le	RISC	16	16	kintex-7-3	James	Brakef	369		6			200	##	14.7	0.67	1.0	363.1	X		verilog	8	mips_16			N		65K	65K		13		8		2017	2017		educational, no block RAM inferred	same prog & data mem and alu as mips16_16
mcu8	https://opencor	alpha	Dimo Pepelyashev	accum	8	8	kintex-7-3	James	Brakef	274		6			299	##	14.7	0.33	1.0	360.1	X		vhdl	16	processor_E	asm				256	256	Y	17				2008	2009		asm, simulated, builds?	
micro16b	http://members	beta	John Kent	accum	16	16	kintex-7	James	Brakef	205		6			434	##	14.7	0.33	2.0	349.0	X		vhdl	1	u16bcpu	Y	asm	N	N	64K	4K	Y	8				2002	2008	http://members.c	very limited inst set	MIPS/clk adj'd, 2 clks/inst
alwcpu	https://opencor	alpha	Andreas Hilvarsson	RISC	16	16	kintex-7-3	James	Brakef	377	77	6			194	##	14.7	0.67	1.0	345.5	ALX		vhdl	7	top		some	N	N	64K	64K	Y			16		2009	2010		lightweight CPU	maximal features (additional inst)
riscv_picorv32	https://github.c	beta	Clifford Wolf	risc-v	32	32	xcku3p-3	Cliffor	small	761	442	6			769	##	v16.2	1.00	3.0	336.8	X		verilog	1	picorv32	Y	yes	N		4G	4G	Y			32		2016	2022	https://github.cor	mimimal features, soc options	designed for minimum LUTs
risc_core_i	https://opencor	planning	Manuel Imhof	RISC	16	16	kintex-7-3	James	Brakef	349		6	1		526	##	14.7	0.67	3.0	336.8	X	B	vhdl	13	CPU	Y	asm	N		1K	1K				8	4	2001	2009		Havard arch, thesis project	derived clocks: estimated derating
rois	https://opencor	alpha	James Brakefield	RISC	24	24	xczu-1	James	area e	485		6		1	192	##	v25.1	0.83	1.0	329.8	X		vhdl	2	rois24_24up			N		16M	16M	Y	55		64	1	2016	2017		single pipe stage, passes simulation	cvtd to numeric.std & unsigned
picoblaze	https://www.xil	stable	Ken Chapman	picoBlaze	8	18	kintex-7-3	James	Brakef	110		6		2	217	##	14.7	0.33	2.0	325.5	X		vhdl	1	kcspm6	Y	asm	N		256	2K	Y					2003		https://en.wikiped	2 clocks/inst, no prog ROM	this is the original picoBlaze author
ncore	https://opencor	alpha	Stefan Istvan	accum	16	8	kintex-7-3	James	Brakef	223		6			105	##	14.7	0.67	1.0	316.3	X		verilog	3	nCore	Y		N		128K	64K		16		16		2006	2018		This is a little-little processor core	
lem4_9ptr	https://opencor	beta	James Brakefield	accum	4	9	xczu-1	James	area e	136	18	6		1	179	##	v25.1	0.24	1.0	315.9	AX		vhdl	2	lem1_9ptr	Y		N	Y	512	2K	N	24			1	2016			binary & BCD digit addition, speed m	4 index registers: (ix),(--ix),(ix++),(ix+off)
an-noc-mpsoc	https://opencor	mature	Alireza Monemi	uBlaze	32	32	**zu-3e**	James	vivado	1079		6	3	1	333	##	v21.1	1.00	1.0	308.9	X	Y	verilog	90	aeMB_top	Y	yes	N		4G	4G	Y					2014	2023		choice of Im32, aeMB, mor1kx or or1	full system has network of cores
nocpu	https://github.c	beta	John Tzonevrakis	RISC	8	8	kintex-7-3	James	Brakef	175		6			243	##	14.7	0.33	1.5	306.1	X		verilog	5	cpu	N	no	N		256	256	Y			4		2017		minimal & complete	8 ALU inst, 3 port reg file
atlas_core	https://opencor	beta	Stephan Nolting	RISC	16	16	kintex-7-3	James	Brakef	559	269	6	1		200	##	v14.1	0.80	1.0	286.2	AX		vhdl	8	ATLAS_CP	Y	asm	N	Y	64K	64K	Y	80		8		2013	2015	https://www.allab	ARM thumb like inst set	non-MMU version
hamblen_scon	http://hamblen.	stable	James O. Hamblen	accum	16	16	cyclone-1	James	altera	196		4		1	166	##	q18.0	0.67	2.0	283.5	A		verilog	2	DE2_TOP			N	N	256	256	N	4				2008		http://hamblen.ec	from Hamblen 2008 "Rapid prototypi	tiny edu, high IO count
ahmes	https://github.c	stable	Fabio Pereira	accum	8	8	kintex-7-3	James	Brakef	186	100	6			476	##	14.7	0.33	3.0	281.6	X	B	vhdl	3	ahmes			N	N	256	256	Y	15	1			2016	2017	http://embeddedsystems.io/ahmes-a-simple-8-bit-cpu-	bare CPU with no RAM	
raptor16	www.spacewire	stable	Steve Haywood	CISC	16	16	kintex-7-3	James	Brakef	590	512	6			319	##	14.7	1.40	2.7	280.2	X	B	vhdl	1	raptor16	Y	yes	N	N	64K	64K	N					2004			8 data & 8 adr regs	no multiply, 8 adr modes

_uP_all_soft folder	opencores or prmary link	status	author	style / clone	data sz	inst sz	FPGA	reporter	comments	LUTs ALUT	Dff	LUT?	mults	blk ram	F max	date	tool ver	MIPS /inst	clks/ inst	KIPS /LUT	vendor	SOC	src code	#src files	top file	doc	tool chai	fltg pt	Hav'd	max dat	max inst	byte adrs	# inst	adr mod	# reg	pipe len	start year	last revis	secondary web link	note worthy	comments
cpugen	https://opencor	stable	Giovanni Ferrante	RISC	32	16	kintex-7-3	James Brakef		474		6			192	##	14.7	0.67	1.0	271.8	AX		vhdl	14	cpu	Y	asm	N	N								2003	2009		x86 .exe generates VHDL RISC uP	using 16 bit example
dgb16	see FISA64	stable	Robert Finch	RISC	16	16	kintex-7-3	James Brakef		780		6			313	##	14.7	0.67	1.0	269.0	X		verilog	1	dbg16	Y		N	Y					8				https://github.cor	inside FISA64 project	debug uP for fisa64
yafc	https://github.c	alpha	Tim Wawrzynczak	forth	16		kintex-7-3	James Brakef		617		6		4	247	##	14.7	0.67	1.0	268.5	X		vhdl	20	cpu		asm	N	Y	8K	8K		26				2014			influenced by J1, F16 & C18
microcore	http://www.pld	beta	Klaus Schleisiek	forth	12	8	kintex-7-3	James Brakef		513	75	6			336	##	14.7	0.40	1.0	261.9	X		vhdl	30	ucore110	Y	asm	N	Y	512	2K						1999	2023	www.microcore.o	indexing into return stack, auto inc/d	only one block RAM? simplest core
rois	https://opencor	alpha	James Brakefield	RISC	24	24	kintex-7-3	James Brakef		382		6		1	120	##	14.7	0.83	1.0	261.7	X		vhdl	2	rois24_24up			N		16M	16M	Y	55		64	1	2016	2017		single pipe stage, pre simulation stag	8, 16 & 24-bit load/store
nios2		proprietar	Altera	Nios II	32	32	stratix-3	Altera	consis	1020		A			290	##	q13.1	0.90	1.0	255.9	A		proprietary			Y	yes	opt		4G	4G	Y			32		2004			fltg-pt, caches & MMU options	Nios II/f: fastest version, DMIPS adj, 2.15 Core
aeMB	https://opencor	beta	Shawn Tan	uBlaze	32	32	**zu-3e**	James Brakef		997	434	6	3		250	##	v21.1	1.00	1.0	250.8	ALX		verilog	7	aeMB_cor	Y	yes	N		4G	4G	Y					2004	2009		not 100% compatable	
riscv_vexriscv	https://github.c	scala	Charles Papon	risc-v	32	32	atrix-7-3	Charles Papo		504	505	6			243			0.52	1.0	250.7	X	Y	scala	54	small, no i	Y	yes	N		4G	4G	Y			32	2-5	2025	https://github.cor	preformance #s for 9 configurations	DMIPS/MHz
opc.opc8cpu	https://github.c	beta	revaldinho	RISC	24	24	kintex-7-3	James	no tes	516		6			323	##	14.7	0.80	2.0	250.1	X		verilog	1	opc8cpu	Y	asm	N	N	16M	16M	N	32	4	16		2017	2021	https://revaldinho	OPC8 24bit, based on OPC5LS, more i	see hackaday One Page Computing Challenge
diogenes	https://opencor	beta	Fekknhifer	RISC	16	16	kintex-7-3	James Brakef		807		6		1	297	##	14.7	0.67	1.0	246.3	X		vhdl	11	cpu	Y	asm	N			1K						2008	2009		"student RISC system"	
8bit_chapman	http://www.ece	beta	Rob Chapman, Steven	forth	8	8	kintex-7-3	James Brakef		176	64	6			131	##	14.7	0.33	1.0	245.5	ALX		vhdl	10	stack_pro	Y		N		256	256	Y	24				1998	1998		course work	
xthundercore	http://forum.ga	alpha	majordomo	RISC	32	16	kintex-7-3	James Brakef		793		6		2	193	##	14.7	1.00	1.0	243.7	X		vhdl	49	xtc	on	yes	N	Y	4G	4G				16	5	2014		http://www.xthur	Gadget Factory Forum thread	in debug, no comments, mostly in simulation
opc.opc7cpu	https://github.c	stable	revaldinho	RISC	32	16	kintex-7-3	James Brakef		624		6			303	##	14.7	1.00	2.0	242.8	X		verilog	2	opc7cpu	Y	asm	N	N	1M	1M	N	32	5	16		2017	2021	https://revaldinho	OPC7 32bit, based on OPC5LS, more i	see hackaday One Page Computing Challenge
dapzipi8	https://github.com/ehsan		Ehsan Ali	picoBlaze	8	18	zu-5e	Ehsan	conve	305	49	6		2	224	##	v22.1	0.33	1.0	242.4	X		vhdl	20	top	Y	asm	N		256	2K	Y					2022			Deterministic Branch Prediction for R	also zipi8 starting point, PhD thessis
mblite	https://opencor	beta	Tamar Kranenburg	uBlaze	32	32	kintex-7-3	James Brakef		941		6		2	227	##	14.7	1.00	1.0	240.9	AX		vhdl	18	core_wb	Y	yes	N		4G	4G	Y	86		32		2009	2017		not all instructions implemented	moved everything to work library
lem4_9ptr	https://opencor	beta	James Brakefield	accum	4	9	kintex-7-3	James	1 stag	151		6		1	151	##	14.5	0.24	1.0	240.0	AX		vhdl	2	lem1_9pt	Y		N	Y	512	2K	N	24			1	2016			binary & BCD digit addition, speed m	4 index registers: (ix),(--ix),(ix++),(ix+off)
usimplez	https://opencor	stable	Pablo Salvadeo etal	accum	12	12	stratix-2	Pablo Salvad		48		4			134		q9.1	0.17	2.0	237.9	A		vhdl	3	usimplez_cpu			N		512	512		8				2011		http://www-gti.de	part of university course, simplez+i4	has an index register
digital_up	https://github.com/hneer		Helmut Neemann	mips	16	16	zu-5e	James	clockir	709	310	6	1		250	##	v22.1	0.67	1.0	236.2	X		schem	46	processorHD	asm	N	Y	64K	64K		60		16		2016	2022	https://github.cor	uP implemented as schematic	has assembler and ISA pdf, 2Kx16 RAM?
tinycpu	https://opencor	alpha	Jordan Earls	RISC	8	8	arria-2	James Brakef		136		A			384	##	q13.1	0.17	2.0	235.5	AX		vhdl	2	tinycpu		asm	N	N	1K	1K		12		4		2012	2012	directory contains	subset of 6502	MIPS/inst reduced due to few inst
riscv_vexriscv	https://github.c	scala	Charles Papon	risc-v	32	32	atrix-7-3	Charles Papo		816	534	6			232			0.82	1.0	233.1	X	Y	scala	54	small, pro	Y	yes	N		4G	4G	Y			32	2-5	2025	https://github.cor	preformance #s for 9 configurations	DMIPS/MHz
sayeh_process	https://opencor	stable	Alireza Haghdoost, Arr	RISC	16	8	kintex-7-3	James Brakef		479		6	1		164	##	14.7	0.67	1.0	229.7	X		verilog	13	Sayeh	Y		N		64K	64K				32		2008	2009	haghdoost.persiangig.com		simple RISC
eric5	http://www.ent	proprietar	Thomas Entner	forth	9	8	cyclone-4	entner-electr		110		4	opt		60			0.42	1.0	229.1	A		proprietary							512	1K				3-4		2005	2011		25 MIPS: ERIC5xs, ERIC5Q	
riscv_niosv	https://www.int	proprietar	Intel	risc-v	32	32	stratix-10	intel	fastest	1580		A		2	362	##	q21.3	1.00	1.0	229.1	A		proprietary			Y	yes	N		4G	4G	Y			32	5	2021			free license, small inst & data mem	RV32IA spec, M20K for reg file, interrupts
parwan		stable	Zainalabedin Navabi	accum	8	8	kintex-7-3	James Brakef		157		6			435	##	14.7	0.33	4.0	228.5	X		verilog	16	par_beh	Y	yes	N	N	4K	4K	Y					1995	1997	2nd uP in director	from VHDL: Analysis and Modeling of	AKA cpu8, both vhdl & verilog versions
risc63	https://github.com/domir		Dominik Salvet	RISC	64	16	kintex7	James Brakef		2103	1080	6			240	##	14.7	2.00	1.0	227.8	X		vhdl	16	risc63	Y		N		256K	256K	Y	39		16		2020	2024		tightly packed 16-bit ISA, no mult, no	BS thesis in Chech
lem1_9min	https://opencor	stable	James Brakefield	accum	1	9	kintex-7	James	1 stag	63		6		1	358	##	14.5	0.04	1.0	227.2	ALX		vhdl	3	lem1_9mi	Y	asm	N	Y	64	2K	N	8		64	1	2003	2009		logic emulation machine	
opc.opc3cpu	https://github.c	stable	revaldinho	accum	16	16	kintex-7-3	James	reduce	174		6			526	##	14.7	0.30	4.0	226.9	X		verilog	2	opc3cpu	Y	asm	N	N	64K	64K	N	13	3			2017	2021	https://revaldinho	OPC3 16-bit OPC1, for XC95144 CPLD	see hackaday One Page Computing Challenge
riscv_vexriscv	https://github.c	scala	Charles Papon	risc-v	32	32	atrix-7-3	Charles Papo		556	566	6			240			0.52	1.0	224.5	X	Y	scala	54	small no b	Y	yes	N		4G	4G	Y			32	2-5	2025	https://github.cor	preformance #s for 9 configurations	DMIPS/MHz
J1b_16	www.excamera	stable	James Bowman	forth	32	16	kintex-7-3	James	DFF ex	1588		6			355	##	14.7	1.00	1.0	223.4	X		verilog	3	j1	Y	forth	N		64K	64K		20			2	2006	2023		uCode inst, dual port block RAM	DFF used for 16 deep data & return stacks
riscv_niosv	https://www.int	proprietar	Intel	risc-v	32	32	arria-10	intel	fastest	1375		A		2	306	##	q21.3	1.00	1.0	222.3	A		proprietary			Y	yes	N		4G	4G	Y			32	5	2021			free license, small inst & data mem	RV32IA spec, M20K for reg file, interrupts
riscv_orca	https://github.c	beta	VectorBlox	risc-v	32	32	stratix-5	vectorblox		1082		A		?	244	##	14.7	0.98	1.0	221.0	A		vhdl	13	orca	Y	yes	N		4G	4G	Y			32		2016			*, /, fltg-pt all optional	RV32IM
gumnut	http://digitaldes	stable	Peter Ashenden	RISC	8	18	kintex-7-3	James Brakef		388		6			259	##	14.7	0.33	1.0	220.7	AX		verilog	6	gumnut-rt	Y	asm	N	Y	256	4K	Y			8		2007			see Digital Design: An Embedded Systems Approach Using VHDL	
p16c5x	https://opencor	mature	Michael Morris	PIC16	8	14	kintex-7-3	James Brakef		378		6			252	##	14.7	0.33	1.0	220.2	AX		verilog	3	P16C5x	Y	yes	N	Y	256	4K	Y					2013	2014			
riscv_dark	https://github.c	beta	Marcelo Samsoniuk	risc-v	32	32	kintex-7-3	Marcelo Sam		1000		6			220	##	v20.1	1.00	1.0	220.0	XL		verilog	4	darkriscv	Y	yes	N		4G	4G	Y	45		32	2	2018	2024	https://opencores	written in one night, low line count	ku040 overclock 400MHz, builds for 18 fpga bo
moncky	https://gitlab.com/big-bat		Kris Demuynck	RISC	16	16	**zu-3e**	James	no me	768	280	6			250	##	v21.1	0.67	1.0	218.1	X	X	schem	36	Moncky3	Y	yes	N		64K	64K	N	32		16		2020	2021	https://hackaday.	bare CPU	also has verilog
table887	https://github.c	alpha	Robert Finch	RISC	16	16	kintex-7-3	James Brakef		643		6		2	208	##	14.7	0.67	1.0	217.1	X		verilog	2	table887_	Y		N	N	64K	64K		28		8		2014	2016			included with Table888 source code
lem4_9	https://opencor	beta	James Brakefield	accum	4	9	kintex-7-3	James	1 stag	144		6		1	195	##	14.5	0.16	1.0	216.7	AX		vhdl	2	lem1_9	Y		N	Y	32	2K	N	24			1	2016			binary & BCD digit addition, speed mode	
mips_linder	https://www.sc	paper	Michael Linder	MIPS	32	32	kintex-7-3	James Brakef		1100		6			238	##	14.7	1.00	1.0	216.5		B	vhdl	39	a_mips	Y	yes	N		4G	4G				32		2007	2007		masters thesis	no LUT RAM, source code in PDF
legv8	https://github.c	stable	Warren Seto	AA64	64	32	kintex-7-3	James Brakef		723	280	6		2	156	##	14.7	1.00	1.0	215.1	X	B	verilog	2	arm_cpu	Y	yes	N		4G	4G	Y	9		32		2018	2019		coursework, limited ISA, 3 versions	pipelined, inst: LDUR, STUR, ADD, SUB, ORR, A
rois	https://opencor	alpha	James Brakefield	RISC	24	24	spartan7	James	area e	402	82	6		1	103	##	v25.1	0.83	1.0	213.4	X		vhdl	2	rois24_24	Y		N		16M	16M	N	30		64	1	2016	2025		single pipe stage, passes simulation	cvtd to numeric.std & unsigned
dfp	https://opencor	stable	Ron Chapman	forth	8	8	kintex-7-3	James Brakef		297		6			192	##	14.7	0.33	1.0	213.2	X		vhdl	25	DataFlowB	Y											2003	2009		8-bitter, generates a custom VHDL stack machine, compiler is in Forth	
troc16_16	https://github.c	WIP	James Brakefield	RISC	16	16	kintex-7-3	James Brakef		232	50	6	1	1	74	##	v24.2	0.67	1.0	212.8	X		vhdl	5	troc16_16	Y		N		64K	64K	N	25	2	32		2025		https://events.vtc	adequate 16-bit uP with op-code space for full TROC ISA; no shift, extract or divide at	
riscv_vexriscv	https://github.c	scala	Charles Papon	risc-v	32	32	atrix-7-3	Charles Papo		730	570	6			220			0.70	1.0	211.0	X	Y	scala	54	small & ic	Y	yes	N		4G	4G	Y			32	2-5	2025	https://github.cor	preformance #s for 9 configurations	DMIPS/MHz
riscv_vexriscv	https://github.c	scala	Charles Papon	risc-v	32	32	atrix-7-3	Charles Papo		1399		6			295			1.00	1.0	210.9	X	Y	scala	54	full no cac	Y	yes	N		4G	4G	Y			32		2023		preformance #s for 9 configurations	"Briey" is SOC variant
8bit-verilog_mcu		stable	Josh Friend	accum	8	8	**zu-2e**	James	timing	392		6		1	500	##	v20.1	0.33	2.0	210.5	X		verilog	11	cpu					512	512	Y	16				2012	2012		for class project, small data stack	PB clock, students to add features
ep16	https://github.c	beta	C.H. Ting	forth	16	5	kintex-7-3	James Brakef		837		6			254	##	14.7	0.67	1.0	203.6	X		vhdl	5	ep16	Y	yes	N	N	32K	32K	N	32				2005	2012	PDF files	initialized Lattice memory blocks	5-bit instructions
core_arm	https://opencor	beta	Konrad Eisele	ARM	32	16	kintex-7-3	James Brakef		1239		6		3	250	##	14.7	1.00	1.0	201.8	X	Y	vhdl	151	arm_proc	Y	yes	N		256M	256M				16		2004	2009	http://cfw.source	very large project with many unused	missing files found in sourceforge dir, very litt
hive	https://opencor	stable	Eric Wallin	stack	32	16	arria-2	James Brakef	missin	1420		A	8	24	283	##	q13.1	1.00	1.0	199.4	ALX		verilog		hive_core	Y		N				N	40		10	8	2013	2015		4 symetrical stacks, eight threads via	pipeline barrel
riscv_picorv32	https://github.c	beta	Clifford Wolf	risc-v	32	32	kintex-U-3	Cliffor	small	761	442	6			454	##	v16.2	1.00	3.0	198.9	X		verilog	1	picorv32	Y		N		4G	4G	Y			32		2016	2022		mimimal features, soc options	LUTs & Fmax for Kintex, Virtex & Ultrascale+
arm9-soft-cpu	https://github.com/risclit		Li Xinbing	ARM9	32	32	**zu-3e**	James Brakef		1807	736	6			357	##	v21.1	1.00	1.0	197.6			verilog	4	risclite_m	Y	yes	Y		4G	4G	Y					2020			ARMv4-compatible CPU core	no mult, interrupts or reg banks
opc.opccpu	https://github.c	stable	revaldinho	accum	8	16	kintex-7-3	James	reduce	101		6			526	##	14.7	0.15	4.0	195.4	X		verilog	2	opccpu	Y	asm	N	N	256	2K	Y	13	3			2017	2021	https://revaldinho	OPC1 one page computer for CPLD	**see hackaday One Page Computing Challe**
pancake	https://people.e	stable	Bruce Land	stack	16	5	kintex-7-3	James	bypass	441		6	1	1	128	##	14.7	0.67	1.0	194.8	X		verilog	7	de2_minic	Y	yes	N		4K	4K		31				2010	2014	http://www.cs.hir	The Pancake Stack Machine dervied f	Cornell ECE5760
microblaze-v	https://www.amd.com/en		Xilinx	risc-v	32	32	Xintex Ult	Xilinx	ucontr	2201	1136	6	4		426	##	v24.1	1.00	1.0	193.5	X		proprietary			Y	yes	opt	Y	4G	4G	Y	86		32		2023	2024	https://docs.amd.	in Vivado at no extra cost	535Mhz max, numbers for 11 diff devices
aizup/aizup_m	instruct1.cit.cor	stable	Yamin Li, Wanming Ch	RISC	8	16	arria-2	James Brakef		129		A			298	##	q13.1	0.17	2.0	192.6	AX		vhdl	1	cpu			N	N	64K	64K		16		4		1996	1998		used in Cornell EE475 course	MIPS/inst reduced due to few inst
ppx16	https://opencor	stable	Daniel Wallner	PIC16	8	14	kintex-7-3	James	missin	409		6			238	##	14.7	0.33	1.0	192.1	X		vhdl	10	PIC16C55	Y	yes	N	Y	256	4K	Y					2002	2009		both 16C55 & 16F84	with fake instruction ROM
babyrisc	http://www.san	stable	John Rible	RISC	8	16	**zu-3e**	James Brakef		249		6			286	##	v21.1	0.33	2.0	189.3	X		verilog	1	qs5_mix	Y		N		64K	64K	Y	15		8		1997	1999	http://www.sandp	part of a three class course	memory rd/wt & ALU per clock
lxp32	https://opencor	beta	Alex Kuznetsov	RISC	32	32	**zu-3e**	James Brakef		743	844	6	3	1.5	278	##	v24.1	1.00	2.0	186.9	AIX		vhdl	20	lxp32u_to	Y	asm	N	N	4G	4G	Y	30		256	3	2016	2024	https://lxp32.gith	register file in block RAM	vendor neutral source code
riscv_vexriscv	https://github.c	scala	Charles Papon	risc-v	32	32	atrix-7-3	Charles Papo		1418	949	6			216			1.21	1.0	184.3	X	Y	scala	54	full, single	Y	yes	N		4G	4G	Y			32	2-5	2025	https://github.cor	preformance #s for 9 configurations	DMIPS/MHz, 2.30 Coremark/MHz
c3pu	https://github.com/isovic		Ivan Sovic	accum	16	16	kintex7	James	no los	303	234	6			250	##	14.7	0.67	3.0	184.3	X		vhdl	17	Cpu_black	Y	asm	N		64K	64K		22		8		2013	2015		large state enumeration	uses internal tri-states
ensilica	http://www.ens	proprietar	ensilica.com	eSi-3200	32	16	kintex-4	ensilica		2200		A			200			2.00	1.0	181.8	AX		verilog		eSi-3250	Y	yes			4G	4G	Y	104	10	16	5	2001	2016		verilog source included with license	room for 90 user inst, also as ASIC
pdp8verilog	www.heeltoe.co	stable	Brad Parker	PDP8	12	12	kintex-7-3	James Brakef		505		6			366	##	14.7	0.50	2.0	181.3	X		verilog	18	pdp8	Y	yes	N	N	32K	32K				8		2005	2010		boots & runs TSS/8 & Basic	
opc.opc2cpu	https://github.c	stable	revaldinho	accum	8	16	kintex-7-3	James	reduce	117		6			556	##	14.7	0.15	4.0	178.1	X		verilog	2	opc2cpu	Y	asm	N	N	256	1K	Y	12	3			2017	2021	https://revaldinho	OPC2 revised OPC1, for XC9572 CPLD	see hackaday One Page Computing Challenge
f32c	https://github.c	beta	marko zec, vordah, Da	risc-v	32	32	atrix-7-3	zec & vordah		1048		6	4	33	185	##	14.7	1.00	1.0	176.5	X		vhdl	50		Y	yes	N	Y	4G	4G	Y	30		32	5	2014	2025	http://www.nxlab	MIPS or RISC-V ISA, Arduino support	https://www.youtube.com/watch?v=55MzMH
mecrisp-quintu	https://sourceforge.net/p		Matthias Koch	risc-v	32	32	spartan7	James	added	572	89	6		1	100	##	v23.2	1.00	1.0	174.8	LX		verilog	24	FemtoRV32			N		4G	4G	Y			32		2011	2023		based on femtorv32, some comment	uls3s.v adds memory to femtorv32
risc16f84	https://opencor	stable	John Clayton	PIC16	8	14	kintex-7-3	James Brakef		375		6			392	##	14.7	0.33	2.0	172.5	AX		verilog	1	risc16f84	Y	yes	N	Y	256	4K	Y					2002	2018		derived from CQPIC by Sumio Moriok	other variants with RTL
atlas_2K	https://opencor	beta	Stephan Nolting	RISC	16	16	**zu-3e**	James	40 LUT	1222	1160	6	1	4.5	262	##	v21.1	0.80	1.0	171.4	ALX		vhdl	19	ATLAS_2K	Y	asm	N	Y	64K	64K	M	80		8		2013	2015		ARM thumb like inst set	has MMU & full SOC features
digital_up	https://github.com/hneer		Helmut Neemann	mips	16	16	spartan-7	James	clockir	716	309	6	1		182	##	v22.1	0.67	1.0	170.1	X		schem	46	processorHD	asm	N	Y	64K	64K		60		16		2016	2022	https://github.cor	uP implemented as schematic	has assembler and ISA pdf, 2Kx16 RAM?
yasep	https://hackada	alpha	Yann Guidon	RISC	16	32	kintex-7-3	James	reduce	632		6			215	##	i14.7	1.00	2.0	170.0	AX		vhdl	3	microYAE	Y	asm	N	N	2G	2G		51		16		2005	2018	www.youtube.cor	JavaScript generated VHDL, revisions	ongoing
picoblaze	https://www.xil	stable	Ken Chapman	picoBlaze	8	18	spartan-3	James Brakef		178		4		1	182	##	14.7	0.33	2.0	168.9	X		vhdl	1	kcspm3	Y	asm	N		256	2K	Y					2003		https://en.wikipe	2 clocks/inst, no prog ROM	this is the original picoBlaze author
troc16_16	https://github.c	WIP	James Brakefield	RISC	16	16	spartan7	James	area o	285	50	6	1	1	71	##	v24.2	0.67	1.0	167.9	X		vhdl	5	troc16_16	Y		N		64K	64K	N	25	2	32		2025		https://events.vtc	adequate 16-bit uP with op-code spa	half word aligned, 4 tag bits, signed mult
lipsi	https://github.c	stable	Martin Schoeberl	accum	8	8	cyclone4	Martin Schoe		162		4		1	162			0.17	1.0	167.0	A		scala	2				Y		N	N	64K	64K	Y	9	3	16		2017	2024	https://github.cor	goal is 100 LUTs, program mapped to	"Lipsi, a very tiny processor"
ensilica	http://www.ens	proprietar	ensilica.com	eSi-3200	32	16	stratix-4	ensilica		1800		A			200			1.50	1.0	166.7	AX		verilog		eSi-3200	Y	yes			4G	4G	Y	104	10	16	5	2001	2016		verilog source included with license	room for 90 user inst, also as ASIC
pic_coonan		alpha	Tom Coonan	PIC16	8	14	kintex-7-3	James Brakef		328		6		1	165	##	14.7	0.33	1.0	166.1	X		verilog	7	piccpu	Y	yes	N	Y	256	4K	Y					1999				risc8 by Tom Coonan also a PIC uP
opc.opc6cpu	https://github.c	stable	revaldinho	RISC	16	16	kintex-7-3	James Brakef		450		6			222	##	14.7	0.67	2.0	165.4	X		verilog	2	opc6cpu	Y	asm	N	N	64K	64K	N	27	4	16		2017	2021	https://revaldinho	OPC6 based on OPC5LS, more inst	see hackaday One Page Computing Challenge
an-noc-mpsoc	https://opencor	mature	Alireza Monemi	uBlaze	32	32	kintex-7-3	James Brakef		1164		6	3	1	192	##	i14.7	1.00	1.0	165.2	X	Y	verilog	90	aeMB	Y	yes	N		4G	4G	Y					2014	2023		choice of Im32, aeMB, mor1kx or or1	full system has network of cores
altor32_lite	https://opencor	stable	Ultra Embedded	OpenRISC	32	32	c5	James Brakef		1394	1304	A			230	##	q25.1	1.00	1.0	165.0	ALX		verilog	16	altor32	Y	yes	N	Y	4G	4G	Y					2012	2015	https://openrisc.i	simplified OpenRISC 1000	xilinx S3 primitives
b16	www.bernd-pay	stable	Bernd Paysan	forth	16	5	spartan-6	James Brakef		554		6			134	##	14.7	0.67	1.0	161.7	AX		verilog	15	b16	Y	yes	N		64K	64K	N					2002	2017	https://github.cor	two versions: one/15 source files, derived from c18	
aizup/aizup_pi	instruct1.cit.cor	stable	Yamin Li, Wanming Ch	RISC	8	16	kintex-7-3	James Brakef		198	52	6			375	##	14.7	0.17	2.0	157.9	AX		vhdl	1	cpu		asm	N	N	64K	64K	Y	16		4		1996	1998		used in Cornell EE475 course	MIPS/inst reduced due to few inst
brainfuckcpu	https://opencor	beta	Aleksander Kaminski	mem	8	3	kintex-7-3	James Brakef		110		6			432	##	14.7	0.08	2.0	157.2	X		verilog	1	brainfuck_cpu			N	Y				8		0		2014	2015	http://www.cliffo	Touring machine like, 2ndary link is a	adj prog & data mem size, terrible name
kestrel-2	kestrelcomputer	stable	Samuel Falvo II	forth	16	16	kintex-7-3	James Brakef		735		6		8	172	##	14.7	0.67	1.0	157.2	X	Y	verilog	27	M_kestrel	Y	yes	N		64K	64K		20		2	2012	2015	https://hackaday.	J1 with wishbone bus	M_j1a runs at 244MHz & 368 LUTs
legv8	https://github.com/matt		Matthew Olsson	AA64	64	32	kintex-7-3	James Brakef		884		6		2	137	##	14.7	1.00	1.0	155.0			verilog			Y	yes	N		4G	4G	Y	9		32		2018	2019		another implementation	legv8 from Patterson & Hennessy 2017
legv8	https://github.c	stable	Warren Seto	AA64	64	32	kintex-7-3	James Brakef		884		6		2	137	##	14.7	1.00	1.0	155.0	X	B	verilog	2	arm_cpu	Y	yes	N		4G	4G	Y	9		32		2018	2019		coursework, limited ISA, 3 versions	inst: LDUR, STUR, ADD, SUB, ORR, AND, CBZ, B

_uP_all_soft folder	opencores or prmary link	status	author	style / clone	data sz	inst sz	FPGA	reporter	comments	LUTs ALUT	Dff	LUT?	mults	blk ram	F max	date	tool ver	MIPS /inst	clks/ inst	KIPS /LUT	vendor	SOC	src code	#src files	top file	doc	tool chai	fltg pt	Hav'd	max dat	max inst	byte adrs	# inst	adr mod	# reg	pipe len	start year	last revis	secondary web link	note worthy	comments
mcip_open	https://opencor	beta	Mezzah Jbrahim	PIC18	16	24	kintex-7-3	James Brakef		881		6	1		200	##	14.7	0.67	1.0	152.1	X		vhdl	23	MCIOopen_r	yes	N	Y	4K	1M	Y					2014	2015		light version of PIC18	
classy_core_1/	https://github.com/classy		Andreas Schweizer	AVR	8	16	spartan-3	Andreas Schv		358		4			164	##	14.7	0.33	1.0	151.2			vhdl	8	top	Y	yes	N		64K	128K	Y	72		32			2019	https://blog.classy	adjuct to some custom logic	Implementing a CPU in VHDL parts 1..3
tisc	https://opencor	beta	Vincent Crabtree	accum	8	8	kintex-7-3	James Brakef		195		6			87	##	14.7	0.33	1.0	147.1	X		vhdl	1	TISC		N		256	1K	Y			2		2009	2009		Tiny Instruction Set Computer	minimal accumulator machine
ensilica	http://www.ens	proprietar	ensilica.com	eSi-1600	16	16	virtex-5	ensilica		1100		6			160			1.00	1.0	145.5	AX		verilog		eSi-1600	Y	yes		64K	64K	Y	92	10	16	5	2001	2016		verilog source included with license	room for 90 user inst, also as ASIC
ensilica	http://www.ens	proprietar	ensilica.com	eSi-1600	16	16	virtex-5	ensilica		1100		6			160			1.00	1.0	145.5	AX		verilog		eSi-1650	Y	yes		64K	64K	Y	92	10	16	5	2001	2016		verilog source included with license	room for 90 user inst, also as ASIC
mano-compute	https://github.com/Amin/		Amin Aliari	accum	16	16	spartan7	James	multi-c	332	60	6			71	##	v23.2	0.67	1.0	144.1			vhdl	19	sayeh	Y		N		4K	4K	N	25				2020	https://en.wikiped	Mano uP implementation, course pro	different use of sayeh: *simple & yet enough*
opc.opc5lscpu	https://github.c	stable	revaldinho	RISC	16	16	kintex-7-3	James Brakef		383		6			247	##	14.7	0.67	3.0	144.0	X		verilog	2	opc5lscpu	Y	asm	N	N	64K	64K	N	18	4	16		2017	2021	https://revaldinho	OPC5LS OPC5 with predicate inst	see hackaday One Page Computing Challenge
opc.opc5cpu	https://github.c	stable	revaldinho	RISC	16	16	kintex-7-3	James	reduce	273		6			294	##	14.7	0.40	3.0	143.6	X		verilog	7	opc5cpu	Y	asm	N	N	64K	64K	N	15	4	16		2017	2021	https://revaldinho	OPC5 RR inst, ISA similar to OPC1	see hackaday One Page Computing Challenge
mips_up_vhdl	https://github.com/cm42		Chandra Mettu	mips	32	32	spartan7	James	no LUT	1744	2311	6			250	##	v23.2	1.00	1.0	143.3			vhdl	10	NYU6463f	Y	yes	N		4G	4G	Y			32		2020		simple MIPS with comparison to RC5	considerable mapping of memory to logic?
kcp53000	https://github.com/sam-f		Samuel Falvo II	risc-v	64	32	kintex-7-3	James	trimm	2455		6			175	##	14.7	2.00	1.0	142.9	X	B	verilog	4	polaris	Y	yes	N	Y	16E	16E	Y			32		2016	2017	https://github.cor	kestrel #3, basic 64-bit RISC-V	uses state machine RTL generator
riscv_vexriscv	https://github.c	scala	Charles Papon	risc-v	32	32	atrix-7-3	Charles Papo		1935	1216	6			200			1.38	1.0	142.6	X	Y	scala	54	full max p	Y	yes	N		4G	4G	Y			32	2-5		2025	https://github.cor	preformance #s for 9 configurations	DMIPS/MHz, 2.57 Coremark/MHz
inst_list_proce	https://opencor	planning	Mahesh Palve	accum	8	15	kintex-7-3	James	using x	786		6		1	340	##	14.7	0.33	1.0	142.6	X		verilog	34	top	Y		N		128	1K		32				2014			UART, SPI & timer included
ejrh_cpu	https://github.c	stable	Edmund Horner	RISC	16	16	kintex-7-3	James Brakef		928		6	1	2	196	##	14.7	0.67	1.0	141.6	X		verilog	17	machine	Y									16		2015	2015		see web archive for doc	
p-vex	https://github.com/tvana		Thijs van As	VLIW	32	##	kintex-7-3	James	bypass	1660		6		1	233	##	14.7	1.00	1.0	140.1			vhdl	26	system	Y	yes	N					73		32	4	2005	2015	http://www.vliw.c	1, 2 or 4 issue VLIW, uses HP VEX too	probable degeneracy, LUT RAM for program m
complete_8bit	https://www.qu	stable	Van-Lei Le		8	8	kintex-7-3	James	modifi	208		6		1	260	##	14.7	0.33	3.0	137.5	X		vhdl	6	computer	N		N		96	128	Y					2016			memory_unit uses block RAM, IO ports prunec
synpic12		stable	Miguel Angel Ajo Pelay	PIC12	8	12	kintex-7-3	James Brakef		474		6		1	197	##	14.7	0.33	1.0	136.8	AX		vhdl	7	synpic12	Y	yes	N	N	256	2K	Y					2011	2011	http://projects.nb	CHDL to verilog	bad weblink
lem4_9	https://opencor	beta	James Brakefield	accum	4	9	spartan7	James	area e	124	12	6		1	106	##	v25.1	0.16	1.0	136.8	AX		vhdl	2	lem1_9	Y		N	Y	32	2K	N	24			1	2016			binary & BCD digit addition, speed mode	
ep24		stable	C.H. Ting	forth	24	6	kintex-7-3	James	substi	1020		6		3	167	##	14.7	0.83	1.0	135.6	X		vhdl	1	ep24	Y	asm	N	N		4K		27				2002	2002		room for 37 additional op-codes	removing stack clear: 503 LUT6 & 143MHz
sweet32	https://opencor	alpha	Valentin Angelovski	MIPS	32	16	kintex-7-3	James Brakef		1050		6	1		142	##	14.7	1.00	1.0	135.1	X	B	vhdl	2	Sweet32_	Y	yes	N	N	4G	4G	Y	26		16		2014	2015		targets MACHXO2, no RAM	
propeller_p8x3	https://www.pa	stable	Chip Gracey	RISC	32	32	kintex-7-3	James Brakef		9498		6		20	160	##	14.7	1.00	0.1	134.8	X		verilog	9	top	Y	yes										2014			eight propellers, clocking from ucf file	several FPGA card build files
free_risc8	https://web.arc	stable	Thomas Coonan	PIC16	8	14	kintex-7-3	James Brakef		355	118	6			142	##	14.7	0.33	1.0	132.2	X		verilog	8	cpu	Y	yes	N		256	4K	Y					2002	2011	https://web.archive.org/web/20120309123835/http://www.mindspring.com/~tcoonan/index.html		
lxp32	https://opencor	beta	Alex Kuznetsov	RISC	32	32	**zu-3e**	James Brakef		948	844	6	4	1.5	250	##	v21.1	1.00	2.0	131.9	AIX		vhdl	20	lxp32u_to	Y	asm	N	N	4G	4G	Y	30		256	3	2016	2024	https://lxp32.githu	register file in block RAM	vendor neutral source code
fluid_core	https://opencor	alpha	Stephen Nolting	RISC	8	12	kintex-7-3	James Brakef		956		4			381	##	14.7	0.33	1.0	131.7	X		verilog	17	FluidCore			N	Y						8		2015	2020	https://www.allat	data width adj., mem sizes adj.	2020 version requires registration
riscv_vexriscv	https://github.c	scala	Charles Papon	risc-v	32	32	atrix-7-3	Charles Papo		1840	1158	6			199			1.21	1.0	130.9	X	Y	scala	54	full, cache	Y	yes	N		4G	4G	Y			32	2-5		2025	https://github.cor	preformance #s for 9 configurations	DMIPS/MHz, 2.30 Coremark/MHz
pt13	http://www.sing	stable	Daniel Ogilvie	accum	8	8	kintex-7-3	James Brakef		301		6			357	##	14.7	0.33	3.0	130.5			verilog	1	pt13	Y	asm	N	Y	64K	8K	Y	40	3			2011	2018	https://www.edn.	PT13 is optimized to be completely e	micro-code & register updates, minimal ISA
sayuri_cpu	http://www.mo	stable	Toyoaki Sagawa	RISC	32	32	kintex-7-3	James Brakef		1604		6			208	##	14.7	1.00	1.0	129.9	X		vhdl	13	cpu01			Y		4G	4G				32		2000	2000		dead weblink	high number of DFF
bytemachine	https://github.c	mature	c0pperdragon	forth	8	8	kintex-7-3	James Brakef		319		6		1	250	##	14.7	0.33	2.0	129.3	AX		vhdl	7	bytemachine		me	N	N		4K	Y	30				2016	2017		top is Altera schematic	results are for 2016 bare core
zipcpu	https://github.c	stable	Dan Gisselquist	RISC	32	32	kintex-7-3	James Brakef		1687		6		2	218	##	14.7	1.00	1.0	128.9	AX		verilog	7	zipcpu	Y		N	N	4G	4G	Y	35		16	5	2015	2024	http://zipcpu.com	ISA has chnaged, multiple instruction	support for several FPGA boards
aeMB	https://opencor	beta	Shawn Tan	uBlaze	32	32	kintex-7-3	James Brakef		1018	354	6	3		131	##	14.7	1.00	1.0	128.5	ALX		verilog	7	aeMB_cor	Y	yes	N		4G	4G	Y					2004	2009		not 100% compatable	
aizup/aizup_ov	instruct1.cit.cor	stable	Yamin Li, Wanming Ch	RISC	8	16	kintex-7-3	James Brakef		138	51	6			318	##	14.7	0.17	3.0	128.3	AX		vhdl	1	cpu		asm	N	N	64K	64K	Y	16		4		1996	1998		used in Cornell EE475 course	MIPS/inst reduced due to few inst
riscv_picorv32	https://github.c	beta	Clifford Wolf	risc-v	32	32	xcku3p-3	Cliffor	large	2019	1085	6			769	##	v16.2	1.00	3.0	127.0	X	Y	verilog	1	picorv32	Y	yes	N		4G	4G	Y			32		2016	2022	https://github.cor	mimimal features, soc options	designed for minimum LUTs
open8_urisc	https://opencor	stable	Kirk Hays, Jshamlet	RISC	8	8	kintex-7-3	James Brakef		691		6	1		263	##	14.7	0.33	1.0	125.6	X		vhdl	9	Open8	Y	yes	N		64K	64K	Y			8		2006	2023		accum & 8 regs, clone of Vautomation	uRISC processor, in use
reflet	https://github.com/Arkae		Maxime Bouillot	accum	8	16	spartan7	James Brakef		688	411	6			128	##	v24.1	0.67	1.0	124.6	X		verilog	9	reflet_cpu		asm	N		64K	64K				16		2020	2024	https://github.cor	original design, data size adj	most ops between accumulator & register, risc
verilog-65C02	https://github.c	alpha	Arlet Ottens	6502	16	8	**zu-3e**	James Brakef		327	98	6			370	##	v21.1	0.33	3.0	124.6	X		verilog	26	cpu		yes	N	N	64K	64K	Y					2011	2021	https://github.cor	used in 100MHZ 6502 DIP module	rewritten for 6LUTs, spartan6 version has blacl
pauloblaze	https://github.c	mature	Paul Genssler	picoBlaze	8	18	kintex-7-3	James Brakef		314	80	6			118	##	v25,1	1.00	1.0	124.0	X		vhdl	7	pauloBlaz	Y	asm	N		256	2K	Y					2015	2021		LUT6 req'd, course project, slower more	LUTs than original claims easier to modify a
up1232	http://www.dte	stable	Santiago de Pablo	RISC	8	16	kintex-7-3	James Brakef		220		6			244	##	14.7	0.33	3.0	122.0	X		vhdl	3	up1232a			N		64K	64K	Y	33	2	32		2000	2000		bare core, prog size 4K to 64K	description in source files
lem4_9ptr	https://opencor	beta	James Brakefield	accum	4	9	spartan7	James	area e	172	18	6		1	87	##	v25.1	0.24	1.0	121.4	AX		vhdl	2	lem1_9pti	Y		N	Y	512	2K	N	24			1	2016			binary & BCD digit addition, speed mo	4 index registers: (ix),(--ix),(ix++),(ix+off)
minicpu-s	https://github.c	stable	Michael Morris	stack	16	8	kintex-7-3	James Brakef		147		6			741	##	14.7	0.67	28.0	120.6	X		verilog	2	both	Y		N					33				2012	2013		separate source for each CPLD chip,	fits (2) XC9500 CPLD @ 71.4 MHz
riscv_tordboya	https://github.com/Brunc		Bruno Levy	risc-v	32	32	aritx-7	Bruno	RV32I	1000	600	6			120	21/	v23.1	1.00	1.0	120.0			verilog	15	soc	Y	yes	N	N	4G	4G	Y			32		2022	2023	https://brunolevy	pipelined RISC-V uP & courseware	several configuration resource stats
tigli_cpu		stable	Cleiton Juffo	RISC	16	16	kintex-7-3	James Brakef		636		6			455	##	14.7	0.67	4.0	119.7	X		verilog	24	cpu	Y		N	Y	64K	64K		16		16		2013	2013		course project, not pipelined	no LUT RAM for reg file
verilogboy	https://hackada	alpha	Wenting Zhang	risc-v	8	8	**zu-3e**	James Brakef		872	608	6			313	##	v21.1	1.00	3.0	119.5	X		verilog	36	vbh	Y	yes	N	N	64K	64K	Y						2019	https://github.cor	Game Boy in Verilog, both CPU (SM8	uses riscv_picorv32 core
mips789	https://opencor	stable	Li Wei	MIPS	32	32	kintex-7-3	James Brakef		1432		6		1	171	##	14.7	1.00	1.0	119.1	AX		verilog	10	mips_core	Y	yes	N		4G	4G	Y			32	5	2007	2014		supports most MIPSI instructions	
riscv_minimax	https://github.com/gsmec		Graeme Smecher	risc-v	32	16	KU060	Graeme Smec		423	61	6			200	##	v22.2	1.00	4.0	118.2	X		verilog	2	minimax	Y	yes	N		4G	4G	Y			32		2022	2023		LUT count comparisons with other ris	most 32-bit insts microcoded, limited 16-bit IS
riscv_steel	https://github.com/riscv-s		Rafael Calcada	risc-v	32	32	**zu-2e**	James Brakef		1775		6			208	##	v19.2	1.00	1.0	117.4			verilog	21	steel_top	Y	yes	N		4G	4G	Y			32	3	2020	2024	https://github.cor	github version has vivado proj	under grad thesis
riscv_dark	https://github.c	alpha	Marcelo Samsoniuk	risc-v	32	32	kintex-7-3	James Brakef		1422		6		1	167	##	14.7	1.00	1.0	117.2	XL		verilog	2	darksocv	Y	yes	N		4G	4G	Y	45		32	2	2018	2024	https://blog.hacks	written in one night, low line count	readme is descriptive, uses cache
hpc-16	https://opencor	beta	Umair Siddiqui	RISC	16	16	kintex-7-3	James Brakef		871		6			152	##	14.7	0.67	1.0	116.6	X		vhdl	20	cpu	Y	asm	N		64K	64K				16		2005	2015			
8bit_piped_pro	https://opencor	stable	Mahesh Sukhdeo Palve	RISC	8	16	kintex-7-3	James	swapp	1049		6		1	370	##	14.7	0.33	1.0	116.4	X		verilog	28	top	Y									20		16		2013	2017	https://github.cor	uses Perl as assembler	use Perl to generate ROM file
cpu_takagi	https://github.com/takagi		Masayuki Takagi	RISC	8	15	spartan7	James Brakef		643	1017	6			111	##	v23.2	0.67	1.0	115.8	X		verilog	3	cpu					64K	64K	Y	16		16		2016	2016		no use of LUT RAM or block ROM	not much documentation
J1b	www.excamera/	stable	James Bowman	forth	32	16	kintex-7-3	James	DFF ex	2612		6			302	##	14.7	1.00	1.0	115.5	X		verilog	3	j1	Y	forth	N		64K	64K		20			2	2006	2023		uCode inst, dual port block RAM	DFF used for 32 deep data & return stacks
lxp32	https://opencor	beta	Alex Kuznetsov	RISC	32	32	kintex-7-3	James Brakef		850	526	6	3	1	196	##	14.7	1.00	2.0	115.4	AIX		vhdl	20	lxp32u_to	Y	asm	N	N	4G	4G	Y	30		256	3	2016	2024	https://lxp32.githu	register file in block RAM	vendor neutral source code
yard-1	https://github.c	alpha	Brian Davis	artix-7	16	16	artix-7	James Brakef		774	271	6		2	89	##	v25.1	1.00	1.0	114.3	LX		vhdl	38	evb	Y		N		4G	4G	Y	60		16		2014	2020		32 bit uP core, intended for embedde	three data sizes, well documented
jam	https://github.c	stable	Johan Thelin etal	RISC	32	32	kintex-7-3	James Brakef		1396		6			159	##	14.7	1.00	1.0	113.7	X		vhdl	17	cpu_sys	Y		N	Y	128K	128K				32	5	2002	2014		serial multiply & divide	took out clock divider
arm9-soft-cpu	https://github.com/risclit		Li Xinbing	ARM9	32	32	**zu-3e**	James Brakef		2098	778	6	4		238	##	v21.1	1.00	1.0	113.5			verilog	4	risclite_m	Y	yes	Y		4G	4G	Y					2020			ARMv4-compatible CPU core	no interrupts or reg banks
nanoblaze	https://opencor	beta	Francois Corthay	picoBlaze	8	18	kintex-7-3	James Brakef		247		6		1	169	##	14.7	0.33	2.0	113.2	X		vhdl	12	nanoblaze		asm			256	2K	Y					2015	2015		nanoBlaze compatable, adjustable data width	
drv16	https://github.com/jecelj		Jecel de Assumpção	risc	16	16	gowin	Jecel de Assu		282	33	4			95	##		0.67	2.0	112.9	AGLX		schem	8	drv16.v	Y		N		64K	64K				16		2024	https://www.mdp	educational, LUT count comparisons	Digital schematic, RISC-V 16-bit ISA
riscv_wildcat	https://github.com/schoe		Martin Schoeberl	risc-v	32	32	artix7	Martin Schoe		993	442	6			111			1.00	1.0	112.0	X		scala	32	singlecycle	Y	yes	N		4G	4G	Y			32	4	2025	https://arxiv.org/p	comparison of 3, 4 & 5 stage pipeline	book: Digital Design with Chisel
risc-processor	https://github.c	stable	Jeff Bush	RISC	32	32	kintex-7-3	James Brakef		1445		6		6	161	##	14.7	1.00	1.0	111.6	X		verilog	22	fpga_top	Y	yes	N		4G	4G	Y	21		32		2008	2019	https://github.cor	two designs with same name	MIT course work
octagon	https://opencor	beta	Jon Pry	MIPS	32	32	kintex-7-3	James Brakef		3021		6	4	9	333	##	14.7	1.00	1.0	110.2	X		vhdl	46	octagon		asm				4G	4G	Y			32		2015	2015	https://github.cor	8 thread barrel processor, largely MIPS compatible	
8bit_piped_pro	https://opencor	stable	Mahesh Sukhdeo Palve	RISC	8	16	**zu-3e**	James	vivado	1500	1822	6		1	500	##	v21.1	0.33	1.0	110.0	X		verilog	28	top	Y									20		16		2013	2017	https://github.cor	uses Perl as assembler	use Perl to generate ROM file
risc5	http://www.pro	beta	Niklaus Wirth	RISC	32	32	zu-3e	James Brakef		1936	392	6	4		213	##	v21.1	1.00	1.0	109.9	ALX	Y	verilog	8	RISC5	Y	yes	Y		4G	4G				16		2013	2017	http://www.astro	minimalist Wirth, part of Project Obe	32x32 multiplier, wikipedia entry
pacoBlaze	www.bleyer.org	mature	Pablo Kocik	picoBlaze	8	18	spartan-3	Pablo Kocik		177		4		1	117			0.33	2.0	109.1	X		verilog	18	pacoblaze	Y	asm	N		256	2K	Y	57			2		2006			3 versions, behavioral coding	
jimmy	https://github.com/kuash		Eduardo Corpeño	RISC	8	8	artix7	James Brakef		382	120				125	##	v23.2	0.33	2.0	108.0	AX		verilog	2	jimmy	Y		N	Y	256	256	Y	16		4		2020	2022		educational, 4 regs, 8-bit adr spaces	vendor neutral source code
tiny64	https://opencor	stable	Ulrich Riedel	RISC	32	32	kintex-7-3	James Brakef		874		6			189	##	14.7	1.00	2.0	107.9	X		vhdl	6	tinyx					64K	64K		14		8		2004	2007		data size from 32 to 64 bits	micro-coded sub-ops
ion	https://opencor	mature	Jose Ruiz	MIPS	32	32	kintex-7-3	James Brakef		1533		6			163	##	14.7	1.00	1.0	106.0	AX		vhdl	12	mips_soc	Y	yes	N		4G	4G	Y			32		2011	2018	https://github.cor	new version: moving to MIPS32r1	new version not ready, keeping old numbers
simplecpucore	https://github.com/Karan		Karang	arm	32	32	kintex-7-3	James	bare c	946	309	6			100	##	v24.1	1.00	1.0	105.7	AX		vhdl	11	arm_core	Y	yes	N		4G	4G	Y			16	5		2017		CPU core for ARMv3, educational	no RTL comments, shows ASIC layout
ARM_Cortex_M	http://www.arm	proprietar	ARM	ARM M1	32	16	virtex-5	ARM	65nm	1900		6			200			1.00	1.0	105.3	AX		proprietary			Y	yes	N		4G	4G	Y			16	3	2007		https://en.wikiped	ARM Cortex M0, M1 & M3 avail for FI	see xilinx Xcell64
jam	https://github.c	stable	Johan Thelin etal	RISC	32	32	kintex-7-3	James Brakef		1369		6			143	##	14.7	1.00	1.0	104.2	X		vhdl	17	cpu	Y		N	Y	128K	128K				32	5	2002	2014		serial multiply & divide	
sap	https://opencor	stable	Ahmed Shahein	accum	8	8	kintex-7-3	James	no LUT	48		6			200	##	14.7	0.10	4.0	104.2	X		vhdl	15	mp_struct			N		16	16	Y	5				2012	2022	https://shirishkoir	Simple as Possible Computer from M	https://www.youtube.com/watch?v=prpyEFxZ
sap	https://github.c	stable	Federico Zotti	accum	8	8	kintex-7-3	James	no LUT	48		6			200	##	14.7	0.10	4.0	104.2	G		vhdl	9	sap-1-TOP			N		16	16	Y	5				2024			Simple as Possible Computer	Gowin 9K project
microcore	http://www.pld	beta	Klaus Schleisiek	forth	16	8	kintex-7-3	James Brakef		1101	138	6			171	##	14.7	0.67	1.0	104.1	X		vhdl	17	ucore120	Y	asm	N	Y	4K	4K						1999	2023		indexing into return stack, auto inc/d	no block RAM?, uses tri-state signals
sweet32	https://opencor	alpha	Valentin Angelovski	MIPS	32	16	kintex-7-3	James Brakef		1797		6	1	2	185	##	14.7	1.00	1.0	103.1	X	Y	vhdl	28	sweet32_	Y	yes	N	N	4G	4G	Y	26		16		2014	2015		clock divider to Sweet32_v1_core	
eight32	https://github.com/robin		Alastair M. Robinson	accum	32	8	cyclone-4	Alasta	approx	1300		4			133			1.00	1.0	102.3			vhdl	17	eighthirty	Y	yes	N		500M	500M	Y	28		8		2019	2023	https://retroramb	full tool set, see github page for ISA description	
picoblaze	https://www.xil	stable	Ken Chapman	picoBlaze	8	18	kintex-7-3	James Brakef		317		6		2	195	##	14.7	0.33	2.0	101.6	X	Y	vhdl	19	kc705_kcp	Y	asm	N		256	2K	Y					2003		https://en.wikiped	2 clocks/inst	this is the original picoBlaze author
ben_eater_up	https://github.com/Xarkl		Ken Jordan	accum	8	8	spartan7	James Brakef		164	137	6			100	##	v23.2	0.33	2.0	100.6	X		vhdl	6	system	Y	asm	N		256	16	Y					2015	2019	https://eater.net/	Ben Eater's 8-bit breadboard computer	
forth_kf532	https://github.c	stable	Tarasov Ilia	forth	32	6	kintex-7-3	James	no *.c	1719		6	4	4	172	##	14.7	1.00	1.0	100.3	X		vhdl	1	kf532	N		N	Y	1K	16K						2013	2013		no trace of source code on web	
lem16_18		alpha	James Brakefield	accum	16	18	kintex-7-3	James Brakef		483	38	6		1	302	##	14.5	0.16	1.0	100.0	X		vhdl	2	lem16_18m			N		256	1K		77			1	2010	2018		variable bit-length memory read/writ	op-codes coded, untested
sweet32	https://opencor	alpha	Valentin Angelovski	MIPS	32	16	kintex-7-3	James Brakef		1177		6	1		116	##	14.7	1.00	1.0	98.8	X	B	vhdl	2	Sweet32_	Y	yes	N	N	4G	4G	Y	26		16		2014	2015		targets MACHXO2, no RAM	
minicpu	http://www.cs.l	stable	Hirotsugu Nakano	stack	16	5	kintex-7-3	James	lots of	433		6	1	1	128	##	14.7	0.33	1.0	97.7	X		verilog	7	minicpu	Y	yes	N		4K	4K	N	26				2008	2018		same as tiny-cpu	uses Flex, Bison & Perl to create gcc compiler
multicycle_risc	https://github.c	stable	Yash Sanjay Bhalgat	RISC	16	16	kintex-7-3	James Brakef		1470		6			213	##	14.7	0.67	1.0	97.0	X		verilog	62	risc15	Y		N		64K	64K		15		8		2015	2015		multi-cycle IIT-B-RISC15 ISA	developed on Altera, course project
cpugen	https://opencor	stable	Giovanni Ferrante	RISC	32	16	kintex-7-3	James Brakef		1597		6	8		154	##	14.7	1.00	1.0	96.3	AX		vhdl	14	cpuc	Y	asm	N	N								2003	2009		x86 .exe generates VHDL RISC uP	using 32 bit example
lfsr-vhdl	https://github.c	stable	Richard Howe	accum	8	16	spartan-6	Richard Howe		144	101	6		4	100	##	14.7	0.33	2.4	95.5	X	Y	vhdl	6	top	Y	yes	N		256	4K	Y	8	2				2025		Uses Linear Feedback Shift Register a	educational complexity, runs forth

_uP_all_soft folder	opencores or prmary link	status	author	style / clone	data	sz	inst sz	FPGA	repor ter	com ents	LUTs ALUT	Dff	LUT?	mults	blk ram	F max	date	tool ver	MIPS /inst	clks/ inst	KIPS /LUT	ven dor	SOC	src code	#src files	top file	doc	tool chai n	fltg pt	Hav'd	max dat	max inst	byte adrs	# inst	adr mod	# reg	pipe len	start year	last revis	secondary web link	note worthy	comments
qs5-rible	http://www.san	stable	John Rible	RISC	8	16		kintex-7-3	James	Brakef	468		6			135	##	14.7	0.33	1.0	95.3	X		verilog	1	qs5_mix			N		256	32K	Y					1998	1999		used in his class, also uses eP32	
spartanmc	http://www.spa	stable	Falk Hassler	RISC	18	18		kintex-7-3	James	Brakef	853		6	1	2	120	##	14.7	0.67	1.0	94.6	X	Y	verilog	38	spartanmc	Y	asm									2012	2014		SPARC like register windows	
ucore	https://opencor	stable	Whitewill	MIPS	32	32		kintex-7-3	James	Brakef	2469		6		1	231	##	14.7	1.00	1.0	93.5	X		verilog	25	ucore	Y	yes	N		4G	4G	Y			32	6	2005	2010		MMU & caches	
riscv_vexriscv	https://github.c	scala	Charles Papon	risc-v	32	32		atrix-7-3	Charles	Papo	2021	1541	6			151			1.24	1.0	92.6	X	Y	scala	54	full MMU	Y	yes	N		4G	4G	Y			32	2-5		2025	https://github.cor	preformance #s for 9 configurations c	DMIPS/MHz, 2.35 Coremark/MHz
lem1_9	https://opencor	alpha	James Brakefield	accum	1	9		kintex-7-3	James	1 stag	75		6		1	171	##	14.5	0.04	1.0	91.2	AX		vhdl	2	lem1_9	Y		N	Y	32	2K	N	24			1	2016	2017		single bit at a time, absolute adrs	
chad	https://github.com/bradle		Brad Eckert	forth	18	16	**zu-3e**	James	Brakef		2196	2211	6		5	250	##	v21.1	0.80	1.0	91.1	AXML		verilog	33	mcu_arty	Y	yes	N		64K	64K	N	23		16		2021			verilog, .f &.c code; fpga project files	
m1_core	https://opencor	beta	Fabrizo Fazzino, Albert	MIPS?	32	32		arria-2	James	Brakef	2101		A			190	##	q13.1	1.00	1.0	90.6	AX		verilog	9	m1_core		yes	N		4G	4G	Y			32		2007	2012		GCC target?	
simplecpu12	https://github.com/jasom		Jan Sommer	accum	12	12		spartan6	Jan	Sommer	498	212	6		6	180	##	14.7	0.50	2.0	90.4	X		vhdl	9	top_level	Y		N	Y	4K	4K	N	32	3			2020			educational, has stack pointer	looks like an accumulator dsgn
c16too	https://www.sc	stable	Cole Design and Devel	RISC	16	16		kintex-7-3	James	Brakef	510		6			271	##	14.7	0.67	4.0	88.9	X		vhdl	1	core	Y	asm	N		64K	64K	N	20		8		2003		coledd.com/electr	graphics capability	clock/2 and six phases
mais	https://www.do	stable	Rene Doss	MIPS	32	32		kintex-7-3	James	Brakef	2760		6	4	5	245	##	14.7	1.00	1.0	88.7	X		vhdl	22	MAIS_soc	Y	yes	N	N	4G	4G				32	5	2013		use MIPS tools	register forwarding around ALU	license req'd for commercial use
risc5	http://www.pro	beta	Niklaus Wirth	RISC	32	32		zu-2e	James	Brakef	2001	392	6	4		177	##	v20.1	1.00	1.0	88.3	ALX	Y	verilog	8	RISC5	Y	yes	Y		4G	4G				16		2013	2017	http://www.astro	minimalist Wirth, part of Project Obe	32x32 multiplier, wikipedia entry
openfire2	https://opencor	beta	Antonio Anton	uBlaze	32	32		kintex-7-3	James	Brakef	1201		6	3	2	105	##	14.7	1.00	1.0	87.4	X	Y	verilog	27	openfire_	Y	yes	N	N	4G	4G	Y			32		2007	2012		"FPGA Proven"	derived from Stephen Craven's OpenFire
ep32	http://forth.org/	mature	C.H. Ting	forth	32	5		spartan7	James	Brakef	1147	2309	6			100	##	v23.2	1.00	1.0	87.2	X		vhdl	7	ep32	Y	forth	N		4G	4G		29				2012			has eForth binary & source	now free
tinyfpga	https://github.c	stable	Ken Jordan	accum	8	8		kintex-7-3	James	Brakef	185		6		1	175	##	14.7	0.33	3.6	86.9	X		vhdl	12	system			N	N	16	16	Y	10				2017	2017		educational 8-bitter with 4-bit addres	why use block RAM?
fpga4_8bit_up	http://www.fpg	stable	Van Loi Le	accum	8	8		kintex-7-3	James	Brakef	258		6		1	200	##	14.7	0.33	3.0	85.3	X		vhdl	9	computer	ome		N		96	128	Y	10		2		2016	2016	book: LaMeres Int	educational	16 input & 16 output ports fill out 256 byte adr
neo430	https://opencor	alpha	Stephan Nolting	MSP430	16	16		virtex-6	Stephan	Nolt	402		6		2	204	##	14.7	0.67	4.0	85.0	ALX	Y	vhdl	19	neo430_t	Y	yes	N		28K	32K	Y			16		2015	2021	https://github.cor	website has detailed resource utiliza	minimal configuration
arm_rusian	https://github.com/0xD5(		ruslan	arm	32	32	**zu-3e**	James	LUT R/		2360	4815	6			200	##	v21.1	1.00	1.0	84.7			system	6	ARM_Mul	Y	yes	Y		4G	4G	Y			16			2019			from "Digital design and computer ar	single cycle,
baby8	https://github.com/jecelja		Jecel de Assumpcao Jr	RISC	8	8		cyclone5	Jecel de	Assu	29		A		16	58	##		0.17	4.0	84.5	AGLX		schem	17	baby8cpu	Y	asm	N		64K	64K	Y			16		2024	https://mdpi-res.c	minimal 8-bit uP with 16-bit adrs	schematic, verilog & system verilog
jane_nn		stable	Suresh Devanathan	RISC	4	8		kintex-7-3	James	Brakef	723		6			178	##	14.7	0.33	1.0	81.4	X		vhdl	3	Processor	Y								27		16		2002			neural network microprocessor, speci	alized registers
dcpu16	https://github.c	beta	Shawn Tan, Marcus Pe	RISC	16	16		kintex-7-3	James	Brakef	662		6	1		318	##	14.7	0.67	4.0	80.4	X		vhdl, v	5	dcpu16_c	Y	asm	N	N	64K	64K	N	37		8		2009	2012	https://en.wikipe	for the 0X10c game	4+ addressing modes, 4 & 5-bit reg /modefield
mor1kx	https://github.c	stable	Julius Baxter	OpenRISC	32	32		kintex-7-3	James	Brakef	2718		6	3	3	217	##	14.7	1.00	1.0	80.0	X		verilog	48	mor1kx	Y	yes	N		4G	4G	Y			32		2012	2024	https://www.yout	lots of configuration parameters	considered best openrisc design
chad	https://github.com/bradle		Brad Eckert	forth	18	16	atrix-7-3	James	option		1972		6		3	196	##	v21.1	0.80	1.0	79.5	AXML		verilog	33	mcu	Y	yes	N		64K	64K	N	23		16		2021			verilog, .f &.c code; fpga project files	min SOC, -3 speed grade
drv16/ncpu	https://github.com/jecelja		Jecel de Assumpção	risc	8	8		gowin	Jecel de	Assu	264	182	4			127	##		0.33	2.0	79.4	AGLX		schematic				yes	N	N	256	256				16		2024	https://www.mdpi.com/2674-0729/3/4/20		
riscv_taiga	https://gitlab.co	stable	Eric Matthews	risc-v	32	32		zynq			1551				1	123			1.00	1.0	79.3	AX		system	46		Y	yes	N		4G	4G	Y			32		2017	2022		TAIGA: A new RISC-V soft-processor f	33% smaller & 39% faster than LEON3
hf-risc	https://opencor	stable	Sergio Johann Filho	MIPS	32	32		kintex-7-3	James	Brakef	1446		6		4	115	##	14.7	1.00	1.0	79.2	X		vhdl	9	spartan3e_n	yes		N	N	4G	4G	Y	41		32		2016		https://github.cor	MIPS I suset, no multiplier	
baby8	https://github.com/jecelja		Jecel de Assumpcao Jr	RISC	8	8		spartan7	Jecel de	Assu	31		6		4	58	##		0.17	4.0	79.1	AGLX		schem	17	baby8cpu	Y	asm	N		64K	64K	Y			16			2024	https://mdpi-res.c	minimal 8-bit uP with 16-bit adrs	stats for several soft uP 4 FPGA/ASIC versions
iitb-proc	https://github.com/preet		Preetam Pinnada	RISC	16	16		spartan7	James	Brakef	285	87	6			100	##	v25.1	0.67	3.0	78.4	X		vhdl	17	iitb_proc			N		64K	64K	N	15	3	8		2020		https://www.scrib	course project for EE224 @EE.IITB, fo	very little doc, sizeable state machine
tarhi	https://github.c	alpha	Dagvadorj Galbadrakh	RISC	32	32		kintex-7-3	James	everyt	396		6		1	123	##	14.7	1.00	1.0	77.9	X		verilog	4	tarhi_controller			N		16M	16M	N	11		4		2013	2013		no doc, extremely small RISC	difficulty with timing, try 7.0ns
forth-cpu	https://anycpu.org/forum		Richard Howe	forth	16	16		spartan3	James	Brakef	782	91	4	1	2	90	##	14.7	0.67	1.0	77.5	X		vhdl	10	cpu			N									2013	2024	http://www.aholn	forth uP for GPS reciever, 32-bit stack	Spartan3 block RAM & multiplier
storm_core	https://opencor	beta	Stephan Nolting	ARM7	32	32		kintex-7-3	James	Brakef	2312		6	3		179	##	14.7	1.00	1.0	77.4	AX		vhdl	16	core	Y	yes	N		4G	4G	Y			32	8	2011	2014		Storm Core (ARM7 compatible)	I & D caches not compiled
verilog-6502	https://github.c	stable	Arlet Ottens	6502	8	8	**zu-3e**	James	Brakef		475	112	6			333	##	v21.1	0.33	3.0	77.2	X		verilog	2	cpu		yes	N	N	64K	64K	Y					2007	2018	http://ladybug.xs4all.nl/arlet/fpga/6502/		sync memory, e.g. use block RAM
sc20	http://www.for	proprietar	Brad Eckert	forth	32	8	virtex-6	Brad	Eckert		1977		6			150			1.00	1.0	75.9	X		proprietary													2010			PDF file, Forth Inc.	
atlas_2K	https://opencor	beta	Stephan Nolting	RISC	16	16	kintex-7-3	James	48 LUT		1595	1108	6	1	4.5	151	##	14.7	0.80	1.0	75.9	ALX		vhdl	19	ATLAS_2K	Y	asm	N	Y	64K	64K	M	80		8		2013	2015	https://www.allat	ARM thumb like inst set	has MMU & full SOC features
riscv_vexriscv	https://github.c	scala	Charles Papon	risc-v	32	32		atrix-7-3	Charles	Papo	2883	2130	6			180			1.21	1.0	75.5	X	Y	scala	54	linux balar	Y	yes	N		4G	4G	Y			32	2-5		2025	https://github.cor	preformance #s for 9 configurations c	DMIPS/MHz, 2.27 Coremark/MHz
kiwih	https://github.com/kiwih		Hammond Pearce	accum	8	8		artix-7	James	has AS	265	173	6			100	##	v23.2	0.20	1.0	75.5	X		verilog	8	kiwih_tt_t	Y	asm	N		32	256	Y	20				2023		https://github.cor	uP design via chatGPT4, ASIC gate list	study using chatGPT4 for hdware synthesis
myforthproces	https://opencor	stable	Gerhard Hohner	forth	32	8		SP-kintex	James	Brakef	2959		6		6	223	##	14.7	1.00	1.0	75.3	X		vhdl	58	mycpu	Y	yes	N		64M	64M		96				2004	2012		DPANS'94 32-bit Forth, masters thesi	25.15 Whetstones
altor32	https://opencor	stable	Ultra Embedded	OpenRISC	32	32		kintex-7-3	James	Brakef	2602	1578	6		5	192	##	14.7	1.00	1.0	73.9	ALX		verilog	16	altor32	Y	yes	N	Y	4G	4G	Y					2012	2015	https://openrisc.io	simplified OpenRISC 1000	xilinx S3 primitives
multi-cycle-cpu	https://github.com/Amrik		Amrik Sadhra	RISC	32	32		spartan6	James	Brakef	1134	655	6			83	##	14.7	1.00	1.0	73.0	X		vhdl	48	top_level	Y												2016	2016	https://www.yout	nicely documented with state diagrar	spreadsheet for test programs, ISE project
ae18	https://opencor	beta	Shawn Tan	PIC18	8	16	**zu-3e**	James	vivado		954	501	6			208	##	v21.1	0.33	1.0	72.1	ALX		verilog	1	ae18_core		yes	N	Y	4K	1M						2003	2009	https://hackaday.	not 100% compatable	negative edge reset "clock"
lem1_9ptr	https://opencor	beta	James Brakefield	accum	1	9		kintex-7-3	James	1 stag	147		6		1	176	##	14.5	0.06	1.0	72.0	AX		vhdl	2	lem1_9pti	Y		N	Y	512	2K	N	24			1	2016			use speed opt, logic emulation machi	4 index registers: (ix),(--ix),(ix++),(ix+off)
aspida	https://opencor	stable	Sotiriou	DLX	32	32		kintex-7-3	James	dated	3586		6			257	##	14.7	1.00	1.0	71.7	X		verilog	10	DLX_top	Y	yes			4G	4G						2002	2009		DLX	compiled sync version
totalcpu	https://opencor	alpha		RISC	12+	12		kintex-7-3	James	Brakef	229	64	6	1		149	##	14.7	0.33	3.0	71.7	X		verilog	10	cpu			N							16		2007	2009		data width 12 bits and up, no data memory	
risc8	https://web.arc	stable	Tom Coonan	PIC16	8	12		kintex-7-3	James	Brakef	355		6			154	##	14.7	0.33	2.0	71.5	X		verilog	8	cpu	Y	yes	N	Y	256	2K	Y					1999	1999	https://github.cor	excellent HTML doc	directory contains derivative design by anothe
chad	https://github.com/bradle		Brad Eckert	forth	18	16	atrix-7-3	James	DFF ex		1995		6		5	175	##	v21.1	0.80	1.0	70.4	AXML		verilog	33	mcu_arty	Y	yes	N		64K	64K	N	23		16		2021			verilog, .f &.c code; fpga project files	max SOC, -3 speed grade
cpu-16-bit	https://github.com/Vedar		Vedang Asgaonkar	RISC	16	16		spartan7	James	8 latch	468	195	6			147	##	v23.2	0.67	3.0	70.2	X		vhdl	5	cpu	Y		N		64K	64K	N	17		8		2022			ld/st multiple & predication insts	trimming of inst reg
navre	https://opencor	stable	Sebastien Bourdeaudu	AVR	8	16		kintex-7-3	James	Brakef	990		6			207	##	14.7	0.33	1.0	69.0	ALX		verilog	1	softusb_n	Y	yes	N		64K	64K	Y	72		32	2	2010	2013	https://www.milk	AVR clone, part of www.milkymist.org	
dragonfly	http://www.leo	beta	LEOX team	MISC	8	16		kintex-7-3	James	Brakef	788		6			164	##	14.7	0.33	1.0	68.6	X		vhdl	6	dgf_core	Y	asm	N	Y	256	2K	Y	42	6	7		2001	2003		unusual, uses FIFOs	
riscv_clarvi	https://github.c	stable	Robert Eady	risc-v	32	32		arria-2	James	Altera	2616		A			178	##	q18.0	1.00	1.0	68.2	A	B	system	7	clarvi	Y	yes	N		4G	4G	Y			32	6	2016	2017	https://www.cl.ca	educational simple RISC-V implement	doesn't make use of block RAM RTL
uos	https://opencor	mature	Daniel Roggen	accum	8	16		kintex-7-3	James	Brakef	441		6			270	##	14.7	0.33	3.0	67.4	X		vhdl	14	cpu	Y								3	4		2014	2017		UoS Educational Processor	inspired by x86 ISA
plasma_cortex	https://github.com/Nucle		Dylan Brophy	RISC	32	16		spartan6	James	Brakef	1566	626	6	4		105	##	14.7	1.00	1.0	67.0	X		vhdl	4	cpu	Y	yes	N		4G	4G	Y			8			2018	https://hackaday.io/project/160180-plasma-cortex-open-source-cpu-in-vhdl		
amic-0	https://github.c	stable	Alberto Moriconi	stack	32	8	**zu-3e**	James	vivado		622	357	6			250	##	v21.1	1.00	6.0	67.0	X		vhdl	12	processor	Y		N		4G	4G	Y					2010	2021	https://en.wikipe	based on mic-1 by Andrew Tanenbau	36-bit uCode, usually Java virtual machine
mcs-4	https://opencor	alpha	Reece Pollack	4004	4	4		kintex-7-3	James	Brakef	228		6			376	##	14.7	0.16	4.0	66.0	X		verilog	7	i4004			N		4K	4K	N					2012	2012		4004 was multi-chip	4004 CPU & MCS-4
zpu	https://github.c	stable	Oyvind Harboe	forth	32	8		kintex-7-3	James	Brakef	1073		6	3		283	##	14.7	1.00	4.0	65.9	X		vhdl	23	zpu_core	Y	yes	N		4G	4G	Y	37				2008	2009	https://grokipedia	zpu4: 16 & 32 bit versions, code size s	ZPU the worlds smallest 32 bit CPU with GCC t
riscv_steel	https://opencores.org/pr		Rafael Calcada	risc-v	32	32		atrix-7-3	James	Brakef	1784		6			116	##	v19.2	1.00	1.0	65.0			verilog	21	steel_top	Y	yes	N		4G	4G	Y			32	3	2020	2024	https://github.cor	github version has vivado proj	under grad thesis, several web locations
latticemico8	http://www.latt	stable	Lattice Semiconductor	RISC	8	18		LFE2	Lattice	Semic	265		4		1	104			0.33	2.0	64.4	ALX		vhdl	10	isp8_core	Y	yes	N		256	4K	Y			32		2005	2010	https://en.wikipe	16 deep call stack, four configuration	tool kit: LMS for Diamond3.10
mcl65	http://www.mic	stable	Ted Fried	6502	8	8	atrix-7-3	Ted	Fried		252		6		2	196	##	14.7	0.33	4.0	64.2	X		verilog	1	mcl65	Y	yes	N	N	64K	64K	Y					2017	2021	https://github.cor	**microcoded, cycle exact**	**excellent micro-coding LUT counts**
zktc	https://github.c	WIP	kkinos	RISC	16	16		spartan-7	James	Brakef	1172	690	6		16	112	##	v25.1	0.67	1.0	63.8	X		system	6	zktc	Y	yes	N		64K	64K	N			8			2024		hobby project to design CPU, create compiler, create kernel and run it	
erp	https://opencor	stable	Shahzadjk	RISC	8	16		spartan-3	James	Brakef	366			4	1	1	70	##	14.7	0.33	1.0	63.5	X		verilog	1	ERPverilog	Y								15		6		2004	2014		two report PDFs & one Verilog file	
the12X_12uP		alpha	James Brakefield	stack/acc	12	12		kintex-7-3	James	Brakef	972		6	1	1	123	##	14.7	0.50	1.0	63.3	X		vhdl	2	the12x_12	Y		Y	N	4K	4K	N	54		64	1	2015			combo stack/accumulater design	load/store arch, not optimized
ae18	https://opencor	beta	Shawn Tan	PIC18	8	16		arria-2	James	Brakef	1084		A	1		207	##	q13.1	1.00	1.0	63.1	ALX		verilog	1	ae18_core		yes	N	Y	4K	1M						2003	2009	https://hackaday.	not 100% compatable	negative edge reset "clock"
mx65	https://github.com/Steve		Steve Teal	6502	8	8	**zu-3e**	James	Brakef		485	148	6		1.5	370	##	v21.2	0.33	4.0	63.0	X		vhdl	5	apple1	Y	yes	N		64K	64K	Y					2022	2022		cycle accurate, passes Klaus Dormann	6502 functional tests, has uart
leon3	http://www.gai	stable	Jiri Gaisler, Jan Andersc	SPARC	32	32		kintex-7-3	Jiri	Gaisler	2920		6			183			1.00	1.0	62.7	AILX	Y	vhdl	100s	leon3x	Y	yes	Y		4G	4G	Y			64	7	2003	2021	https://en.wikipe	**customized for ~50 FPGA boards,**	**xls with utilization for all targets**
minicpu_morri	https://github.com/Morri		Michael Morris	6502	8	8		spartan-6	Michael	Morr	276		6			104			0.33	2.0	62.2	X		verilog	15	minicpu_d	Y		N		64K	64K	Y	31				2017			simplified 6502, see m65c02a	RE: 8-bit CPU challenge of Arlet Ottens
risc0	https://sourcefo	beta	Niklaus Wirth	RISC	32	32		kintex-7-3	James	Brakef	1186		6	4	6	110	##	14.7	0.67	1.0	61.9	X		verilog	8	RISC0	Y	yes	N		4G	4G						2011	2018	https://people.inf	minimalist Wirth, education tool	Lola: https://people.inf.ethz.ch/wirth/Lola/ind
altor32_lite	https://opencor	stable	Ultra Embedded	OpenRISC	32	32		kintex-7-3	James	Brakef	1928	1250	6			236	##	14.7	1.00	2.0	61.3	ALX		verilog	7	altor32	Y	yes	N	Y	4G	4G	Y					2012	2014	https://openrisc.io	simplified OpenRISC 1000, no pipeline	xilinx S3 primitives
riscv_rpu	https://github.c	untested	Colin Riley	risc-v	32	32		artix-7	Colin	Riley	3291	1156	6	12	1	200	##	14.7	1.00	1.0	60.8	X	Y	vhdl	14	core	Y	yes	N		4G	4G	Y			32		2015	2020	http://labs.domip	Series of 16 tutorials on uP design, w	RPU uP, TPU now discarded
ez8	https://github.c	stable	Howard Mao	accum	8	16		kintex-7-3	James	replac	644		6		2	233	##	14.7	0.33	2.0	59.6	X		verilog	13	ez8_cpu					256	4K						2014	2014	http://zhehaomao.com/		not sure inferred RAM correct?
ep994a	https://github.c	stable	Erik Piehl	9900	16	16		kintex-7-3	James	Brakef	1340		6		5	286	##	14.7	0.83	3.0	59.0	X		vhdl	10	ep994a	Y	yes	N	N	64K	64K	Y			16		2016	2019	https://hackaday.	TI 990 emulation	also tms9902 (uart) core by Paul Urbanus?
light8080	https://opencor	stable	Jose Ruiz, Moti Litoche	8080	8	8		kintex-7-3	James	Brakef	154		6		1	247		14.7	0.33	9.0	58.9	AX		verilog	5	i80soc	Y	yes	N	N	64K	64K	Y					2007	2019	https://github.cor	targeted to area, includes UART, inte	older versions have both VHDL & Verilog
softpc	https://github.com/alreac		Michael S	Nios II	32	32		cyclone-1	Micha	block t	613		4		1	180		q17.1	1.00	5.0	58.9			vhdl	13	nios2ee	Y	yes	opt		4G	4G	Y			32			2019		nine variations in attempt to improve	16-bit ALU
openscale	http://www.lirm	stable	Lyonel Barthe	uBlaze	32	32		spartan-3	Lyonel	Barthe	1563		4			91		i12.1	1.00	1.0	58.2	X	Y	vhdl	26	sb_core		yes			4G	4G	Y	86		32	5	2010	2012	www.lirmm.fr/AD	NoC secretblaze	data is for single secretblaze
secretblaze	http://www.lirm	beta	Lyonel Barthe	uBlaze	32	32		spartan-3	Lyonel	Barthe	1563		4			91		i12.1	1.00	1.0	58.2	X		vhdl	26	sb_core		yes			4G	4G	Y	86		32	5	2010	2012	www.lirmm.fr/ADAC		
pdp1bach	https://github.c	simulatio	Jan Adelsbach	PDP1	18	18		spartan7	James	PDP-1	635	128	6			109	##	v25.1	0.67	2.0	57.5	X	Y	verilog	16	pdp1_cpu	Y	yes	N	N	4K	4K	Y	28				2015				
copyblaze	https://opencor	stable	Abdallah Ellbrahimi	picoBlaze	8	16		kintex-7-3	James	missin	622		6			217	##	14.7	0.33	2.0	57.5	AX		vhdl	16	cp_copyblo	Y	asm	N		256	2K	Y					2011	2016		wishbone extras	
minirisc	https://opencor	stable	Rudolf Usselmann	PIC16	8	14		spartan-3	Rudolf	Usseln	460		4			80			0.33	1.0	57.4	X		verilog	7	risc_core	Y	yes	N	Y	256	4K	Y					2001	2012			
or1k	https://opencor	stable	Julius Baxter, Stefan Ko	OpenRISC	32	32		kintex-7-3	James	Brakef	3299		6	3	3	189	##	14.7	1.00	1.0	57.3	AX		verilog	39	mor1kx	Y	yes	N	M	4G	4G	Y			32		2001	2018	https://opencores	no longer supported, see mor1kx	cappuccino ALU
verilog-65C02	https://github.c	alpha	Arlet Ottens	6502	16	8		kintex-7-3	James	remov	599		6		2	204	##	14.7	0.67	4.0	57.1			verilog	5	gop16		yes	N	N	4G	4G						2011	2018	http://forum.6502	16-bit data RAM "bytes"	boot ROM mapped to LUTs?
cray1	www.chrisfento	alpha	Christopher Fenton	CRAY1	64	16		kintex-7-3	James	Brakef	13463	7358	6	19	10	127	##	14.7	6.00	1.0	56.6	X		verilog	46	cray_sys_	Y	yes	Y	N	4M	4M	N	128		536		2010	2015	https://www.chris	homebrew Cray1	24-bit address registers
latticemico32	http://www.latt	stable	Yann Siommeau, Mich	LM32	32	32		arria_2	James	Brakef	2166		A	4	30	149	##	q13.1	0.80	1.0	55.0	LX		verilog	24	lm32_cpu	Y	yes	N	Y	4G	4G	Y			32	6	2006	2017	https://en.wikipe	optional data & inst caches	Diamond3.10; see lm32 & misoc folders
tinyviiw8	https://opencor	alpha	Oliver Stecklina	VLIW	8	32		kintex-7-3	James	hacke	895		6			149	##	14.7	0.33	1.0	55.0	X		vhdl	19	sysarch			N	Y	256	1K	Y					2013	2020		tinyVLIW8 soft-core processor	bare core, Altera LPM for RAMs
lem1_9ptr	https://opencor	beta	James Brakefield	accum	1	9		spartan7	James	area e	114	17	6		1	103	##	v25.1	0.06	1.0	54.2	AX		vhdl	2	lem1_9pti	Y		N	Y	512	2K	N	24			1	2016			use speed opt, logic emulation machi	4 index registers: (ix),(--ix),(ix++),(ix+off)
oc54x	https://opencor	beta	Richard Herveille	DSP	16	16		kintex-7-3	James	Brakef	2225		6	1		180	##	14.7	0.67	1.0	54.1	X		verilog	10	oc54_cpu	Y	yes	N	Y	64K	64K						2002	2009		40-bit accumulator, barrel shifter	C54x clone

_uP_all_soft folder	opencores or prmary link	status	author	style / clone	data	sz	inst sz	FPGA	repor ter	com ents	LUTs ALUT	Dff	LUT?	mults	blk ram	F max	date	tool ver	MIPS /inst	clks/ inst	KIPS /LUT	ven dor	SOC	src code	#src files	top file	doc	tool chai n	fltg pt	Hav'd	max dat	max inst	byte adrs	# inst	adr mod	# reg	pipe len	start year	last revis	secondary web link	note worthy	comments
forth-cpu/h2	https://opencor	stable	Richard Howe	forth	16	16		kintex-7-3	James	Brakef	1858		6		9	149	##	14.7	0.67	1.0	53.8	X	Y	vhdl	11	top	Y		N		64K	64K		25			2017	2020	https://github.cor	H2 Forth SoC, VHDL reads *.hex & *.t	derived from J1, hex & bin files in 2/16/2018 ta
armv2a_vlsi	https://github.com/syatl/		Samy Attal	arm	32	32		**spartan7**	James	multicd	1069	778	6			86	##	v23.2	1.00	1.5	53.8	X		vhdl	21	arm_core	Y	yes	N	Y	4G	4G	Y			27	3		2022		ASIC project, has vcc & vss connectio	original ARM/Acorn, external caches
lem1_9	https://opencor	alpha	James Brakefield	accum	1	9		spartan7	James	area e	79	17	6		1	105	##	v25.1	0.04	1.0	53.2	AX		vhdl	2	lem1_9	Y		N	Y	32	2K	N	24			1	2016	2017		single bit at a time, absolute adrs	
riscv_neorv32	https://github.c	stable	Stephan Nolting	risc-v	32	32		cyclone-IV	Stepha	rtl fpg	1223	607	4			130	##	q19.1	1.00	2.0	53.1	ALX	Y	vhdl	25	neorv32_t	Y	yes	N		4G	4G	Y			32	2	2020	2025	https://opencores	**very well documented, customiza**	minimal configuration, minimal riscv
yari	https://github.c	stable	Tommy Thorn	MIPS	32	32		kintex-7-3	James	Brakef	3610		6		15	189	##	14.7	1.00	1.0	52.3	X	Y	verilog	8	top					2M	2M				32		2004	2008		subset of MIPS R3000	
tpu	https://github.c	untested	Colin Riley	RISC	16	16		spartan-6	James	Brakef	1514	984	6	2	11	118	##	14.7	0.67	1.0	52.0	X		vhdl	20	tpu_top	Y		N		64K	64K	Y			8		2016	2016	https://domipheu	Test Processing Unit. Or Terrible Processing Unit. A simple 16-bit CPU in VHDL for ed	
mips32	https://opencor	stable	Jin Jifang	MIPS	32	32		kintex-7-3	James	Brakef	3696		6		8	192	##	v17.4	1.00	1.0	52.0	X		verilog	17	pipelinem	Y	yes			4G	4G	y	57		32	5	2017	2021		vivado project, ISA at github page	"classic MIPS"
avrtinyx61core	https://opencor	beta	Andreas Hilvarsson	AVR	8	16		kintex-7-3	James	Brakef	1243		6			194	##	14.7	0.33	1.0	51.5	X		vhdl	1	mcu_core		yes	N		64K	128K	Y	72		32		2008	2009			
cole_c16	https://www.sc	beta	Cole Design & Develop	RISC	16	16		spartan-6	James	Brakef	554		6			298	##	14.7	0.67	7.0	51.4	X		vhdl	1	core	Y	asm	N		64K	64K	N	20		8		2002	2012	https://blog.classy	(7) clks per inst, complete SOC	
chad	https://github.com/bradle		Brad Eckert	forth	18	16		atrix-7-1	James	DFF ex	1982		6		5	127	##	v21.1	0.80	1.0	51.4	AXML		verilog	33	mcu_arty	Y	yes	N		64K	64K	N	23		16			2021		verilog, .f & .c code; fpga project files	max SOC, -1 speed grad
baby8	https://github.com/jecelj		Jecel de Assumpcao Jr	RISC	8	8		gowin	Jecel de Assu		48		4		4	58	##		0.17	4.0	51.1	AGLX		schem	17	baby8cpu	Y	asm	N		64K	64K	Y			16			2024	https://mdpi-res.c	minimal 8-bit uP with 16-bit adrs	micro-coded; mcpu has best figure of merit
avr_core	https://opencor	stable	Rusian Lepetenok	AVR	8	16		kintex-7-3	James	Brakef	1624	519	6			250	##	v21.1	0.33	1.0	50.8	X		verilog	70	avr_core	Y	yes	N		64K	128K	Y	72		32		2002	2017		VHDL core also	
babyrisc	http://www.san	stable	John Rible	RISC	8	16		kintex-7-3	James	Brakef	468		6			141	##	14.7	0.33	2.0	49.7	X		verilog	1	qs5_mix	Y		N		64K	64K	Y	15		8		1997	1999	http://www.sandp	part of a three class course	memory rd/wt & ALU per clock
mcl65	http://www.mic	stable	Ted Fried	6502	8	8		kintex-7-3	James	inserte	326		6		2	196	##	14.7	0.33	4.0	49.6	X		verilog	1	mcl65	Y	yes	N	N	64K	64K	Y					2017	2021	http://www.micro	**microcoded, cycle exact**	**excellent micro-coding LUT counts**
oberon_sdram	http://projectob	beta	Nicolae Dumitrache	RISC	32	32		kintex-7-3	James	Brakef	2103		6		1	104	##	14.7	1.00	1.0	49.5	X		verilog	16	risc5	Y	yes	Y		4G	4G				16		2013	2017		minimalist Wirth, part of Project Obe	modified to use DRAM, serial mult
riscv_wildcat	https://github.com/schoe		Martin Schoeberl	risc-v	32	32		cyclone4	Martin Schoe		1727	452	4			85			1.00	1.0	48.9	A		scala	32	singlecycle	Y	yes	N		4G	4G	Y			32	4		2025	https://arxiv.org/p	comparison of 3, 4 & 5 stage pipeline	papers show 3 & 5 stage pipelines
aizup/aizup_se	instruct1.cit.cor	stable	Yamin Li, Wanming Ch	RISC	8	16		kintex-7-3	James	Brakef	136	90	6			313	##	14.7	0.17	8.0	48.1	AX		vhdl	1	cpu		asm	N	N	64K	64K	Y	16		4		1996	1998		used in Cornell EE475 course	MIPS/inst reduced due to few inst
aizup/simple_8	instruct1.cit.cor	stable	Yamin Li, Wanming Ch	RISC	8	8		kintex-7-3	James	Brakef	136	55	6			313	##	14.7	0.17	8.0	48.1	AX		vhdl	1	cpu		asm	N	N	64K	64K	Y	16		4		1996	1998		used in Cornell EE475 course	similar to mica
cosmac	https://github.c	beta	Eric Smith	1802	8	8		kintex-7-3	James	inferre	598		6		17	87	##	14.7	0.33	1.0	48.0	X	X	vhdl	14	elf	Y	asm	N	N	64K	64K	Y	100		16		2009	2020		uses PIXIE graphics core	modified to use block RAM
riscv_pequeno	https://github.com/iamm		Mitu Raj	risc-v	32	32		artix7	Mitu R	16 cus	2084	1564	6			100	##		1.00	1.0	48.0	X		system	31	pqr5_core	Y	yes	N		4G	4G	Y	53		32	5	2022	2025	https://chipmunk	multi-page tutorial on uP design, peq	https://github.com/iammituraj/iammituraj
moxielite	https://github.c	stable	Anthony Green	RISC	32	32		kintex-7-3	James	Brakef	3159		6	3		152	##	14.7	1.00	1.0	48.0	X		vhdl	11	moxielite_wb					4G	4G	Y			16		2009	2017	https://github.com/atgreen/moxie-cores		
table888	https://github.c	alpha	Robert Finch	RISC	32	16		kintex-7-3	James	Brakef	5756		6	9	6	137	##	14.7	2.00	1.0	47.6	X		verilog	3	table888	bme				4G	4G	Y	130		8		2014	2016		2016 version gives same reults as 201	code for cache & mmu incomplete
1802-pico-basi	https://github.c	beta	Steve Teal	1802	8	8		**zu-3e**	James	area o	247	136	6		2	427	##	v21.1	0.33	12.0	47.6	LX		vhdl	6	pico_basic	Y	yes	N		64K	64K	Y	52		16		2016	2016	https://wiki.forth-	VHDL 1802 Core with TinyBASIC	tiny Basic in ROM, Interrupts & DMA not imple
uTTA		stable	Hans Tiggeler	TTA	16	16		kintex-7-3	James	Brakef	810		6	1		57	##	14.7	0.67	1.0	47.4	X		vhdl	23	utta_struc	N	asm	N											http://www.ht-lab	time triggered arch	bad weblink
avr_hp	https://opencor	stable	Strauch Tobias	AVR	8	16		kintex-7-3	James	2 slot	1554		6			223	##	14.7	0.33	1.0	47.4	X		vhdl	10	avr_core_bm	yes	N			64K	128K	Y	72		32		2010	2012		hyper pipelined (eg barrel) AVR	
s6soc	https://opencor	stable	Dan Gisselquist	RISC	32	32		spartan-6	James	sparta	2820		6	1	10	133	##	14.7	1.00	1.0	47.3	X	Y	verilog	31	toplevel		yes	N	N	4G	4G	N	20		16	5	2015			uses ZIP CPU	
riscv_potato	https://github.c	beta	Kristian Skordal	risc-v	32	32		kintex-7-3	James	Brakef	2467		6			116	##	14.7	1.00	1.0	47.1	X	B	vhdl	24	pp_core	Y	yes	N	N	4G	4G	Y	30		32		2014	2020		risc-V interger only, no mult	"rocket-core" version at risc.org
coen_316_cpu	https://github.c	alpha	G.K Yvann Monny	RISC	32	32		kintex-7-3	James	does r	897		6			127	##	14.7	1.00	3.0	47.0	X		vhdl	8	cpu_dp			N		32	32	N	20		32		2018	2018		MIPS based, simulation DO files, I&D	very small caches do not infer any RAM
qrisc32	https://opencor	alpha	Viacheslav	RISC	32	32		arria-2	James	Brakef	3075		6	A	4	144	##	q13.1	1.00	1.0	46.9	A		system	8	qrisc32	Y	yes	N		4G	4G	Y			32	4	2010	2011		qrisc32 wishbone compatible risc cor	for PhD thesis
nextz80	https://opencor	stable	Nicolae Dumitrache	Z80	8	8		kintex-7-3	James	Brakef	854		6			119	##	14.7	0.33	1.0	46.0	X	B	verilog	3	NextZ80C	Y	yes	N	N	64K	64K	Y					2011	2019			claim of 700 LUTs in Spartan-3 probably wrong
cpu_32	https://github.com/aslak3		Lawrence Manning	RISC	32	32		spartan7	James	Brakef	2281	785	6	2		104	##	v23.2	1.00	1.0	45.7	X		vhdl	16	cpu32	Y	asm	N		64K	64K	Y	32		16			2022	https://www.yout	**uses customasm,** doc in readme.m	VGA pattern generator youtube video
eco32	https://opencor	stable	Hellwing Geisse	RISC	32	32		kintex-7-3	James	Brakef	2339		6		1	160	##	14.7	1.00	1.5	45.5	ALX	Y	verilog	14	cpu		yes	N		512M	256M	Y	61		32		2003	2022	https://github.cor	MIPS like, slow mul & div	
ax8	https://opencor	stable	Daniel Wallner	AVR	8	16		spartan-6	James	missin	1549		6		1	213	##	14.7	0.33	1.0	45.3	X		vhdl	14	A90S1200		yes	N		64K	128K	Y	72		32		2002	2010		both A90S1200 & A90S2313	inserted fake inst ROM
storm_soc	https://opencor	beta	Stephan Nolting	ARM7	32	32		kintex-7-3	James	Brakef	3514		6	3	4	159	##	14.7	1.00	1.0	45.2	X	Y	vhdl	40	storm_top	Y	yes	N		4G	4G	Y			32	8	2012	2015		STORM SoC	cache & no peripherals
copro6502	https://github.c	stable	David Banks	6502	8	8		kintex-7-3	James	bare c	636	144	6			258	##	14.7	0.33	3.0	44.7	X	Y	vhdl, Verilog		T65	Y	yes			64K	64K	Y					2014	2019	https://stardot.or	65C102	
c-nit	http://www.c-n	stable	Sumit	RISC	16	16		spartan-3	James	xilinx l	752		4		3	100	##	14.7	0.67	2.0	44.5	X		verilog	6	soc	bm	asm	N	N	64K	64K	Y	22		15		2003	2004		RISC with several load/store modes	
bobcat		beta	Stan Drey	DSP	16	24		kintex-7-3	James	Brakef	1622		6	1		107	##	14.7	0.67	1.0	44.0	X		vhdl	30	bobcat_co	Y		N		64K	64K						1998	2000			dead web links
moncky	https://gitlab.com/big-bat		Kris Demuynck	RISC	16	16		**zu-3e**	James	clock c	1196	523	6		33	78	##	v21.1	0.67	1.0	43.8	X	X	schem	36	top	Y	yes	N		64K	64K	N	32		16		2020	2021	https://hackaday.i	from 16x65K to 64KB RAM	two phase clock, ALU & mem have own phase
fisa32	https://github.c	beta	Robert Finch	RISC	32	32		kintex-7-3	James	Brakef	3479		6	3	2	152	##	14.7	1.00	1.0	43.7	X		verilog	1	FISA32	Y		N	Y						32		2014	2014	https://github.com/robfinch/Cores		
attiny_atmega	https://opencor	beta	Gheorghiu Iulian	AVR	8	16		**zu-3e**	James	Brakef	1366	116	6			179	##	v21.1	0.33	1.0	43.1	X	Y	verilog	9	mega_cor	Y	yes	N		64K	128K	Y	72		32		2018	2019	https://git.morgot	configurable AVR processor w/8 configurations	
temlib	http://temlib.or	stable		SPARC	32	32		kintex-7-3	James	Brakef	2579		6		32	111	##	14.7	1.00	1.0	43.1	X		vhdl	48	mcu_simple			Y	N	4G	4G	Y			64		2013	2015		copywrite: experimental use	has caches
arm9-soft-cpu	https://github.com/risclit		Li Xinbing	ARM9	32	32		**zu-3e**	James	Brakef	3914	1257	6	4		167	##	v21.1	1.00	1.0	42.6			verilog	4	arm9_cor	Y	yes	Y		4G	4G	Y						2020		ARMv4-compatible CPU core	Dhrystone value: 1.2 DMIPS/MHz
micro8a	http://members	beta	John Kent	accum	8	16		kintex-7	James	Brakef	531		6			204	##	14.7	0.33	3.0	42.3	X		vhdl	11	Micro8	Y		N	N	2K	2K	Y					2002	2002	http://members.c	derived from Tim Boscke's mcpu	also micro8 and micro8b variants
24bit_up	https://github.c	alpha	Harshal Mittal	RISC	24	24		**zu-3e**	James	area o	3535	2166	6	1		187	##	v21.1	0.80	1.0	42.2	X		verilog	17	processor			N		16M	16M	N	17		32		2019	2019		basic 24-bit RISC, course work	big Dff count, multiple writes to register file
aor3000	https://opencor	beta	Aleksander Osman	MIPS	32	32		**zu-3e**	James	high Fl	4199	2520	6	4	8	175	##	v21.1	1.00	1.0	41.8	AX		verilog	19	aoR3000	Y	yes	N		4G	4G	Y			32	5	2014	2015		MIPS R3000A compatible, has MMU	moved declarations forward
t65	https://opencor	stable	Daniel Wallner	6502	8	8		kintex-7-3	James	Brakef	575		6			291	##	14.7	0.33	4.0	41.7	AX		vhdl	7	T65	Y	yes	N	N	64K	64K	Y					2002	2010		6502, 65C02 & 65C816; wide use	
vscale	https://github.c	stable	UC Berkeley	risc-v	32	32		kintex-7-3	James	Brakef	3072		6			127	##	14.7	1.00	1.0	41.2	X		verilog	23	vscale_core			N							32		2016	2017		risc-v RV32IM vscale processor, depr	depreciated: not up to date (risc-v)
aquarius	https://github.c	stable	Thorn Aitch	SuperH-2	32	16		**zu-3e**	James	vivado	3563	1384	6	2	16	147	##	v21.1	1.00	1.0	41.2	ALX		verilog	21	top	Y	yes	N		4G	4G	Y					2003	2015	http://0pf.org/j-c	clone of Hitachi SH-2	project seems to have stalled
arm_rusian	https://github.com/0xD5		ruslan	arm	32	32		**zu-3e**	James	LUT RA	3563		6			147	##	v21.1	1.00	1.0	41.2			system veril		ARM_Sing	Y	yes	Y		4G	4G	Y			16			2019		from "Digital design and computer ar	multi-cycle
blue	https://opencor	stable	Al Williams	accum	16	16		spartan-3	James	remov	1025		4			63	##	14.7	0.67	1.0	41.1	X	Y	verilog	16	topbox	Y		N		4K	4K	N	18		2		2009	2010		derived from Caxton Foster's Blue	http://www.youtube.com/watch?v=dt4zezZP8
cd16	http://anycpu.o	stable	Brad Eckert	forth	16	16		spartan-3	James	Brakef	681		4			83	##	14.7	0.67	2.0	41.0	AX	B	vhdl	16	cd16			N		128K	8M						2003	2003	http://web.archiv	Spartan-3 block RAM	bare core
amber	https://opencor	stable	Conor Santifort	ARM7	32	32		**zu-3e**	James	area o	3105	1857	6		10	168	##	v21.1	0.75	1.0	40.7	ALX		verilog	25	a23_core	Y	yes	N		4G	4G	Y	80		16	3	2010	2017	https://en.wikiped	no MMU, shared cache	
verilog-6502	https://github.c	stable	Arlet Ottens	6502	8	8		kintex-7-3	James	Brakef	407		6			200	##	14.7	0.33	4.0	40.6	X		verilog	2	cpu		yes	N	N	64K	64K	Y					2007	2018	http://ladybug.xs4all.nl/arlet/fpga/6502/		
bc6502	http://finitron.c	beta	Robert Finch	6502	8	8		**zu-3e**	James	vivado	583		6			286	##	v21.1	0.33	4.0	40.4	X		verilog	18	bc6502		yes	N	N	64K	64K	Y					2012	2012			bare source
bst-cpu	https://github.c	stable	Yichun Ma	RISC	32	32		arria-2	James	Brakef	1439		A		2	58	##	q18.0	1.00	1.0	40.2	A		verilog	26	sc_computer			N		4G	4G				32		2016	2016		learning, single cycle uP	
minimips	https://opencor	stable	Samuel Hangouet	RISC	32	32		kintex-7-3	James	Brakef	2939	1886	6	8		118	##	14.7	1.00	1.0	40.1	X		vhdl	12	minimips	Y	yes	N	N	4G	4G				32	5	2004	2018		based on MIPS I	
cast_ba22	http://www.cas	proprietar	CAST Inc	RISC	32	16		spartan-6	CAST Inc		1800		6		32	72			1.00	1.0	40.0	X		proprietary			Y	yes			4G	4G				32				http://www.cast-i	Cast has uP related IP	several versions, FPGA kits
riscv_lattice	https://www.lat	stable	Lattice Semi	risc-v	32	32		machXO3	Lattice Semic		1507		4		4	60	##		1.00	1.0	39.8	L	Y	verilog			Y	yes	N		4G	4G	Y			32	5		2021		RV32I ISA, 5 stage pipeline, configured & generated using Lattice Propel	
plasma	https://opencor	stable	Steve Rhoads	MIPS	32	32		kintex-7-3	James	Brakef	2462		6		3	97	##	14.7	1.00	1.0	39.5	X		vhdl	22	plasma	Y	yes	N		4G	4G	Y			32		2001	2016	http://plasmacpu	wide outside use, opencores page has list of related publications	
riscv_reonv	https://github.com/lcbcFo		Lucas Castro	risc-v	32	32		spartan6	Wajih Yousse		3370		6			133			1.00	1.0	39.4						Y	yes	N		4G	4G	Y	45		32			2018	https://www.hind	Lightweight Cryptographic Instructior	risc-v version on Leon3 tools
basic-simd-up	https://github.c	stable	Tingyuan Liang	RISC	16	18		**spartan7**	James	Brakef	1369	259	6			71	##	v23.2	0.75	1.0	39.1			verilog	5	cputop	Y		N	Y	1K	1K		47		8		2018	2022		simple SIMD processor in Verilog	compiled via Cadence to ASIC layout
parwan		stable	Zainalabedin Navabi	accum	8	8		kintex-7-3	James	Brakef	161		6			76	##	14.7	0.33	4.0	38.8	X		vhdl	2	parwan	Y	yes	N	N	4K	4K	Y					1995	1997	2nd uP in director	from VHDL: Analysis and Modeling of	AKA cpu8, both vhdl & verilog versions
latticemico32	http://www.latt	stable	Yann Siommeau, Mich	LM32	32	32		ECP3	Lattice Semic		2370		4	4	30	115			0.80	1.0	38.8	LX		verilog	24	lm32_cpu	Y	yes	N	Y	4G	4G	Y			32	6	2006	2017	https://en.wikiped	optional data & inst caches	Diamond3.10; see lm32 & misoc folders
cardiac	https://opencor	mature	Al Williams	accum	13	12		spartan-3	James	Brakef	557		4			71	##	14.7	0.30	1.0	38.5	X		verilog	16	vtach	Y	asm	N		100	100	N	10				2013	2019	https://www.cs.d	CARDboard Illustrative Aid to Compu	3 digit BCD arithmetic
xgate	https://opencor	alpha	Robert Hayes	RISC	16	16		kintex-7-3	James	Brakef	2778		6			159	##	14.7	0.67	1.0	38.3	X		verilog	7	xgate_top	Y		N					42		16		2009	2013		high pin count	Freescale XGATE co-processor compatible
supersmall	http://www.eec	stable	Michael Ritchie	RISC	32	32		stratix_3	Michael Ritch		207		A		2+8	126	##	q9.0	1.00	16.0	38.1	A		verilog														2005	2009		2-bit serial, Mostly MIPS-I compliant	Copyright 2005,2006,2009 Jonathan Rose, and
neo430	https://github.com/	alpha	Stephan Nolting	MSP430	16	16		artiix-7	James	chang	947	659	6		2.5	215	##	14.7	0.67	4.0	38.0	ALX	Y	vhdl	19	neo430_t	Y	yes	N		28K	32K	Y			16		2015	2024	https://github.cor	edit neo430_sysconfig.vhd to set options	
risc5	http://www.pro	beta	Niklaus Wirth	RISC	32	32		kintex-7-3	James	Brakef	2441		6	4	1	92	##	14.7	1.00	1.0	37.8	ALX	Y	verilog	8	RISC5	Y	yes	Y		4G	4G				16		2013	2017	http://www.astro	minimalist Wirth, part of Project Obe	32x32 multiplier, wikipedia entry
pdp8	https://opencor	alpha	Joe Manojlovick, Rob I	PDP8	12	12		kintex-7-3	James	Brakef	1219		6	1		183	##	14.7	0.50	2.0	37.5	X	Y	vhdl	55	cpu	Y	yes	N	N	32K	32K				8		2012	2016		PDP-8 Processor Core and System	Boots OS/8, runs apps, several variants
aap	https://github.c	stable	Simon Cook	RISC	16	16		arria-2	James	Brakef	7193		A			393	##	q18.0	0.67	1.0	36.6	A		verilog	7	de0_nano	Y	yes		Y	64K	16M	Y			64		2015	2016	http://www.embe	includes Altera project	4 to 64 reg, 24-bit pc, no status reg
amber	https://opencor	stable	Conor Santifort	ARM7	32	32		**zu-3e**	James	area o	5066	2382	6		20	175	##	v21.1	1.05	1.0	36.4	ALX		verilog	25	a25_core	Y	yes	N		4G	4G	Y	80		16	5	2010	2017	https://en.wikiped	no MMU	
mipsr2000	https://opencor	stable	Lazaridis Dimitris	MIPS	32	32		kintex-7-3	James	Brakef	1971		6	4	6	71	##	14.7	1.00	1.0	36.2	X		vhdl	35	Dm	Y	yes	N		4G	4G	Y			32	5	2012	2016		supports almost all instructions of mi	course project
68hc05	https://opencor	stable	Ulrich Riedel	6805	8	8		**zu-3e**	James	vivado	1106	117	6			485	##	v21.1	0.33	4.0	36.2	X		vhdl	1	6805		yes	N	N	64K	64K	Y					2007	2009		68c05 & 68c08 very different Fmax	
wb4pb	https://opencor	stable	Stefan Fischer	picoBlaze	13	13		spartan-3	Stefan Fische		309		4		1	102	##	14.7	0.33	3.0	36.2	X	Y	vhdl, v	14	picoblaze_wb_uart			Y									2010	2013	https://en.wikiped	software addon for picoBlazeSoftwar	kcpsm3 only works for Spartan 3
p24e		beta	C.H. Ting	forth	24	6		spartan_3	James	Brakef	1175		4		16	51	##	14.7	0.83	1.0	36.0	X		vhdl	1	p24c	Y	asm	N		2K	2K		28				2000			part of eForth?	data width can be expanded
maxicore32	https://github.c	WIP	Lawrence Manning	RISC	32	32		spartan7	James	Brakef	1165	209	6	2		83	##	v23.2	0.50	1.0	35.8	LX		verilog	42	maxicore32		asm	N		4G	4G		12		16	2	2024	2025		standard risc	minimal ISA
xmega_core	https://opencor	beta	Gheorghiu Iulian	AVR	8	16		kintex-7-3	James	Brakef	1116		6			120	##	14.7	0.33	1.0	35.6	X		verilog	34	mega_cor	Y	yes	N		64K	128K	Y	72		32		2017	2018	https://git.morgot	8 AVR cores, 4 sets LUT counts poste	https://git.morgothdisk.com/VERILOG/VERILO
dp8051	https://www.dc	proprietar	Digital Core Design	8051	8	8		virtex-5	Digital Core D		1699		6			200	##	14.7	0.30	1.0	35.3	ALX		proprietary			Y	yes	N		64K	64K						1999	1999		also PIC, HC11, 68000, 680x, d32pro	full system with RAM
mxp	http://vectorblo	stable	VectorBlox Computing	vect	8			zynq45-7	vectorblox		39856		6	64	81	175	##	v17.2	1.00	0.1	35.1			proprietary			Y												2012	2017	http://www.ece.u	MXP Matrix Processor is a scalable so	LUT count for 8 lanes with custom inst
neo430	https://opencor	alpha	Stephan Nolting	MSP430	16	16		cyclone4	Stephan Nolt		590	230	4		6	122	##	q17.1	0.67	4.0	34.6	ALX	Y	vhdl	19	neo430_t	Y	yes	N		28K	32K	Y			16		2015	2024	https://github.cor	**website has detailed resource unt**	minimal configuration
moxielite	https://github.c	stable	Anthony Green	RISC	32	32		arria-2	James	Brakef	2696		A	4		93	##	q18.0	1.00	1.0	34.6	X		vhdl	11	moxielite					4G	4G	Y			16		2009	2017	https://github.com/atgreen/moxie-cores		
mecrisp-ice	https://sourceforge.net/p		Matthias Koch	forth	16	16		spartan7	James	Brakef	990	1180	6	1	4	100	##	v23.2	0.67	2.0	33.8	LX	Y	verilog	48	j1a	Y	forth	N		64K	64K	Y					2011	2023		16-bit data size, some comments in G	distinct j1a.v for each data size

_uP_all_soft folder	opencores or prmary link	status	author	style / clone	data	sz	inst sz	FPGA	repor ter	com ents	LUTs ALUT	Dff	LUT?	mults	blk ram	F max	date	tool ver	MIPS /inst	clks/ inst	KIPS /LUT	ven dor	SOC	src code	#src files	top file	doc	tool chai	fltg pt	Hav'd	max dat	max inst	byte adrs	# inst	adr mod	# reg	pipe len	start year	last revis	secondary web link	note worthy	comments
asip38	https://aaltodoc.aalto.fi/b		Lauri Isola	accum	32	38		**zu-3e**	James	xilinx l	2962	1056	6	4	35	100	##	v22.2	1.00	1.0	33.8	X	Y	vhdl	14	top	Y	asm	N	Y	16K	16K	N	31	4	4		2018	2021	http://www.kolur	Application-Specific Instruction set Pr	missing prog & data mem, missing mult
asip38	https://aaltodoc.aalto.fi/b		Lauri Isola	accum	32	38		**zu-3e**	James	xilinx l	2962	1056	6	4	35	100	##	v22.2	1.00	1.0	33.8	X	Y	vhdl	14	asip38	Y	asm	N	Y	16K	16K	N	31	4	4		2018	2021	http://www.kolur	Application-Specific Instruction set Pr	missing prog & data mem, missing mult
jop	https://opencor	stable	Martin Schoeberl etal	forth	16	16		cyclone-1	Martin	Schoe	2000			4		100		q10.0	0.67	1.0	33.5	A		vhdl	11	core	Y	yes	N		256K	256K					2004	2014		https://github.com/jop-devel/jop	java app builds some source code files
or1200_hp	https://opencor	stable	Strauch Tobias	OpenRISC	32	32		virtex-5	Strauc	3 slot t	5602		6			185	##		1.00	1.0	33.1	X		verilog	39	or1200_ic	Y	yes	Y	M	4G	4G	Y			32		2010	2013	https://openrisc.io	3 slot barrel version of OR1200	numbers from published paper
eco32f	https://github.c	stable	Stefan Kristiansson	RISC	32	32		kintex-7-3	James	Brakef	3845		6	3	4	123	##	14.7	1.00	1.0	32.1	X		verilog	12	eco32f	Y	yes	N		512M	256M	Y	61		32	6	2014	2014		pipelined version of the eco32 CPU	cache & mmu
chip_6502	http://www.aholme.co.uk		Andrew Holme	6502	8	8		spartan7-	James	Brakef	514	767	6			200	##	v23.2	0.33	4.0	32.1	X	Y	verilog	5	chip_6502	Y	yes	N		64K	64K	Y					2016	http://www.aholr	cycle accurate generated from transis	also author of two Forth TTL machines
baby8	https://github.com/jecelj		Jecel de Assumpcao Jr	RISC	8	8		ecp5	Jecel de Assu		77			4		58	##		0.17	4.0	31.8	AGLX		schem	17	baby8cpu	Y	asm	N		64K	64K	Y			16		2024	https://mdpi-res.c	minimal 8-bit uP with 16-bit adrs	relatively low uniform Fmax
v6502	https://github.com/RyuKo		Ryu Kojiro	6502	8	8		**zu-3e**	James	bare c	868	131	6			250	##	v21.1	0.33	3.0	31.7	X		vhdl	23	v6502	Y	yes	N	N	64K	64K	Y					2019	2020	https://opencores	6502 with extras: 16-bit stack pointer	www.youtube.com/watch?v=K3jH-f_r80E
sbc6502	https://github.com/daver		Dave Nardella	6502	8	8		artix7	James	was m	1074	382	6		12	42	##	v23.2	0.80	1.0	31.3	AGX	Y	verilog	19	top	Y	yes	N		256	256	Y					2024	https://www.linke	linked in page has full description	web page also has soft 6502 for Gowin, Xilinx &
riscv_serv	https://github.com/olofk/		Olof Kindgren	risc-v	32	32		vu37p	Olof	Kindgrer	125	164	6		0.5	125	##		1.00	32.0	31.3	X		verilog	63	serv_top	Y	yes	N		4G	4G	Y	45		32		2018	2023	https://riscv.org/2	6K cores in vu37p, reg-file in blk-RAM	https://github.com/olofk/corescore
riscv_vanilla	https://github.c	verified	Ben Marshall	risc-v	32	32		artix-7	Ben	Marshall	2422		6			150			1.00	2.0	31.0			verilog	26	frv_cpu_a	Y	yes	N		4G	4G	Y			32	5		2019		"toy" 5 stage RISC-V CPU, implementing	the rv32imc
dlx_chiara	https://github.c	stable	Alessandro Di Chiara	DLX	32	32		kintex-7-3	James	Brakef	2915		6			90	##	14.7	1.00	1.0	30.9	X		vhdl	32	a-dlx	Y	yes	N		4G	4G				32	5	2017	2017		Course project, no RTL comments, VHDL	via instructor?
socdp8	https://github.c	beta	Folke Will	PDP8	12	12		spartan7	James	Brakef	583	268	6			106	##	v24.1	0.50	3.0	30.4	X	Y	vhdl	34	pdp8	Y	yes	N	N	32K	32K				8		2019	2019		SoC implementation of a PDP-8/I for t	includes extended ALU
temlib	http://temlib.org	stable		SPARC	32	32		kintex-7-3	James	Brakef	3730		6	5		111	##	14.7	1.00	1.0	29.8	X		vhdl	48	fpu_simple			Y	N	4G	4G	Y			64		2013	2015		copywrite: experimental use	options for fltg-pt, pipeline, mul & div configur
opa	https://github.c	stable	Wesley W. Terpstra	RISC	32	32		cyclone-5	Wesle	largest	8540		A			125		q15.0	1.00	0.5	29.3	A		vhdl											32		2013	2016		An Out-of-Order Superscalar Soft CPU	tested, incomplete
riscv_naxriscv	https://github.com/Spinal		Charles Papon?	risc-v	32	32		artix7	Charle	AKA sp	13300	10300	6	4	12	155			1.00	0.4	29.1			scala			Y	yes	N		4G	4G	Y			32			2024	https://spinalhdl.g	OoO execution w/reg renaming, Superscalar(2 decode, 3 execution units, 2 retire), 2
eco32	https://opencor	stable	Hellwing Geisse	RISC	32	32		kintex-7-3	James	Brakef	3367		6		5	147	##	14.7	1.00	1.5	29.1	ALX	Y	verilog	24	eco32	Y	yes	N		512M	256M	Y	61		32		2003	2022	homepages.thm.d	MIPS like, slow mul & div	
neo430	https://opencor	alpha	Stephan Nolting	MSP430	16	16		artiix-7	Stephan	Nolt	576	266	6		1	100	##	v19.2	0.67	4.0	29.1	ALX	Y	vhdl	19	neo430_te	Y	yes	N		28K	32K	Y			16		2015	2024	https://github.cor	edit neo430_sysconfig.vhd to set opti	minimal configuration
openmsp430	https://github.c	stable	Oliver Girard	MSP430	16	16		stratix-3-4	Oliver	Girard	1147			A	1	98			0.67	2.0	28.5	AX		verilog	30	openMSP4	Y	yes	N	N	64K	64K	Y			16		2009	2018		near cycle accurate	performance spreadsheet
yarvi	https://github.c	beta	Tommy Thorn	risc-v	32	32		kintex-7-3	James	Brakef	2152		6		17	122	##	14.7	1.00	2.0	28.3	X		verilog	3	yarvi_soc	Y	yes	N	N	4G	4G				32	3		2016		no multiply or divide	simple implementation of RISC-V
w11	https://github.c	alpha	Walter Mueller	PDP11	16	16		kintex-7-3	James	Brakef	1760		6	1	1	147	##	14.7	0.67	2.0	28.0	X	Y	vhdl	118	pdp11_co	Y	yes	N	N	4M	4M	Y	70	13	8		2010	2023	https://github.cor	Boots UNIX, has MMU & cache, retro	PDP-11/70 CPU core and SoC
riscv_rv32soc	https://github.com/tomve		tom verbeure	risc-v	32	32		spartan3	James	Brakef	1787	843	4	4	6	50	##	14.7	1.00	1.0	28.0	AX		verilog	18	top	Y	yes	N		4G	4G	Y			32			2018	https://tomverbe	vexriscv in verilog, VexRiscV CPU - A f	near infinite amount of configuration options
natalius_8bit_	https://opencor	beta	Fabio Guzman	RISC	8	16		kintex-7-3	James	Brakef	232		6		1	175	##	14.7	0.11	3.0	27.7	X		verilog	12	natalius_p	Y	asm	N	Y	256	2K	Y	29		8		2012	2012		return stack & register file	3 clocks/inst
a2z	https://hackada	stable		RISC	16	24		cyclone-4	James	Brakef	1524		4	1	12	62	##	q17.0	0.67	1.0	27.4	A		verilog		top_a2z												2016	2018			
atlas_core	https://opencor	beta	Stephan Nolting	RISC	16	16		spartan3	Stephan	Nolt	2406	1091	4	1	11	81	##	14.7	0.80	1.0	27.0	ALX		vhdl	19	ATLAS_2K	Y	asm	N	Y	64K	64K	M	80		8		2013	2015	https://www.allat	ARM thumb like inst set	has MMU & full SOC features
atlas_core	https://opencor	beta	Stephan Nolting	RISC	16	16		cyclone4	Stephan	Nolt	2967	1364	4	1	32	99	##	q18.0	0.80	1.0	26.7	ALX		vhdl	19	ATLAS_2K	Y	asm	N	Y	64K	64K	M	80		8		2013	2015		ARM thumb like inst set	has MMU & full SOC features
t180-cpu		stable	Leonard Brandwein	accum	16	8		kintex-7-3	James	bypass	709		6			83	##	14.7	0.67	3.0	26.2	X		vhdl	23	cpu	Y		N	N	64K	64K	Y	182				2016	2016	https://www.vtto	8-bitter with pc, sp, a, b, c & d regs	based on Viktor Toth's 4 bit microcontroller
bc6502	http://finitron.c	beta	Robert Finch	6502	8	8		kintex-7-3	James	Brakef	619		6			197	##	14.7	0.33	4.0	26.2	X		verilog	18	bc6502		yes	N	N	64K	64K	Y					2012	2012			bare source
fisc	https://github.c	stable	Miguel Santos	RISC	64	32		cyclone-4	James	Brakef	5036		4		21	66	##	q18.0	2.00	1.0	26.1	A		system	13	fisc_core	Y	yes	Y	N			Y	85	6	32	5	2018	2018	http://www.archf	Flexible Instruction Set Computer	caches, VHDL & System Verilog versions, altera
tinycomputer	https://github.com/zpekic		Zoltan Pekic	accum	4	8		spartan3	James	Brakef	643	286	4			100	##	14.7	0.17	1.0	26.0	X	Y	vhdl	29	tinycompu	Y		N			256		20		16			2017		4-bit Up via 2901 slice & micro code	no data RAM memory
stack_machine	http://people.ec	stable	Bruce R. Land	forth	16	5		cyclone10	James	Brakef	5101		4	6	29	66	##	q18.0	0.67	0.3	25.9	X		verilog	9	VGA_sram	Y	asm	N	N	64K	4K	N					2009	2011	https://people.ec	(3) uP cores, Cornell course material	VGA output, uses Nakano's tiny_cpu
sifp	https://github.c	WIP	Zoltan Pekic	misc	16	16		spartan3-	James	Brakef	3157	563	4		3	123	##	14.7	1.33	2.0	25.8	X		vhdl	36	mercury	Y		N		64K	64K		30		4		2023	2024	https://hackaday.i	"Single Instruction Format Processor"	five micro-operations per inst
avr_fpga	https://opencor	stable	Juergen Sauermann	AVR	8	16		kintex-7-3	James	Brakef	1606		6	1	6	120	##	14.7	0.33	1.0	24.7	X		vhdl	20	cpu_core	Y	yes	N		64K	128K	Y	72		32		2009	2010		extended lecture on FPGA uP design	
free6502	http://web.arch	stable	David Kessner	6502	8	8		kintex-7-3	James	Brakef	646	144	6			193	##	14.7	0.33	4.0	24.6	X		vhdl	5	free6502	Y	yes	N	N	64K	64K	Y					1999	2000	http://www.sprov	microcoded	
nige_machine	https://github.c	stable	Andrew Read	forth	32	8		kintex-7-3	James	Brakef	5033		6	8	33	123	##	14.7	1.00	1.0	24.5	X		vhdl	29	Board	Y	yes	N		16M	16M		512		512			2014		standalone Forth system	https://www.youtube.com/watch?v=PRItE8q6
tridora-cpu	https://gitlab.com/sleder		Sebastian Lederer	stack	32	16		artix-7	James	incom	1019	362				100	##	v24.2	1.00	4.0	24.5	X	Y	verilog	20	top	Y	yes	N		4G	4G						2024	2026	https://hackaday.i	32-bit stack machine, Wirth pascal	3-bit to 16-bit instructions, some with enables
msp430_vhdl	https://opencor	beta	Peter Szabo	MSP430	16	16		kintex-7-3	James	Brakef	1735		6			127	##	14.7	0.67	2.0	24.5	AX		vhdl	9	cpu	Y	yes	N		64K	64K	Y			16		2014	2017		Comprehensive verification was not	compiles on cyclone II
aor3000	https://opencor	beta	Aleksander Osman	MIPS	32	32		kintex-7-3	James	Brakef	5307		6	4	9	129	##	14.7	1.00	1.0	24.2	AX		verilog	19	aoR3000	Y	yes	N		4G	4G	Y			32	5	2014	2015		MIPS R3000A compatible, has MMU	moved declarations forward
mcl51	http://www.mic	stable	Ted Fried	8051	8	8		artix-7-3	Ted	Fried	312		6		2	180			0.33	8.0	23.8	X		verilog	3	mcl51_TO	Y	yes	N	N	64K	64K	Y					2016	2021	https://github.cor	**micro-coded**	
6809_6309	https://opencor	beta	Alejandro Paz Schmidt	6809	8	8		**zu-3e**	James	vivado	1716	367	6			370	##	v21.1	0.33	3.0	23.7	ALX	B	verilog	5	MC6809_(	Y	yes	N	N	64K	64K	Y					2012	2015		6309 op-codes not implemented	does not match timing results of zynq+
aquarius	https://opencor	stable	Thorn Aitch	SuperH-2	32	16		kintex-7-3	James	Brakef	4071		6	2	10	97	##	14.7	1.00	1.0	23.7	ALX		verilog	21	top	Y	yes	N		4G	4G	Y					2003	2015	http://0pf.org/j-co	clone of Hitachi SH-2	project seems to have stalled
btsr1arch	https://github.c	beta	Brendan Bohannon	CISC	32	16		kintex-7-3	James	Brakef	4762		6		10	167	##	14.7	1.00	1.5	23.3	X		verilog	11	bsrexunit	Y	yes	Y	N	64K	64K	Y	64		32		2018	2024		is BtSR1, msp430 like, fltg-pt defined	3 data sizes, no (R++) or (--R) modes
odess	https://opencor	stable	Dmytro Senyakin	RISC	##	16		stratix-5	Dmytro	Senya	32978			A	72	112	192	##	q17.1	4.00	1.0	23.3	A		system	27	CoreOneV	Y	asm	Y		4G	4G				16		2017	2017	https://opencores	Altera proj, Multicore, P&R results at	37-bit adr, quad issue, caches, 32-64-128 fltg-p
mips_fault_tol	https://opencor	stable	Lazaridis Dimitris	MIPS	32	32		kintex-7-3	James	Brakef	2017		6	4	6	45	##	14.7	1.00	1.0	22.5	X		vhdl	40	main	Y	yes	N		4G	4G	Y			32	5	2013	2013		arithmetic includes fault detection	no external memory port?
or1200	https://github.c	stable	Damjan Lampret	OpenRISC	32	32		kintex-7-3	James	Brakef	5231		6	4	8	118	##	14.7	1.00	1.0	22.5	X		verilog	78	or1200_tc	Y	yes	Y	M	4G	4G	Y			32		2010	2015	https://openrisc.io	best older openrisc implementation	no LUT RAM for reg file
or1200mp	https://github.c	stable	Stefan Wallentowitz	OpenRISC	32	32		kintex-7-3	James	Brakef	4960		6	4	8	111	##	14.7	1.00	1.0	22.4	X		verilog	104	or1200_tc	Y	yes	Y	M	4G	4G	Y			32		2012	2012	https://openrisc.io	multiprocessor variant, single core	
riscompatible	https://github.c	beta	Andre Soares	RISC	32	32		kintex-7-3	James	set IO	2167		6		1	145	##	14.7	1.00	3.0	22.3	X		vhdl	12	riscompat	Y	yes	N	Y	4G	4G	Y			16		2014			based on RISCO processor by Junqueira & Suzim 1993	
leon2	https://github.c	stable	Jiri Gaisler	SPARC	32	32		kintex-7-3	James	Brakef	5992		6	1	12	133	##	14.7	1.00	1.0	22.3	X		vhdl	82	leon	Y	yes	Y		4G	4G	Y			64	5	1999	2003	https://en.wikipe	large config file, rad-hard asic version	https://www.gaisler.com/index.php/products/
68hc05	https://opencor	stable	Ulrich Riedel	6805	8	8		kintex-7-3	James	Brakef	1112		6			300	##	14.7	0.33	4.0	22.2	X		vhdl	1	6805		yes	N	N	64K	64K	Y					2007	2009			
amber	https://opencor	stable	Conor Santifort	ARM7	32	32		kintex-7-3	James	Brakef	6103		6		18	127	##	v18.2	1.05	1.0	21.8	ALX		verilog	25	a25_core	Y	yes	N		4G	4G	Y	80		16	3	2010	2017	https://en.wikipe	no MMU	
minsoc	https://opencor	stable	Raul Fajardo etal	OpenRISC	32	32		kintex-7-3	James	Brakef	4945		6	4	8	107	##	14.7	1.00	1.0	21.7	ALX	Y	verilog	88	or1200_tc	Y	yes	Y	M	4G	4G	Y			32		2009	2013	https://github.cor	minimal OR1200, vendor neutral, has	caches
mips32r1	https://opencor	stable	Grant Ayers	MIPS	32	32		arria-2	James	Brakef	3716			A	8	79	##	q13.1	1.00	1.0	21.3	AX		verilog	20	processor	Y	yes	N	Y	4G	4G	Y			32	5	2012	2015	https://github.cor	Harvard arch	complete software tool chain
mecrisp-ice	https://sourceforge.net/p		Matthias Koch	forth	32	16		spartan7	James	Brakef	1976	2384	6	4	8	83	##	v23.2	1.00	2.0	21.1	LX	Y	verilog	48	j1a	Y	forth	N		4G	4G	Y					2011	2023		32-bit data size, some comments in G	distinct j1a.v for each data size
m65c02	https://opencor	mature	Michael Morris	6502	8	8		spartan-6	James	Brakef	466		6		3	118	##	14.7	0.33	4.0	20.8	X	Y	verilog	13	M65C02	Y	yes	N	N	64K	64K	Y					2013	2020	https://github.cor	also a m65c02a version	micro-coded via F9408 soft sequencer
ucpuvhdl	https://github.c	stable	Reed Foster	RISC	8	16		kintex-7-3	James	512 LU	933		6			118	##	14.7	0.33	2.0	20.8	X		vhdl	29	core	Y	asm	N		256	64K	Y	12	2	7		2016	2017	https://github.cor	six tutorials on uCPUvhdl	using muCPUv2_1 of 3 upwards compatible de
dme	https://github.c	stable	ErwinM	RISC	16	16		kintex-7-3	James	Brakef	1755		6			53	##	14.7	0.67	1.0	20.4	X		verilog	49	cpu	Y	yes	N		64K	64K	Y	40		8		2016	2017		based on magic-16	computer & computer2 null dsgns: no outputs
avr_fpga	https://opencor	stable	Juergen Sauermann	AVR	8	16		kintex-7-3	James	Brakef	1877		6	1	6	115	##	14.7	0.33	1.0	20.2	X	Y	vhdl	20	avr_fpga	Y	yes	N		64K	128K	Y	72		32		2009	2010	https://fr.wikivers	extended lecture on FPGA uP design	missing module in atmega8_pong_vga
system05	https://opencor	beta	John Kent, David Burn	6805	8	8		kintex-7-3	James	Brakef	834		6			204	##	14.7	0.33	4.0	20.2	X	Y	vhdl	10	System05	Y	yes	N	N	64K	64K	Y					2003	2009	http://members.op	tushome.com.au/jekent/	
sub86	https://opencor	alpha	Jose Rissetto	x86	16	8		kintex-7-3	James	Brakef	1916		6			172	##	14.7	0.67	3.0	20.1	X		verilog	1	sub86	Y	yes	N	N	64K	64K	Y			7		2012	2013		very small x86 subset core	no segment registers, limited op-codes
odess	https://opencor	stable	Dmytro Senyakin	RISC	##	16		stratix-5	Dmytro	Senya	148078			A	72	122	184	##	q17.1	4.00	0.3	19.9	A		system	27	CoreQuad	Y	asm	Y		4G	4G				16		2017	2017	https://opencores	Altera proj, Multicore, P&R results at	37-bit adr, quad issue, caches, 32-64-128 fltg-p
altium/TSK16S	https://techdocs.proprietar		Altium	PIC16	8	12		kintex-7-3	James	Brakef	416	211	4			50			0.33	2.0	19.8	ALX		proprietary			Y	yes	N	Y	256	4K	Y					2004	2017	CR0140.pdf, CR01	frozen, asm, C, C++, schem, VHDL & V	clock is 50MHz, #s for other fpgas
avr_core	https://opencor	stable	Rusian Lepetenok	AVR	8	16		kintex-7-3	James	Brakef	2135		6			127	##	14.7	0.33	1.0	19.7	X		verilog	15	avr_core	Y	yes	N		64K	128K	Y	72		32		2002	2017		VHDL core also	
mcl86	https://github.c	stable	Ted Fried	x86	16	8		kintex-7-3	Ted	Fried	308		6		4	180			0.67	20.0	19.6	X		verilog	3	EU	Y	yes	N	N	1M	1M	Y					2016	2021	http://www.embe	**microcoded, meets original 8088 timing@100MHz**	
6809_6309	https://opencor	beta	Alejandro Paz Schmidt	6809	8	8		c-7	James	Brakef	1074	460	A			190	##	q25.1	0.33	3.0	19.5	ALX	B	verilog	5	MC6809_(	Y	yes	N	N	64K	64K	Y	44	13	8		2012	2015		6309 op-codes not implemented	
aap	https://github.c	stable	Simon Cook	RISC	16	16		cyclone-4	James	Brakef	10630			4		306	##	q18.0	0.67	1.0	19.3	A		verilog	7	de0_nano	Y	yes		Y	64K	16M	Y			64		2015	2016	http://www.embe	includes Altera project	4 to 64 reg, 24-bit pc, no status reg
pet_fpga	https://github.c	stable	Thomas Skibo	6502	8	8		kintex-7-3	James	Brakef	1052		6			242	##	14.7	0.33	4.0	19.0	X		verilog	1	cpu6502	Y	yes	N	N	64K	64K	Y					2007	2011	https://github.cor	for Commodore PET	
m65	www.ip-arch.jp/	stable	Naohiko Shimizu	6502	8	8		arria-2	James	Brakef	483		A			110	##	q13.1	0.33	4.0	18.8	X		sfl & TI	8	m65cpu	Y	yes	N	N	4K	4K	Y					2001	2002			
ladybug	https://github.com/Arlet/		Arlet Ottens	6502	8	8		spartan7	James	sparta	476	111	6		4	106	##	v23.2	0.33	4.0	18.4			verilog	2	cpu		yes	N	N	64K	64K	Y						2016	http://ladybug.xs4all.nl/arlet/fpga/6502/		
zap	https://opencor	alpha	Revanth Kamaraj	ARM7	32	32		kintex-7-3	James	Brakef	7558		6	1	9	135	##	14.7	1.00	1.0	17.9	X		verilog	37	zap_top	Y	yes	N	N	4G	4G	Y			16		2017	2022	https://github.cor	ARMv4T & Thumbv1	has cache & mmu
ag_6502	https://opencor	beta	Oleg Odintsov	6502	8	8		kintex-7-3	James	Brakef	824	105	6			176	##	14.7	0.33	4.0	17.7	ALX		verilog	2	ag_6502		yes	N	N	64K	64K	Y					2012	2012		verilog code generation, "phase level accurate"	
armv4_uarch	https://github.com/grant		Grant Wilk	ARM9	32	32		**max10**	Grant	Wilk	2860			4		50	##	q18.0	1.00	1.0	17.5	A		vhdl	18		Y	yes	N		4G	4G	Y			16			2020	https://grantwilk.c	custom uarch for the ARMv4 ISA on Ir	course work, top level is schematic
risc5	http://www.pro	beta	Niklaus Wirth	RISC	32	32		atrix7-35	James	Brakef	2913		6		48	50	##	v20.1	1.00	1.0	17.2	ALX	Y	verilog	8	RISC5Top	Y	yes		Y	4G	4G				16		2013	2018	https://people.inf	minimalist Wirth, part of Project Obe	32x32 multiplier, wikipedia entry
cd16	http://anycpu.o	stable	Brad Eckert	forth	16	16		spartan-3	James	Brakef	618		4		7	31	##	14.7	0.67	2.0	16.9	AX	Y	vhdl	16	demosocext			N		128K	8M						2003	2003	http://web.archiv	Spartan-3 block RAM	includes stack RAMs & some inst RAM
pdp11-34verilc	www.heeltoe.co	stable	Brad Parker	PDP11	16	16		arria-2	James	Brakef	2532		A			126	##	q13.1	0.67	2.0	16.7	AX	Y	verilog	24	pdp11	Y	yes	N	N	64K	64K		70	13	8		2009			boots & runs RT-11, EIS inst & MMU	
qnice-fpga	https://qnice-fp	stable	Bernd Ulmann	RISC	16	16		kintex-7-3	James	1432 U	3071	255	6			76	##	v25.1	0.67	1.0	17	X	Y	vhdl	40	quince_cp	Y	yes	N	N	64K	64K	N	18	4	16		2020	2024	https://github.cor	derived from NICE: http://www.vaxm	PDP11-like, no byte operations
s430	https://www.p	stable	Paul Taylor	MSP430	16	16		artix-7	Paul	Taylor	449		6			100			0.67	9.0	16.6			vhdl	1	s430					64K	64K	Y					2019	2019		msp430 subset with 8-bit alu	coded for size & not for speed
tv80	https://opencor	mature	Guy Hutchison, Howar	Z80	8	8		kintex-7-3	James	Brakef	1207		6			182	##	14.7	0.33	3.0	16.6	AX		verilog	6	tv80n	Y	yes	N	N	64K	64K	Y					2004	2020	https://github.cor	derived from Daniel Wallner's T80, AS	IC implementations
pavr	https://opencor	alpha	Doru Cuturela	AVR	8	16		kintex-7-3	James	Brakef	2630		6		1	132	##	14.7	0.33	1.0	16.5	X		vhdl	18	pavr_cont	Y	yes	N	Y	4K	4M	Y	72		32	6	2003	2009		superset of AVR	
m16c5x	https://opencor	mature	Michael Morris	PIC16	8	14		spartan-3	Michael	Morr	1217		4		3	60	##		0.33	1.0	16.3	X	Y	verilog	3	m16C5x	Y	yes	N	Y	256	4K	Y					2013	2014		SOC LUT count	
neo430	https://opencor	alpha	Stephan Nolting	MSP430	16	16		artiix-7	Stephan	Nolt	1036	1144	6		2.5	100	##	v19.2	0.67	4.0	16.2	ALX	Y	vhdl	19	neo430_te	Y	yes	N		28K	32K	Y			16		2015	2024	https://github.cor	edit neo430_sysconfig.vhd to set opti	default config, includes true RNG
mx65	https://github.com/Steve		Steve Teal	6502	8	8		**k7-3**	James	512 LU	1071	195	6		0.5	207	##	14.7	0.33	4.0	15.9	X		vhdl	5	apple1	Y	yes	N		64K	64K	Y					2022	2022		cycle accurate, passes Klaus Dormann	6502 functional tests, has uart
jca		stable	John Cronin	RISC	8	32		kintex-7-3	James	replac	3287		6	3	3	157	##	14.7	0.33	1.0	15.8	AX	Y	verilog	17	soc										16					has VGA controller, plays Pong	altera memories

_uP_all_soft folder	opencores or prmary link	status	author	style / clone	data sz	inst sz	FPGA	reporter	comments	LUTs ALUT	Dff	LUT?	mults	blk ram	F max	date	tool ver	MIPS /inst	clks/ inst	KIPS /LUT	vendor	SOC	src code	#src files	top file	doc	tool chain	fltg pt	Hav'd	max dat	max inst	byte adrs	# inst	adr mod	# reg	pipe len	start year	last revis	secondary web link	note worthy	comments
j68	https://code.go	stable	Frederic Requin	68000	32	16	stratix-2	Freder	speed	1900		4		4	180			1.00	6.0	15.8	A		verilog	1	j68	Y	yes	N		4G	4G	Y			16		2009	2014		for use with Minimig	micro-coded on stack machine
piropiro	https://github.c	stable	pandora2000	RISC	32	32	kintex-7-3	James	port m	7491		6	11	1	118	##	14.7	1.00	1.0	15.7	X		vhdl	42	top			Y	N	64K	64K	Y			32		2010	2011		five variants	no doc, xilinx constraint file
rrisc	https://github.com/renen		Rene Schallner	RISC	8	8	spartan-7	James	uses L	330	154	6			125	##	v25.1	0.33	8.0	15.6	X		vhdl	8	top	Y	asm	N		64K	64K	Y			8		2020	2022	https://git.sr.ht/~	originally TTL/schematic, beginner's p	doc PDF file huge
iop16b	https://github.c	alpha	Doug Gilliland	RISC	8	16	cyclone4	Doug	Gilliland	271	76	4		2	50	##		0.33	4.0	15.2	A	Y	vhdl	51	cpu_top	Y	asm	N		4K	4K	Y	18		8		2021	2022	https://hackaday.	I/O Processor with minimal instructio	full set of perpherals, 2022 version is huge
altium/TSK300	http://techdocs.p	proprietar	Altium	RISC	32	32	spartan-3	Altium		3326	1776	4		4	50			1.00	1.0	15.0	ALX		proprietary			Y	yes	N	N	4G	4G	Y					2004	2017	CR0140.pdf, http:/	frozen, asm, C, C++, schem, VHDL & V	clock: 50MHz, opt mult/div, #s for other fpgas
bit-serial	https://github.com/howe		Richard Howe	accum	16	16	spartan6	James	area o	89	66	6			100	##	14.7	0.67	51.0	14.8	X		vhdl	6	cpu	Y		N		2K	2K	N	15				2020	2024	https://hackaday.	bit serial, 16-bit uP, very simple	supports Forth
pdp8l	https://opencor	beta	Ian Schofield	PDP8	12	12	cyclone-3	James	Brakef	1088		4		48	63	##	q13.1	0.50	2.0	14.4	A		vhdl	11	top	Y	yes	N	N	4K	4K						2013	2013		Minimal PDP8/L implementation with	4K disk monitor system
v1_coldfire	https://www.silv	proprietar	IPextreme	68000	16	16	cyclone-3	freescale		5000		4			80			0.89	1.0	14.2	A		verilog			Y	yes	N	N	4G	4G	Y			16		2008		https://www.silva	free for Altera	3500 LUTs on Stratix-III
riscv_microsen	https://github.c	stable	Microsemi	risc-v	32	32	polarfire	microsemi		8614		4	2	10	122		L11.8	1.00	1.0	14.2			proprietary			Y	yes	N		4G	4G	Y			32		2016	2018	https://www.micr	is encrypted IP	has caches
odess	https://opencor	stable	Dmytro Senyakin	RISC	##	16	stratix-5	Dmytro	Senya	50814		4	72	112	180	##	q17.1	4.00	1.0	14.1	A		system	27	CoreOneV	Y	asm	Y		4G	4G				16		2017	2017	https://opencores	Altera proj, Multicore, P&R results at	37-bit adr, quad issue, caches, 32-64-128 fltg-p
z80control	https://opencor	alpha	Tyler Pohl	Z80	8	8	kintex-7-3	James	Brakef	1483		6			189	##	14.7	0.33	3.0	14.0	X	Y	verilog	55	top_de1	Y	yes	N	N	64K	64K	Y					2010	2012		Microprocessor targeting embedded	industrial control systems
8051	https://opencor	alpha	Simon Teran, Jakas	8051	8	8	**zu-3e**	James	area o	1424	645	6			242	##	v21.1	0.33	4.0	14.0	ALX		verilog	32	oc8051_to	Y	yes	N		64K	64K	Y					2001	2016		8051 core includes several on-chip	peripherals, like timers and counters
6809_6309	https://opencor	beta	Alejandro Paz Schmidt	6809	8	8	**kintex-u3**	James	vivado	1595	367	6			200	##	v23.2	0.33	3.0	13.8	ALX	B	verilog	5	MC6809_(	Y	yes	N	N	64K	64K	Y					2012	2015		6309 op-codes not implemented	does not match timing results of zynq+
pdp2011	http://pdp2011.	stable	Sytse van Slooten	PDP11	16	16	kintex-7-3	James	Brakef	5060		6	1		205	##	14.7	0.67	2.0	13.6	AX	Y	vhdl	3	cpu	Y	yes	Y	N	64K	64K		70	13	8		2008	2019	http://pdp2011.sy	SoC, build files for A&X boards	complete impl including orig IO devices
klc32	https://opencor	planning	Robert Finch	RISC	32	32	kintex-7-3	James	Brakef	3790		6	4	1	200	##	14.7	1.00	4.0	13.2	X		verilog	25	KLC32	Y	asm	N		4G	4G	Y			32		2011	2012	https://github.cor	single ported block RAM register file :(	heavy use of includes
next186	https://opencor	stable	Nicolae Dumitrache	x86	16	8	arria-2	James	Brakef	1966		A	2		77	##	q13.1	0.67	2.0	13.1	AX		verilog	4	Next186_(	Y	yes	N	N	1M	1M	Y					2012	2013		boots DOS	
apple2fpga	http://www.cs.c	stable	Stephen A Edwards	6502	8	8	**zu-3e**	James	vivado	1238	706	6		7	195	##	v21.1	0.33	4.0	13.0	AX	Y	vhdl	19	de2_top	Y	yes	N	Y	64K	64K	Y					2007	2022		emulation of Apple II computer	replaced Altera PLL with stub
e80	https://github.com/Stokp		Panos Stokas	risc	8	8	spartan7	James	did no	2585		6	1		50	##	v25.2	0.67	1.0	13.0	AGX	Y	vhdl	12	computer	Y	asm	N		256	256		39		8			2026	https://apothesis.	thesis: dsgn impl n eval of E80 8-bit u	stack ld-st, Constructionism & Microworlds gar
t80	https://opencor	stable	Daniel Wallner	Z80	8	8	kintex-7-3	James	Z80 m	1389		6			163	##	14.7	0.33	3.0	12.9	X		vhdl	5	T80a	Y	yes	N	N	64K	64K	Y					2002	2018		Z80, 8080 & gameboy inst sets, several	usages
dalton_8051	www.cs.ucr.edu	stable	Tony Givargis	8051	8	8	kintex-7-3	James	see i8(	2725	1350	6	1	0.5	105	##	14.7	0.33	1.0	12.7	X		vhdl	7	i8051_all	Y	yes	N	N	64K	64K	Y					1999	2003	https://ics.uci.edu	ASIC	
mangomips32	https://github.c	stable	Ricky Tino	MIPS	32	32	spartan7	James	Brakef	7923	4802	6	4		100	##	v23.2	1.00	1.0	12.6			system	25	mangomir	Y	yes	N		4G	4G	Y	100		32	5	2019	2023		cache support, runs linux	very percise specs, 100MHz on Artix7-2
zpuino	http://alvie.com	alpha	Alvaro Lopes	forth	32	8	spartan6	James	Brakef	2547	2200	6	4	11.5	126	##	14.7	1.00	4.0	12.3	X	Y	vhdl		papilio_pr	Y	yes	N		4G	4G	Y	37				2008	2018	https://github.cor	SoC version of modified ZPU	pipelined, removed ucf file
6809_6309	https://opencor	beta	Alejandro Paz Schmidt	6809	8	8	**kintex-u3**	James	vivado	1656	367	6			185	##	v23.2	0.33	3.0	12.3	ALX	B	verilog	5	MC6809_(	Y	yes	N	N	64K	64K	Y					2012	2015		6309 op-codes not implemented	does not match timing results of zynq+
cpus-caddr	https://github.com/lisper		Brad Parker	lisp	32	48	spartan6	Brad P	ran his	4223	2794	6		102	50	##	14.7	1.00	1.0	11.8	X		verilog	70	top	Y	lisp		Y	16M	16K						2011	2016	https://dspace.mi	Verilog FPGA re-implementation of M	uses 48-bit u-code, multiple clocks
nyuzi_gpu	https://github.c	stable	Jeff Bush	GPGPU	32	32	cyclone-4	Jeff	Bush	74000		4			54		q18.0	16.00	1.0	11.7	AX	Y	system	70	nyuzi	Y	yes	Y		4G	4G	Y	80		64		2015	2024	https://github.cor	32 scalar & 32 vector reg	
microcore	https://github.c	beta	Klaus Schleisiek	forth	32	8	XP2	Klaus	Schleisi	2864		4			33	##	3.12	1.00	1.0	11.5	AILX		vhdl	38	ucore	Y	asm	N	Y	3K	8K	Y	84				1999	2023		**easy to add op-codes, fltg-pt opt., sir**	**12, 16, 27 & 32 bit data sizes**
s80186	https://github.c	stable	Jamie Iles	x86	16	8	cyclone-V	Jamie	Iles	1750		A			60			0.67	2.0	11.5	A	Y	system	50	core	Y		N		1M	1M	Y					2017	2021	https://www.jami	80186 binary compatible core	implementing the full 80186 ISA
odess	https://opencor	stable	Dmytro Senyakin	RISC	##	16	cyclone-5	James	reduce	35984		A	72	112	103	##	q18.0	4.00	1.0	11.4	A		system	27	CoreOneV	Y	asm	Y		4G	4G				16		2017	2017	https://opencores	Altera proj, Multicore, P&R results at	37-bit adr, quad issue, caches, 32-64-128 fltg-p
avr_cpu	https://github.com/nanar		nanamake Nanamaru	avr	8	16	**cyclone4**	nanamake	Na	1845	520	4	1		64	##	q14.0	0.33	1.0	11.4	A		verilog			Y	yes	N		64K	128K	Y	72		32		2018			quartus project & report files	2nd version with data & prog mems
gup	https://opencor	stable	Kevin Phillipson	68HC11	8	8	arria-2	James	Brakef	925		A	1	1	127	##	q13.1	0.33	4.0	11.3	A		vhdl	25	gator_upr	Y	yes	N	N	64K	64K	Y					2008	2011	https://www.mil.u	top level is schematic	
cpu11	https://github.com/1801E		1801BM1	PDP11	16	16	cyclone5	1801B	sampl	2114	1099	A		6	106			0.67	3.0	11.2	AX		verilog	11		Y	yes		N	64K	64K	Y	70	13	8		2014	2025		11/34 arch in 3+ chips, Russian clone	pdp11/23 clone, die photos
microcore	https://github.c	beta	Klaus Schleisiek	forth	16	8	XP2	Klaus	Schleisi	1976		4			33	##	3.12	0.67	1.0	11.2	AILX		vhdl	38	ucore	Y	asm	N	Y	4K	8K	Y	84				1999	2023		**easy to add op-codes, fltg-pt opt., sir**	**12, 16, 27 & 32 bit data sizes**
lem16_18		alpha	James Brakefield	accum	16	18	spartan3	James	Brakef	1214	297	4		1	85	##	14.5	0.16	1.0	11.2	X		vhdl	2	lem16_18m			N		256	1K		77			1	2010	2018		variable bit-length memory read/writ	op-codes coded, untested
r8051	https://github.c	stable	Li Xinbing	8051	8	8	kintex-7-3	James	Brakef	1031		6	1		139	##	14.7	0.33	4.0	11.1	X		verilog	2	r8051	Y	yes	N	N	64K	64K	Y					2015	2019			
flexgrip	http://www.ecs	paper	Kevin Andryc	GPGPU	32	32	atrix-7	James	Brakef	72649		6	##	119	100	##	14.7	1.00	0.1	11.0	X		vhdl	46	gpgpu_ml	505_top_level											2013	2016	http://www.ecs.u	eight GPU processors	requested & received source files
mipsfpga	https://www.mi	stable	MIPS Technologies	MIPS	32	32	atrix-7-3	James	Brakef	10692		6		47	118	##	14.7	1.00	1.0	11.0	X	Y	verilog	193	mfp_syste	Y	yes	N		4G	4G	Y			32		2014	2018	https://www.yout	M14K core & mipsfpga-plus	DRAM interface, I&D caches. 8789 FF
xulalx25soc	https://opencor	mature	Dan Gisselquist	RISC	32	32	spartan6	James	Sparta	7936		6	4	25	87	##	14.7	1.00	1.0	11.0	X	Y	verilog		toplevel			N	N	4G	4G	N	20		16	5	2015				uses ZIP CPU
verilogboy	https://hackada	alpha	Wenting Zhang	SM83	8	8	**zu-3e**	James	Brakef	2415	1601	6		4	238	##	v21.1	0.33	3.0	10.8	X	Y	verilog	22	boy	Y	yes	N	N	64K	64K	Y						2019	https://github.cor	Game Boy in Verilog, both CPU (SM83	also https://github.com/neildryan/GBA
neo430	https://opencor	alpha	Stephan Nolting	MSP430	16	16	cyclone4	Stephan	Nolt	1869	1137	4		8	121	##	q17.1	0.67	4.0	10.8	ALX	Y	vhdl	19	neo430_to	Y	yes	N		28K	32K	Y			16		2015	2024	https://github.cor	website has detailed resource unti	default config, includes true RNG
zap	https://opencor	alpha	Revanth Kamaraj	ARM7	32	32	arria-2	James	high D	10284		A	2	38	111	##	q18.0	1.00	1.0	10.8	X		verilog	37	zap_top	Y	yes	N	N	4G	4G	Y			16		2017	2022	ddi0100e_armv1-	ARMv4T & Thumbv1	has cache & mmu
c16	https://opencor	stable	Jsauermann	accum	16	8	spartan-3	James	Brakef	1751		4		16	57	##	14.7	0.33	1.0	10.7	X		vhdl	22	Board_cpu	mi	yes	N		64K	64K	Y			5		2003	2012		8080 derivative, optional UART, 8-bit	xilinx 4K RAM primitives
fx68k	http://fx68k.fxatari.com/f		Jorge Cwik	68000	16	16	spartan7	James	Brakef	3162	1504	6		1	100	##	v23.2	1.00	3.0	10.5	X		system	3	fx68k	Y	yes	N		4G	4G	Y			16		2018	2021	https://github.cor	Cycle accurate, see http://atari-forum.com/viewtopic.php?f=28&t=34730#p358139	
riscv_serv	https://github.com/olofk/		Olof Kindgren	risc-v	32	32	cyclone10	Olof	Kindgrer	239	164	4		0.5	80	##		1.00	32.0	10.5	A		verilog	63	serv_top	Y	yes	N		4G	4G	Y	45		32		2018	2023	https://riscv.org/2	**smallest risc-v core, many boards**	https://github.com/olofk/corescore
system11	https://opencor	alpha	John Kent, David Burn	68HC11	8	8	kintex-7-3	James	Brakef	1218		6			153	##	14.7	0.33	4.0	10.3	X	Y	vhdl	17	cpu11	Y	yes	N	N	64K	64K	Y					2003	2009	http://members.c	known bugs & untested instructions	
s4pu	https://baioc.github.io/pc		Gabriel de Sant'Anna	forth	16	16	cyclone2	Gabriel	de Sa	3306	1622	4		86	50	##	q13.1	0.67	1.0	10.1	A		vhdl	17	s4pu	Y	asm	N		64K	64K		32				2017	2020	https://gitlab.com/baioc/s4pu		in Portuguese
marca	https://opencor	stable	Wolfgang Puffitsch	RISC	16	16	arria-2	James	Brakef	1763		A		22	157	##	q13.1	0.67	6.0	10.0	A		vhdl	40	marca	Y		N		8K	16K		75		16	4	2007	2009		serial multiply & divide	clks/inst is approx
mecrisp-ice	https://sourceforge.net/p		Matthias Koch	forth	64	16	spartan7	James	Brakef	6372	8860	6	16	16	63	##	v23.2	2.00	2.0	9.8	LX	Y	verilog	48	j1a	Y	forth	N		16E	16E	Y					2011	2023		64-bit data size, some comments in G	distinct j1a.v for each data size
6809_6309	https://opencor	beta	Alejandro Paz Schmidt	6809	8	8	kintex-7-3	James	Brakef	1996	370	6			175	##	14.7	0.33	3.0	9.7	ALX	B	verilog	5	MC6809_(	Y	yes	N	N	64K	64K	Y	44	13	8		2012	2015		6309 op-codes not implemented	
cpu11	https://github.com/1801E		1801BM1	PDP11	16	16	kintex7	1801B	sampl	3073	1380	6		9	133			0.67	3.0	9.7	AX		verilog	11		Y	yes		N	64K	64K	Y	70	13	8		2014	2025		11/34 arch in 3+ chips, Russian clone	pdp11/23 clone, die photos
amber	https://opencor	stable	Conor Santifort	ARM7	32	32	kintex-7-3	James	Brakef	6409	2351	6		2	82	##	14.7	0.75	1.0	9.6	ALX		verilog	25	a23_core	Y	yes	N		4G	4G	Y	80		16	3	2010	2017	https://en.wikipe	no MMU, shared cache	2048 LUTs used as single port RAM
bit-serial	https://github.com/howe		Richard Howe	accum	16	16	spartan6	James	speed	137	86	6			100	##	14.7	0.67	51.0	9.6	X		vhdl	6	cpu	Y		N		2K	2K	N	15				2020	2024	https://hackaday.	bit serial, 16-bit uP, very simple	supports Forth
6809_6309	https://opencor	beta	Alejandro Paz Schmidt	6809	8	8	arria-2	James	Brakef	1680		A			145	##	q18.0	0.33	3.0	9.5	ALX	B	verilog	5	MC6809_(	Y	yes	N	N	64K	64K	Y	44	13	8		2012	2015		6309 op-codes not implemented	
fisa64	https://github.c	beta	Robert Finch	RISC	64	32	kintex-7-3	James	Brakef	10404		6	12	7	65	##	14.7	1.50	1.0	9.4	X		verilog	1	FISA64	Y		N	Y								2015	2015	https://github.com/robfinch/Cores	need to use multi-cycle on mult	
agcnorm	https://opencor	beta	Dave Roberts	accum	15	15	kintex7-3	James	Brakef	2252	1110	6		2	32	##	14.7	0.66	1.0	9.3	X		vhdl	5	AGC	Y		N	Y	4K	72K	N	11		1		1962	2012	http://klabs.org/h	Apollo Guidance Computer via 3-input	NOR gate emulation
cpu8080	https://opencor	stable	Scott Moore	8080	8	8	kintex-7-3	James	Brakef	1179		6			299	##	14.7	0.33	9.0	9.3	X		verilog	1	m8080	Y	yes	N	N	64K	64K	Y					2006	2016		includes VGA display generator, three	variants
riscv_rv01_cor	https://opencor	stable	Stefano Tonello	risc-v	32	32	kintex-7-3	James	Brakef	13997		6	4	62	130	##	14.7	1.00	1.0	9.3	X		vhdl	65	rv01_selft	Y	yes	N		4G	4G	Y			32		2015	2017		all files in one directory	two self test tops
apple2fpga	http://www.cs.c	stable	Stephen A Edwards	6502	8	8	kintex7-3	James	Brakef	1416	654	6		8.5	159	##	14.7	0.33	4.0	9.2	AX	Y	vhdl	19	de2_top	Y	yes	N	Y	64K	64K	Y					2007	2022		emulation of Apple II computer	replaced Altera PLL with stub
lgp30	http://www.e-b	stable	Stanley Frankel	accum	32	32	spartan6	Stanle	severa	3646	1411	6	1	15	100	##	14.7	1.00	3.0	9.1		Y	vhdl	42	LGP-30	Y	yes	N		4K	4K	N			3		2017			FPGA version of LGP30 drum computer,	also LGP21, RPC4000, 65F02
copro6502	https://github.c	stable	David Banks	pdp11	16	16	kintex7-3	James	bare c	4978	1587	6	1		204	##	14.7	0.67	3.0	9.1	X	Y	vhdl, Verilog		pdp2011_	Y	yes			64K	64K	Y	70	13	8		2014	2019	https://stardot.or	PDP11	
mist1032	https://github.c	stable	Takahiro Ito	RISC	32	32	arria_2	James	altera	10801		A	4	125	98	##	q18.0	1.00	1.0	9.1			system	50	mist32e10	Y				4G	4G	Y			64		2014			mist32 uP: embedded version	
cpu11	https://github.com/1801E		1801BM1	PDP11	16	16	cyclone3	1801B	sampl	2843	752	4		7	115			0.67	3.0	9.0	AX		verilog	11		Y	yes		N	64K	64K	Y	70	13	8		2014	2025		11/34 arch in 3+ chips, Russian clone	all branches have FPGA resourse & fmax
c88	https://github.c	alpha	Daniiel Bailey	accum	8	8	kintex-7-3	James	Brakef	3088		6	2		167	##	14.7	0.33	2.0	8.9	X		vhdl	25	C88	Y	asm	N		8	256	Y	10		8		2015	2015	https://www.yout	only 8 memory locations	used 3658 Dff, doesn't infer block or LUT RAM
kiwih	https://github.com/kiwih,		Hammond Pearce	accum	8	8	artix-7	James	no LU	2030	2167	6			90	##	v23.2	0.20	1.0	8.9	X		verilog	14	accumulat	Y	asm	N		256	256	Y	24				2023		https://efabless.c	uP design via chatGPT4, ASIC gate list	Scan (JTAG) chain of all memory & FF
turbo9	https://github.c	WIP	Kevin Phillipson	6809	8	8	artix-7	James	no tim	1428	530	6		8	112	##	v23.2	0.33	3.0	8.6	X	Y	verilog	96	soc_top_g	Y	yes	N		64K	64K	Y	44	13	8	6	2024	https://hackaday.	Compact & Efficient Pipe'd 6809 uP IP	masters thesis, full testbench, ucoded
baby8	https://github.com/jecelj		Jecel de Assumpcao Jr	RISC	8	8	ice40	Jecel de	Assu	285		4			58	##		0.17	4.0	8.6	AGLX		schem	17	baby8cpu	Y	asm	N		64K	64K	Y			16		2024	https://mdpi-res.c	minimal 8-bit uP with 16-bit adrs	ASIC & FPGA stats for risc-v, baby8 & soft uP
rtf8088	https://opencor	planning	Robert Finch	x86	16	8	kintex-7-3	James	Brakef	4514		6	4		174	##	14.7	0.67	3.0	8.6	X		verilog	57	rtf8088	Y	yes	N	N	1M	1M	Y					2012	2013	https://github.cor	8-bit memory data, e.g. 8088	
6809_6309	https://opencor	beta	Alejandro Paz Schmidt	6809	8	8	stratix-5	James	Brakef	1711		A			133	##	q14.0	0.33	3.0	8.6	ALX	B	verilog	5	MC6809_(	Y	yes	N	N	64K	64K	Y	44	13	8		2012	2015		6309 op-codes not implemented	
r8-core	https://github.com/vctrop		Victor O. Costa	RISC	16	16	spartan7	James	large r	1660	658	6	1	17	21	##	v25.1	0.67	1.0	8		Y	vhdl	14	r8_uc	Y	asm	N		64K	64K	N	35		16		2019			university project, doc in portuguese	expanded R8 ISA
turbo9	https://github.c	WIP	Kevin Phillipson	6809	8	8	artix-7	Kevin	Phillips	1464	505	6		8	112	##	v22.2	0.33	3.0	8.4	X	Y	verilog	96	soc_top_g	Y	yes	N		64K	64K	Y	44	13	8	6	2024	https://www.yout	competes well against other 8-bitters	four videos, see github page
light52	https://opencor	beta	Jose Ruiz	8051	8	8	kintex-7-3	James	Brakef	1022		6	1	1	154	##	14.7	0.33	6.0	8.3	AX	Y	vhdl	8	light52_m	Y	yes	N	N	64K	64K	Y					2012	2018		targeted to balanced	~ 6 clocks/inst
amber	https://opencor	stable	Conor Santifort	ARM7	32	32	kintex-7-3	James	Brakef	12450	3502	6		2	98	##	14.7	1.05	1.0	8.2	ALX		verilog	25	a25_core	Y	yes	N		4G	4G	Y	80		16	3	2010	2017	https://en.wikipe	no MMU	4330 LUTs used as RAM
m32632	https://opencor	stable	Udo Moeller	32032	32	8	kintex-7-3	James	Brakef	10167		6	19	16	83	##	14.7	1.00	1.0	8.2	AX		verilog	18	example	Y	yes	Y	Y	4G	4G	Y	200		24	3	2009	2019	http://cpu-ns32k.net/	21.97 VAX Mips at 50MHz (Cyclone IV)	
ao68000	https://opencor	beta	Aleksander Osman	68000	16	16	arria-2	James	Brakef	3479		A		6	169	##	q13.1	0.67	4.0	8.1	A	Y	verilog	1	ao68000_bm		yes	N	N	4G	4G	Y					2010	2012		uses microcode, instruction prefetch	buffer
j68	https://github.com/fredre		Frédéric Requin	68000	16	16	cyclone3	Frédéric	Requ	1900		4		9	90			1.00	6.0	7.9			verilog	38	soc_j68		yes	N	N	64K	64K	Y			16		2018		A Size-Optimized Microcoded 68000 (	Stack based CPU with Forth-like microcode	
cmips	https://github.c	mature	Roberto Hexsel	MIPS	32	32	cyclone4	Roberto	Hexs	6347	2596	4		22	50	##		1.00	1.0	7.9	A	Y	vhdl	22	core	Y	yes	N	N	4G	4G	Y			32	5	2017	2019	http://www.inf.ut	5-stage pipeline, MIPS32r2 core	
wb_z80	https://opencor	stable	Brewster Porcella	Z80	8	8	kintex-7-3	James	Brakef	2025		6			144	##	14.7	0.33	3.0	7.8	X		verilog	4	z80_core	Y	yes	N	N	64K	64K	Y					2004	2012		derived from Guy Hutchison TV80	Wishbone High Performance Z80
cpu6502_true	https://opencor	stable	Jens Gutschmidt	6502	8	8	kintex-7-3	James	Brakef	1678		6			159	##	14.7	0.33	4.0	7.8	X		vhdl	7	r6502_tc		yes	N	N	64K	64K	Y					2008	2024		cycle accurate	web page update only
cpu11	https://github.com/1801E		1801BM1	PDP11	16	16	cyclone4	1801B	sampl	2794	720	4		7	97			0.67	3.0	7.8	AX		verilog	11		Y	yes		N	64K	64K	Y	70	13	8		2014	2025		11/34 arch in 3+ chips, Russian clone	pdp11/23 clone, die photos
a-z80	https://opencor	stable	Goran Devic	Z80	8	8	**zu-3e**	James	timing	1761	365	6			41	##	v21.1	0.33	1.0	7.7	AX		verilog	24	z80_top_(	Y	yes	N	N	64K	64K	Y					2014	2020	https://github.cor	gate level reverse eng'd Z80	Complete implementation of a Sinclair ZX Spec
68hc08	https://opencor	stable	Ulrich Riedel	6808	8	8	**zu-3e**	James	vivado	1875	128	6			164	##	v21.1	0.33	4.0	7.2	X		vhdl	1	x68ur08		yes	N	N	64K	64K	Y					2007	2009			68c05 & 68c08 very different Fmax
odess	https://opencor	stable	Dmytro Senyakin	RISC	##	16	cyclone-5	James	slow t	50135		A	72	112	90	##	q18.0	4.00	1.0	7.2	A		system	27	CoreOneV	Y	asm	Y		4G	4G				16		2017	2017	https://opencores	Altera proj, Multicore, P&R results at	37-bit adr, quad issue, caches, 32-64-128 fltg-p
cpu11	https://github.com/1801E		1801BM1	PDP11	16	16	max10	1801B	sampl	2691	736	4		7	86			0.67	3.0	7.1	AX		verilog	11		Y	yes		N	64K	64K	Y	70	13	8		2014	2025		11/34 arch in 3+ chips, Russian clone	pdp11/23 clone, die photos

_uP_all_soft folder	opencores or prmary link	status	author	style / clone	data	sz	inst sz	FPGA	repor ter	com ents	LUTs ALUT	Dff	LUT?	mults	blk ram	F max	date	tool ver	MIPS /inst	clks/ inst	KIPS /LUT	ven dor	SOC	src code	#src files	top file	doc	tool chai n	fltg pt	Hav'd	max dat	max inst	byte adrs	# inst	adr mod	# reg	pipe len	start year	last revis	secondary web link	note worthy	comments
EC16_on_ICE	https://github.com/Edgar		Edgar Conzen	accum	16	16		ice40	Edgar	Conzen	940	257	4		1	20		r23.1	0.67	2.0	7.1	L	Y	vhdl	54	ec16_top	Y		N		64K	64K		50				2023	2024		designed FPGA board, Lattice Radiant	
6809_6309	https://opencor	beta	Alejandro Paz Schmidt	6809	8	8		**spartan7-**	James	vivado	1592	366	6			100	##	v23.2	0.33	3.0	6.9	ALX	B	verilog	5	MC6809_	Y	yes	N	N	64K	64K	Y					2012	2015		6309 op-codes not implemented	does not match timing results of zynq+
a-z80	https://opencor	stable	Goran Devic	Z80	8	8		kintex-7-3	James	Brakef	1186		6			24	##	14.7	0.33	1.0	6.8	AX		verilog	24	z80_top_	Y	yes	N	N	64K	64K	Y					2014	2020	https://github.cor	gate level reverse eng'd Z80	Complete implementation of a Sinclair ZX Spec
c88	https://github.c	alpha	Daniiel Bailey	accum	8	8		spartan-3	James	Dff ge	2664		4	2		54	##	14.7	0.33	1.0	6.7	X		vhdl	25	C88	Y	asm	N		8	256	Y	10		8		2015	2015	https://www.yout	only 8 memory locations	used 3785 Dff, doesn't infer block or LUT RAM
riscv_swerv	https://github.com/chipsa		Western Digital	risc-v	32	32		ZCU102	Weste	high L	30128		6	4	62	100			1.00	0.5	6.6			system	45	veer_wra	Y	yes	N		4G	4G	Y			32	9	2019	2022	https://blog.weste	9 stage pipe, dual issue	risc-v SoC for fpga, riscv_swerv_eh1_fpga now
t48	https://opencor	stable	Arnim Laeuger	MCS-48	8	8		cyclone-1	Arnim	Laeuge	738		4		1	59			0.33	4.0	6.6	AX		vhdl	70	t48_core	Y	asm	N		256	1K						2004	2022		T48 uController	used in several projects
cpu11	https://github.com/1801E		1801BM1	PDP11	16	16		cyclone1(	1801B	sampl	2677	724	4		7	79			0.67	3.0	6.6	AX		verilog	11		yes		N	N	64K	64K	Y	70	13	8		2014	2025		11/34 arch in 3+ chips, Russian clone	pdp11/23 clone, die photos
bfcpu	http://www.cliff	stable	Clifford Wolf	Turing	8	3		**zu-3e**	James	Brakef	387		6			500	##	v21.1	0.02	4.0	6.5	X	B	vhdl	4	cw6671	Y	yes	N	N	64K	64K	Y	8				2003	2003	https://en.wikipe	no accum, data pointer and bracketed	internal 1-byte data cache doubles performanc
atmega8_pong	https://fr.wikive	stable	Juergen Sauermann	AVR	8	16		spartan-3	James	clock	2767		4	1	10	53	##	14.7	0.33	1.0	6.3	X	Y	vhdl	37	avr_fpga_	Y	yes	N		64K	64K	Y	17		4		2017	2017		several projects using avr core	uses Sauermann core
zet86	https://opencor	alpha	Zeus Marmolejo	x86	16	8		kintex-7-3	James	Brakef	3642		6	1		68	##	14.7	0.67	2.0	6.2	X		verilog	32	fpga_zet_	Y	yes	N	N	1M	1M	Y					2008	2018	https://github.cor	equivalent to 80186, boots MS-DOS	Zet The x86 (IA-32) open implementation
t51	https://opencor	stable	Andreas Voggeneder	8051	8	8		kintex-7-3	James	Brakef	1942		6	1		147	##	14.7	0.33	4.0	6.2	AX		vhdl	17	T8032	Y	yes	N	N	64K	64K	Y					2002	2010		8052 & 8032	8032 SoC
cpus-pdp8	https://github.com/lisper		Brad Parker	PDP8	12	12		spartan3	Brad	Parker	1605	481	4		1	50	##	14.7	0.40	2.0	6.2	X	Y	verilog	15	top	Y	yes	N	N	4K	4K						2004	2016		A working PDP-8/i cpu with an RF08 disk emulator which uses a IDE disk as a backing
pulserain	https://github.c	stable	PulseRain Tech LLC	8051	8	8		arria-2	James	some	2376		A	2	41	130	##	q18.0	0.33	3.0	6.0	A		system	25	FP51_fast	Y	yes	N	Y	64K	64K	Y					2017	2018	https://www.puls	1 clk/inst, intended for Max10	
copro6502	https://github.c	stable	David Banks	6809	8	8		kintex7-3	James	bare c	1958	206	6			107	##	14.7	0.33	3.0	6.0	X	Y	vhdl, Verilog		cpu09	Y	yes			64K	64K	Y					2014	2019	https://stardot.or	6809	
atmega8_pong	https://fr.wikive	stable	Juergen Sauermann	AVR	8	16		spartan-3	James	clock	2898		4	1	11	53	##	14.7	0.33	1.0	6.0	X	Y	vhdl	37	pacman_M	Y	yes	N		64K	64K	Y	17		4		2017	2017		several projects using avr core	uses Sauermann atmega16 core
system09	https://github.com	stable	John Kent, David Burre	6809	8	8		kintex-7-3	James	Brakef	1631		6		41	88	##	14.7	0.33	3.0	6.0	AX	Y	vhdl	40	cpu09l	Y	yes	N	N	64K	64K	Y	44	13	8		2003	2021	http://members.c	from John Kent web page	opencores download URL incorrect, use col E
cpu11	https://github.com/1801E		1801BM1	PDP11	16	16		artix7	1801B	sampl	3798	1536	6		9	100			0.67	3.0	5.9	AX		verilog	11		Y	yes		N	64K	64K	Y	70	13	8		2014	2025		11/34 arch in 3+ chips, Russian clone	pdp11/23 clone, die photos
hack	https://github.com/philzo		Philip Zucker	accum	16	16		spartan7	James	block	4705	287	6			82	##	v23.2	0.67	2.0	5.8	X		verilog	22	computer	Y	asm	N	Y	32K	32K	N	18		2			2021	https://www.nand	educational formally verified version of the Nand 2 Tetris course using Coq	
fpga-64	http://www.syn	stable	Peter Wendrich	6502	8	8		kintex-7-3	James	Brakef	2210		6		2	156	##	14.7	0.33	4.0	5.8	X	Y	vhdl	26	fpga64_co	Y	yes	N	N	64K	64K	Y			26		2005	2008		Rendition of Commodore 64	altera top level schematic
bit-serial	https://github.com/howe		Richard Howe	accum	16	16		spartan6	James	area o	226	181	6		8	100	##	14.7	0.67	51.0	5.8	X		vhdl	6	top	Y		N		2K	2K	N	15				2020	2024	https://hackaday.	bit serial, 16-bit uP, very simple	supports Forth
hack	https://github.com/theap		Peter Clarke	accum	16	16		spartan7	James	block	4803	287	6			83	##	v23.2	0.67	2.0	5.8	X		verilog	22	cpu	Y	asm	N	Y	32K	32K	N	18		2			2016	https://www.nand	CPU used to run Tetris	book: Elements of Computing Systems
mc6803	https://opencor	stable	Dukov	6803	8	8		spartan7	James	Brakef	1618	1223	6			83	##	v23.2	0.33	3.0	5.7	X		system	2	mc6803	Y	yes	N	N	64K	64K	Y					1999			based on System68 and System01 by	John E. Kent, translated CPU core from VHDL to
ks10	http://www.tec	alpha	Rob Doyle	PDP10	36	36		spartan-6	Rob	Doyle	4427		6		15	50	##	14.7	1.00	2.0	5.6	X		verilog	39	esm_ks10	Y	yes	Y	N			N					2011	2014		36-bit accum & 18-bit adrs	ucf file, most tests pass
coco3fpga	https://github.c	mature	Gary Becker	6809	8	8		spartan7	James	Kent's	1536	195	6			78	##	v23.2	0.33	3.0	5.6	X		verilog	39	cpu09l_12	Y	yes	N		64K	64K		44	13	8		2007	2015	http://www.davel	uses John Kent's 6809 & adds color co	altera project with 6809 & 6502 uPs
forwardcom	https://github.c	stable	Agner Fog	cisc	64	32		atrix-7	Agner	Fog	21121	7392	6			56	##	v20.1	2.00	1.0	5.3	X		system	18	top	Y	asm	Y		64K	32K	Y			64		2016	2023	https://www.forw	x86 like, complete ISA, MMX & vector	x86 adr modes, vector inst use width of vect re
turbo8051	https://opencor	beta	Dinesh Annayya	8051	8	8		kintex-7-3	James	Brakef	1985		6	1		127	##	14.7	0.33	4.0	5.3	AX		verilog	74	oc8051_to	Y	yes	N	N	64K	64K	Y					2011	2016		includes perpherials	
ep8080	https://github.c	beta	C.H. Ting	8080	8	8		kintex-7-3	James	Brakef	1276		6			184	##	14.7	0.33	9.0	5.3	X		vhdl	4	ep80	Y	yes	N	N	64K	64K	Y					2002	2016	8080 data sheets	initialized Lattice memory blocks	work related to eP16
8051	https://opencor	alpha	Simon Teran, Jakas	8051	8	8		kintex-7-3	James	tunred	1744	617	6	1		111	##	14.7	0.33	4.0	5.3	ALX		verilog	32	oc8051_to	Y	yes	N		64K	64K	Y					2001	2016		8051 core includes several on-chip p	eripherals, like timers and counters
i8086up	https://github.com/fallah		Ali Fallah	x86	8	8		spartan3	Ali	Fallah	3132	529	4	1	12	98	##	14.7	0.67	4.0	5.2	X	Y	vhdl	8	processor	Y	yes	N		512	64K	Y			7		2019			simple x86 with VGA, SD, uart	case stmt, one branch per inst, xilinx IP
cpu11	https://github.com/1801E		1801BM1	PDP11	16	16		cyclone2	1801B	sampl	2753	728	4		11	64			0.67	3.0	5.2	AX		verilog	11		Y	yes		N	64K	64K	Y	70	13	8		2014	2025		11/34 arch in 3+ chips, Russian clone	pdp11/23 clone, die photos
riscv_serv	https://github.com/olofk/		Olof Kindgren	risc-v	32	32		ice40	Olof	Kindgren	198	164	4			32	##		1.00	32.0	5.1	L		verilog	63	serv_top	Y	yes	N		4G	4G	Y	45		32		2018	2023	https://riscv.org/2	RISC-V contest prize, 1-bit ALU	https://github.com/olofk/corescore
cpu11	https://github.com/1801E		1801BM1	PDP11	16	16		artix7	1801B	sampl	3821	830	4		9	86			0.67	3.0	5.0	AX		verilog	11		Y	yes		N	64K	64K	Y	70	13	8		2014	2025		11/34 arch in 3+ chips, Russian clone	pdp11/23 clone, die photos
mycpu	http://www.my	mature	Dennis Kuschel	accum	8	8		kintex-7-3	James	Brakef	3428		6	1		155	##	14.7	0.33	3.0	5.0	X		vhdl	28	cpu_top	Y		N		64M	64M	Y					2010	2023	http://mynor.org/	originally in TTL, avail. as a kit	my4th: micro-coded, bit serial, runs Forth
pdp1	https://opencor	alpha	Yann Vernier	PDP1	18	18		spartan-3	James	Brakef	1390		4		6	138	##	14.7	0.50	10.0	5.0	X		vhdl	15	top	Y	yes	N	N	4K	4K	Y	28				2011	2017	http://pdp-1.com/	PDP-1 descended from MIT TX-0	uses Minimal UART from opencores
cast_8051	http://www.cas	proprietar	CAST Inc	8051	8	8		virtex-6	CAST I	820 sli	1800		6		2	81	##	12.1	0.33	3.0	5.0	X		proprietary			Y	yes	N		64K	64K	Y			32				http://www.cast-i	Cast has uP related IP	several versions, FPGA kits
moncky	https://gitlab.com/big-bat		Kris Demuynck	RISC	16	16		artix-7	Kris	Demuync	1376		6		33	10	##	v21	0.67	1.0	4.9	X	X	schem	36	top	Y	yes	N		64K	64K	N	32		16		2020	2021	https://hackaday.	intended as educational, all original	IO: VGA, PS/2, SPI, SD
forwardcom	https://github.c	stable	Agner Fog	cisc	32	32		kintex-7-3	Agner	Fog	13248	4990	6			64	##	v20.1	1.00	1.0	4.8	X		system	18	top	Y	asm	Y		64K	32K	Y			64		2016	2023	https://www.forw	x86 like, complete ISA, MMX & vector	x86 adr modes, vector inst use width of vect re
hc11core	http://www.gm	stable	Green Mountain Comp	68HC11	8	8		kintex-7-3	James	Brakef	2190		6			127	##	14.7	0.33	4.0	4.8	X		vhdl	1	hc11rtl	Y	yes	?	N	64K	64K	N	53		8	2	2000		6811 data sheets	restricted use license, with corrections	
ktc32	https://github.c	stable	kinpoko	RISC	32	16		spartan7	James	sparta	27408	6554	6		44	125	##	v23.2	1.00	1.0	4.6	X	Y	system	15	top	Y	yes	N		4G	4G	Y	37		32		2022	2023		full basic ISA, hobby 32-bit CPU	see also zktc, xdc file, 16 & 32-bit insts
z3	https://opencor	stable	Charles Cole	CISC	8	8		arria-2	James	Brakef	3495		A	2		141	##	q18.0	0.33	3.0	4.4	A		verilog	3	boss	Y				128K	128K						2014	2014	https://en.wikipe	Infocom Z-Machine V3, youtube vide	http://inform-fiction.org/zmachine/standards/
oms8051mini	https://opencor	alpha	Simon Teran, Dinesh A	8051	8	8		kintex-7-3	James	Brakef	1991		6	1	32	133	##	14.7	0.33	5.0	4.4	X	Y	verilog	66	digital_co	Y	yes	N		64K	64K	Y					2000	2018			
riscv_humming	https://github.c	stable		risc-v	32	32		kintex-7-3	James	Brakef	14119		6		32	62	##	14.7	1.00	1.0	4.4	X	Y	verilog	141	e203_soc	Y	yes	N		4G	4G	Y			32		2016	2022	https://github.cor	e200 has opensource	also have a chip
bfcpu	http://www.cliff	stable	Clifford Wolf	Turing	8	3		**zu-3e**	James	Brakef	303		6			500	##	v21.1	0.01	4.0	4.1	X	B	vhdl	4	cw6670	Y	yes	N	N	64K	64K	Y	8				2003	2003	https://en.wikipe	no accum, data pointer and bracketed	first implementation, no data cache
bit-serial	https://github.com/howe		Richard Howe	accum	16	16		spartan6	James	Brakef	324	210	6		8	100	##	14.7	0.67	51.0	4.1	X		vhdl	6	top	Y		N		2K	2K	N	15				2020	2024	https://hackaday.	bit serial, 16-bit uP, very simple	supports Forth
df6805	www.hitechglob	proprietar	Hitech Global	6805	8	8		stratix-1	Hitech	Global	1690		4			83			0.33	4.0	4.1	A		proprietary			Y	yes	N	N	64K	64K	Y							6805 data sheets		
socz80	http://sowerbut	stable	Will Sowerbutts	Z80	8	8		spartan-6	James	constr	2568		6		15	93	##	14.7	0.33	3.0	4.0	X		vhdl	25	top_level	Y	yes	N	N	64K	64K	Y					2013	2014		based on Daniel Wallner's T80, for Papillio Pro board	
system6801	https://opencor	stable	Michael L. Hasenfratz	6801	8	8		cyclone-3	James	Brakef	1507		4		3	73	##	14.7	0.33	4.0	4.0	A		vhdl	15	wb_cyclor	Y	yes	N	N	64K	64K	Y					2003	2009	http://members.c	based on John Kent's 6801	tested on Apex20K, Cyclone & Straix boards
af65k	https://github.c	alpha	Andre Fachat	6502	32	32		kintex-7-3	James	Brakef	4424	873	6			69	##	14.7	1.00	4.0	3.9	X		vhdl	13	gecko65k	Y		N	N								2011	2019	http://www.6502	extended 6502 AKA 65K with 16, 32 or 64 bit data	
t400	https://opencor	stable	Arnim Laeuger	COP400	4	8		spartan-2	Arnim	Laeuge	643		3		2	60			0.16	4.0	3.7	AX		vhdl	36	t400_core	Y	yes	N	Y	64	1K	Y					2006	2009		implementation of National's 4-bit COP	400 microcontroller
rtf65002	https://opencor	alpha	Robert Finch	accum	32	8		kintex-7-3	James	Brakef	11216		6	4	6	123	##	v14.1	0.67	2.0	3.7	X		verilog	10	rtf65002d	Y		N		4G	4G	Y			16		2013	2013	https://github.cor	32-bit 6502 + 6502 emulation	"proven"
68hc08	https://opencor	stable	Ulrich Riedel	6808	8	8		kintex-7-3	James	Brakef	2290		6			101	##	14.7	0.33	4.0	3.6	X		vhdl	1	x68ur08		yes	N	N	64K	64K	Y					2007	2009			
lattice6502	https://opencor	beta	Ian Chapman	6502	8	8		kintex-7-3	James	Brakef	4942		6			214	##	14.7	0.33	4.0	3.6	X		vhdl	3	ghdl_proc	Y	yes	N	N	64K	64K	Y					2010	2010		targeted to LCMXO2280	
agcnorm	https://opencor	beta	Dave Roberts	accum	15	15		spartan-3	James	Brakef	3732	1115	4		2	20	##	14.7	0.66	1.0	3.5	X		vhdl	5	AGC	Y		N	Y	4K	72K	N	11		1		1962	2012	http://klabs.org/h	Apollo Guidance Computer via 3-input NOR gate emulation	
z80soc	https://opencor	stable	Ronivon Costa	Z80	8	8		spartan3e	James	Brakef	2474		4	2	19	78	##	14.7	0.33	3.0	3.4	AX	Y	vhdl	19	top_s3e	Y	yes	N	N	64K	64K	Y					2008	2016		based on Daniel Wallner's T80	directory disappeared
i8080-vhdl	https://github.com/bfenn		Brendan Fennell	8080	8	8		kintex7	James	Brakef	1508	308	6			64	##	14.7	1.00	8.0	3.4			vhdl	14	cpu8080_	Y	yes	N	N	64K	64K	Y						2018		implemented invaders game	
jtkcpu	https://github.com/JTFPG		Jose Tejada Gomez	6809	8	8		cyclone3	Jose	Tejada G	2290		4	3		70	##	q18.0	0.33	3.0	3.4	A		verilog	12	jtkcpu	Y	yes	N	N	64K	64K	Y	44	13	8		2023	2024	https://forums.ar	gaming uP, compatible with Konami's	docs have ISA comparison 6809/6309/this
riscv_picorv32	https://github.c	beta	Clifford Wolf	risc-v	32	32		GW1NR-9	Jean-L	small	2764	1833	4		8	27	##		1.00	3.0	3.3	X		verilog	1	picorv32	Y	yes	N		4G	4G	Y			32		2016	2022	https://www.cnx-	mimimal features, soc options	https://github.com/sipeed/TangNano-9K-exam
i8051	https://github.c	stable	Tony Givargis	8051	8	8		kintex-7-3	James	see da	2690	1325	6	1	0.5	105	##	14.7	0.33	4.0	3.2	X		vhdl	9	i8051_all	Y	yes	N		64K	64K	Y					1999	2016	https://github.cor	author has book & course	Embedded System Design: A Unified Hardware
riscv_rsd	https://github.com/rsd-de		Susumu Mashimo	risc-v	32	32		zynq	Susumu	Mash	28166		6			90			1.00	1.0	3.2			system verilog			Y	yes	N		4G	4G	Y			32			2020	https://www.rsg.(	RISC-V out-of-order superscalar proc	can be synthesized for small FPGAs
ztapchip	https://github.c	stable	Vuony Nguyen	MIPS	32	32		cyclone5	James	Brakef	31331		A	43	578	100	##	q18.0	1.00	1.0	3.2	AX	Y	vhdl	53	ztachip	Y												2015	2015		multi-core with MIPS master	files no longer available, was under developme
tg68	https://opencor	stable	Tobias Gubener	68000	16	16		kintex-7-3	James	Brakef	2331		6			44	##	14.7	0.67	4.0	3.2	X		vhdl	2	TG68_fast	Y	yes	N	N	4G	4G	Y			16		2007	2012		TG68 - execute 68000 Code	for use with Minimig
cpu86	http://www.ht-l	beta	Hans Tiggeler	x86	8	8		kintex-7-3	James	Brakef	3421		6	1		127	##	14.7	0.17	2.0	3.1	X		vhdl	23	cpu86_top	Y	yes	N	N	1M	1M	Y					2002	2018	http://www.ht-lat	8088 clone	ht-labs offers several uP cores
fpgammix	https://github.c	stable	Tommy Thorn	MMIX	64	32		arria-2	James	Brakef	11605		A	8	10	94	##	q13.1	1.50	4.0	3.0	A		system	3	core	Y	yes	Y	Y	16Q	16Q	Y	256		288		2006	2014	https://en.wikipe	clone of Knuth's MMIX	micro-coded
kpu	https://github.c	alpha	Andrea Corallo	RISC	32	32		kintex-7-3	James	missin	6178		6	3		19	##	14.7	1.00	1.0	3.0	X	Y	verilog	19	kpu	Y	yes	N	Y	4G	4G				32		2016	2018	http://andreacora	KPU is a minimal system on chip written used as testbench for the KPU core	
a-z80	https://github.c	stable	Goran Devic	Z80	8	8		cyclone-2	Goran	Devic	2084		4		29	19	##	q11.1	0.33	1.0	3.0	AX		verilog	24	z80_top_(	Y	yes	N	N	64K	64K	Y					2014	2020	https://github.cor	gate level reverse eng'd Z80	Complete implementation of a Sinclair ZX Spec
milkymist	https://github.c	stable	Sebastien Bourdeaudu	LM32	32	32		spartan-6	James	failed	13531		6	31	78	50	##	14.7	0.80	1.0	3.0	X	Y	verilog	169	system	Y	yes	N	Y	4G	4G	Y			32	6	2007	2014	https://en.wikipe	uses LM32, uses Spartan-6 IO	failed in mapper
riscv_fwrisc	https://github.com/mball		Matthew Balance	risc-v	32	32		igloo2	Matthew	Bala	1060		4			20	##		1.00	6.7	2.8	AL		system	8	fwrisc_fpg	Y	yes	N		4G	4G	Y	45		32		2018	2018	https://opencores	featherweight entry 2018 RISC-V con	0.15 DMIPS/MHz
z8086	https://github.com/nand2		nand2mario	x86	32	8		artix7	James	Brakef	1865	573	6		33	75	##	v25.2	0.67	10.0	2.7	AGX		system	6	z8086_top	Y	yes	N	N	1M	1M	Y						2025	https://nand2mar	8086 Core Powered by Original Micro	project files
rf6809	https://opencores.org/pr		Robert Finch	6809	8	8		artix-7	Robert	Finch	4200		6		4	120	##	v21.2	0.33	4.0	2.4	X	Y	system	21	rf6809	Y	yes	N		16M	16M	Y	44	13	8		2022	2024	http://www.finitr	Different from rtf6809: 24-bit adrs, o	8-bit version, has inst. Cache
rf6809	https://opencores.org/pr		Robert Finch	6809	12	12		artix-7	Robert	Finch	6500		6		5	120	##	v21.2	0.50	4.0	2.3	X	Y	system	21	rf6809	Y	asm	N		64G	64G	Y	44	13	8		2022	2024	http://www.finitr	Different from rtf6809: 36-bit adrs, o	12-bit version, has inst. Cache
v586	https://opencor	beta	Jose Rissetto	x86	32	8		kintex-7-3	James	Brakef	22282		6	12	16	102	##	14.7	1.00	2.0	2.3	X		verilog	22	v586	Y	yes	N		1M	1M	Y					2014	2016	https://github.cor	MMU & caches, branch cache	www.youtube.com/channel/UCNbm8Bah54cw
mc8051	http://www.ore	stable	Helmut Mayrhofer	8051	8	8		kintex-7-3	James	Brakef	3022		6	1		83	##	14.7	0.33	4.0	2.3	X		vhdl	49	mc8051cc	Y	yes	N	N	256	64K	Y					1999	2013	www.oreganosyst	fast 8051, version available with floating-point by David Lundgren	
classic_HP_calc	https://github.c	stable	Brian Nemetz	accum	56	10		kintex-7-3	James	Brakef	1750		6		3	233	##	14.7	0.17	10.0	2.2	X		vhdl	15	classichp_	Y		N		30	4K	N	40		7		2012			processor & ROMs for HP-55, 45 & 35	includes LED display driver & UART, for Papilio
altium/TSK80x	http://techdocs	proprietar	Altium	Z80	8	8		spartan-3	Altium		2558	300	4			50			0.33	3.0	2.2	ALX		proprietary			Y	yes	N	N	64K	64K	Y					2004	2017	CR0140.pdf, CR01	frozen, asm, C, C++, schem, VHDL & V	clock is 50MHz, #s for other fpgas
s1_core	https://opencor	stable	Fabrizio Fazzino etal	SPARC	64	32		kintex-7-3	James	Brakef	52845		6	8	59	56	##	v14.1	2.00	1.0	2.1	AX		verilog	136	s1_top	Y	yes	N	Y	4G	4G	Y			32		2007	2012	https://en.wikipe	reduced version of OpenSPARC T1	Vivado run
bfcpu	http://www.cliff	stable	Clifford Wolf	Turing	8	3		kintex-7-3	James	Brakef	422		6			345	##	14.7	0.01	4.0	2.0	X	B	vhdl	4	cw6671	Y	yes	N	N	64K	64K	Y	8				2003	2003	https://en.wikipe	no accum, data pointer and bracketed	current version & earlier version
copro6502	https://github.c	stable	David Banks	pdp11	16	16		spatan6-9	James	Brakef	3689	947	6	1	16	33	##	14.7	0.67	3.0	2.0	X	Y	vhdl, Verilog		PDP11.xis	Y	yes			64K	64K	Y	70	13	8		2014	2019	https://stardot.or	PDP11	max'd out block RAM
i8051	https://github.c	stable	Tony Givargis	8051	8	8		kintex-7-3	James	see da	1960	1339	6		0.5	48	##	v24.1	0.33	4.0	2.0	X		vhdl	9	i8051_all	Y	yes	N		64K	64K	Y					1999	2016	https://ics.uci.edu	author has book & course	Embedded System Design: A Unified Hardware
neo430	https://opencor	alpha	Stephan Nolting	MSP430	16	16		ice40	Stephan	Nolt	1812	755	4		6	20	##	LR	0.67	4.0	1.9	ALX	Y	vhdl	19	neo430_t	Y	yes	N		28K	32K	Y			16		2015	2024	https://github.cor	website has detailed resource unti	minimal configuration
hd63701	https://opencor	planning	Tsuyoshi Hasegawa	6801	8	8		spartan-6	James	Brakef	1412		6	1	3	31	##	14.7	0.33	4.0	1.8	X		verilog	6	HD63701_CORE		N	N	N	64K	64K	Y					2014			Used in Atari game console, 6801 clone?	
system68	https://opencor	stable	John Kent, David Burre	6801	8	8		spartan-3	James	Brakef	2235		4		4	46	##	14.7	0.33	4.0	1.7	X	Y	vhdl	21	cpu68	Y	yes	N	N	64K	64K	Y					2003	2009	http://members.o	ptushome.com.au/jekent/	
k68	https://opencor	alpha	Shawn Tan	68000	16	16		kintex-7-3	James	Brakef	2392		6			24	##	14.7	0.67	4.0	1.7	X		verilog	15	k68_cpu	Y	yes	N	N	4K	4G	Y			16		2003	2009		68K binary compatible	

_uP_all_soft folder	opencores or prmary link	status	author	style / clone	data sz	inst sz	FPGA	reporter	comments	LUTs ALUT	Dff	LUT?	mults	blk ram	F max	date	tool ver	MIPS /inst	clks/ inst	KIPS /LUT	vendor	SOC	src code	#src files	top file	doc	tool chain	fltg pt	Hav'd	max dat	max inst	byte adrs	# inst	adr mod	# reg	pipe len	start year	last revis	secondary web link	note worthy	comments
m2cpu	https://github.com/ZakSN		Zakary Nafziger	cisc	8	8	max10	Zakary Nafzig		3504	1058	4		56	106	##	q22.1	0.33	6.0	1.7	A		vhdl	27	m2cpu_to	Y	asm	N		64K	64K	Y	75	4	7		2016	2018		micro-coded 8-bitter with 75 instruct	Quartus project files, vga output
v65c816	https://github.com/RyuKo		Valerio Venturi	6502	8	8	cyclone-IV	Valerio Ventu		1693		4			25			0.33	3.0	1.6	A		vhdl	26	v6502	Y	yes	N	N	64K	64K	Y					2011	2023	https://opencores	6502 with extras: 16-bit stack pointer	https://www.youtube.com/watch?v=K3jH-
edge	https://opencor	alpha	Hesham ALMatary	MIPS	32	32	spartan-6	James Brakef		5345		6	7	1	8	##	14.7	1.00	1.0	1.5	X		verilog	30	edge_core	Y	yes	N	N	4G	4G	Y			32	5	2014	2014		Edge Processor (MIPS)	MIPS1 clone
altium/TSK51A	http://techdocs.p	roprietar	Altium	8051	8	8	spartan-3	Altium		1890	482	4		1	50			0.33	6.0	1.5	ALX		proprietary			Y	yes	N	N	64K	64K	Y					2004	2017	CR0140.pdf, CR01	frozen, asm, C, C++, schem, VHDL & V	clock is 50MHz, #s for other fpgas
ao486	https://opencor	beta	Aleksander Osman	x86	32	8	cyclone-4	James Brakef		36094		4	4	47	46	##	q13.1	1.00	1.0	1.3	A	Y	system	85	ao486	Y	yes			4G	4G	Y					2014	2014	https://www.stuff	complete 486, SoC configuration	Henry Wong thesis at U.Toronto, also youtube
suska-III	http://www.exp	beta	Wolfgang Forster	68000	16	16	arria-2	James Brakef		7388		A			55	##	q13.1	0.67	4.0	1.3	A		vhdl	11	wf68k00ip	Y	yes	N	N	4G	4G	Y			16		2003	2013		for use as an Atari ST	
rtf6809	https://github.c	alpha	Robert Finch	6809	8	8	kintex-7-3	James	many	7506		6	1	2	106	##	14.7	0.33	4.0	1.2	X		verilog	4	rtf6809	Y	yes	N	N	64K	64K	Y	44	13	8		2012	2015	http://www.finitre	6809 with 32-bit "FAR" addressing	see also rf6809 variant
sp-i586	https://github.c	stable	Lini Mestar	x86	32	8	kintex-7-3	James Brakef		32144		6	4	28	73	##	14.7	1.00	2.0	1.1	X		verilog	37	top_sys	Y	yes	Y		4G	4G	Y					2016	2016	http://lmeshoo.ne	gate level dsgn, vivado project also	http://img.youtube.com/vi/2W1guyhCIuE/0.jp
riscv_picorv32	https://github.c	beta	Clifford Wolf	risc-v	32	32	GW1NR-9	Jean-L	large	8594	5278	4	2	32	27	##		1.00	3.0	1.0	X	Y	verilog	1	picorv32	Y	yes	N		4G	4G	Y			32		2016	2022	https://www.cnx-	mimimal features, soc options	inclueds all peripherals
mist1032	https://github.c	errors	Takahiro Ito	RISC	32	32	cyclone-1	James	altera	33251		4	4	138	32	##	q18.0	1.00	1.0	1.0			verilog	100	mist1032isa					4G	4G	Y			64			2015		high pin count	mist32 uP: inorder version
btsr1arch	https://github.c	alpha	Brendan Bohannon	CISC	64	16	artix-7	James Brakef		29964	15823	6	26	108	58	##	v24.2	1.00	2.0	1.0	X		verilog	149	topunit	Y	yes	Y	N	256T	256T	Y	64		32		2018	2024	https://www.yout	64-bit regs, 16x inst, 48-bit VM	BJX2 is superset of BtSR1, 4 data sizes
neo430	https://opencor	alpha	Stephan Nolting	MSP430	16	16	ice40	Stephan Nolt		3928	1923	4		6	20	##	LR	0.67	4.0	0.9	ALX	Y	vhdl	19	neo430_to	Y	yes	N		28K	32K	Y			16		2015	2024	https://github.cor	website has detailed resource unti	default config, includes true RNG
cpu65c02_true	https://opencor	stable	Jens Gutschmidt	6502	8	8	spartan-6	James	latch v	4794		6			47	##	14.7	0.33	4.0	0.8	X		vhdl	8	core		yes	N	N	64K	64K	Y					2008	2018		cycle accurate	
btsr1arch	https://github.c	alpha	Brendan Bohannon	CISC	64	16	artix-7	James Brakef		55967	23767	6	52	112	75	##	v23.2	1.00	2.0	0.7	X		verilog	149	topunit	Y	yes	Y	N	256T	256T	Y	64		32		2018	2024	https://www.yout	64-bit regs, 16x inst, 48-bit VM	BJX2 is superset of BtSR1, 4 data sizes
nyuzi_gpu	https://github.c	stable	Jeff Bush	GPGPU	32	32	artix7	James	missin	82767	38457	6	64	17	50	##	v23.2	1.00	1.0	0.6	AX	Y	system	70	nyuzi	Y	yes	Y		4G	4G	Y	80		64		2015	2024	https://github.cor	32 scalar & 32 vector reg	should run on either altera or xilinx
aoocs	https://github.c	beta	Aleksander Osman	68000	16	16	arria-2	James Brakef		17852		A	2	43	57	##	q18.0	0.67	4.0	0.5	A	Y	verilog	22	aoOCS	bm	yes	N		4G	4G	Y					2010	2011		uses ao68000 core, Amiga chip set en	Wishbone Amiga OCS SoC
riscv_percival	https://github.com/artecs		ArTeCS (Un Madrid)	risc-v	64	32	kintex7	ArTeCS	largest	57129	27996	6			50		v20.2	1.00	2.0	0.4	X		system	~60		Y	yes	N		16E	16E	Y			32		2017	2022	https://github.cor	Open-Source Posit RISC-V Core with Quire Capability, cav6(AKA Ariane) derivative	
SYNtzulu	https://github.c	e risc-v/so	Gianluca Leone	risc-v	32	32	ice40	Gianlu	4 large	3473		4	2	21	24			2.00	32.0	0.4	L	Y	verilog	56	Syntzulu	Y	yes	N		4G	4G	Y	45		32			2025	https://ieeexplore	Tiny RISC-V(serv)-crtld **SNN**: processing 4 synapses & 1 neuron per clock cycle **(spi**	
z386	https://github.com/nand2		nand2mario	x86	16	8	cyclone-V	nand2mario		18000	5000	A		15	85			0.67	10.0	0.3	AG		system	16	z386	Y	yes	N	N	1M	1M	Y						2026	https://hackaday.	Open-Src 80386 using Orig ucode	cache, see z386 and ao486 section
aoocs	https://github.c	beta	Aleksander Osman	68000	16	16	cyclone-1	James Brakef		26009		4	2	67	45	##	q18.0	0.67	4.0	0.3	A	Y	verilog	22	aoOCS	bm	yes	N		4G	4G	Y					2010	2011		uses ao68000 core, Amiga chip set en	Wishbone Amiga OCS SoC
z486	https://github.com/nand2		nand2mario	x86	32	8	kv260	nand2mario		41290	13036	6	19	26	100	##	v26.1	0.67	10.0	0.2	AX	Y	system	57	z486	Y	yes	Y		4G	4G	Y			16			2026	https://github.cor	core delivers 486DX2-66-class perf	see nand2mario.github.io/posts/2026/z486/ fo
z486	https://github.com/nand2		nand2mario	x86	32	8	de10nano	nand2mario		24411	15696	A	12	92	58	##	q26.1	0.67	10.0	0.2	AX	Y	system	57	z486	Y	yes	Y		4G	4G	Y			16			2026	https://github.cor	core delivers 486DX2-66-class perf	from a0486, both z486 & z486_mister

122	# usable(beta, stable or m		13	60		1	blank			674		#			674	#	36			1	verilog	292	non-blank	512	45			439	42		27								
42	"B" or "X" of limited interest			673		674														674	vhdl	284	asm	110	Web page DMIPS p	en.wikipedia.org/wiki/Instructions_per	community.freesc	www.eembc.org/coremark/index.php												
MIPS/MHz Pro-rating for data size:						50	zu-3e														sys verilog	35	forth	10	DMIPS per clock for many microprocessors:		http://en.wikipedia.org/wiki/Instructions_per_second												
1-bit	0.04	16-bit	0.67	64-bit	2.00																proprietary	23																	
4-bit	0.17	24-bit	0.80	**Silicon Area equivalents**	**6LUT or ALUT ~= 1.5 4LUT**																scala	15																	
8-bit	0.33	32-bit	1.00	LUTS/DSP48	16:1																schematic	13																	
12-bit	0.40	48-bit	1.50	LUTS/Block RAM	32:1																vhdl, verilog	7																	
Under the assumption that the core is capable of one instuction per clock									**410 Unique folders in this sheet**																																

77	_paper_only
60	educational
25	_weak_start
8	_up_cores
27	in limbo
10	planning
81	simulation
573	main+sim
492	net main
639	total

428	VHDL
476	Verilog
82	System Verilog
28	Spinal/Scala
19	VHDL, Verilog
3	MyHDL
38	proprietary
14	other
33	Schematics
1121	total

https://github.com/fayalalebrun/awesome-spinalhdl (17) scala/spinal CPUs

418 designs with FOM (KIPs/LUT) results (some duplicates due to multiple FPGA runs)
385 designs with best FOM (likely true measure of # of usable designs)

Column Titles	Details
"A"	A: 1st choice clone, B: 2nd choice clone, W: 1st choice original, X: 2nd choice original
"B"	used to indicate best KIPS/LUT for a given design, usually using fast FPGA family
cat	main, educational, planning, simulation, paper, in limbo or weak
_uP_all_soft folder	if opencores design is their folder name, otherwise my folder name
opencores or primary link	about 200 designs in open cores, about 100 in github
status	ASIC, paper (detailed in), planning (no source), alpha, beta, stable, mature, proprietary, untested; incomplete, educational typically <16 instructions, simulation
author	First Name, Last Name or university or corporation
style / clone	part number or "forth", RISC, accumulator, etc. "asic" indicates: avail as asic & fpga, an asic netlist source or a hard core within fpga chip
data size	data register size in bits
inst size	shortest instruction size in bits
FPGA	FPGA family for compile, place, route & timing, usually using fastest part grade
reporter	First Name, Last Name
comments	compile, place, route & timing problems
LUTs ALUT	total number of LUTs, ALUTs or tiles used including route-thrus & otherwise unavailable
Dff	total number of DFFs
LUT?	4-LUT, 6-LUT, Altera ALUT, Actel Tile
mults	total number of multipliers/DSPs used; 9x9 multiplier counts divided by two and rounded up
blk RAM	total # of block RAMs used, Xilinx half block RAM counts divided by two and rounded up
Fmax	maximum primary clock speed from compile, place & route run with best clock constraint, fastest part, best die temp
date	date of compile, place & route; serves to identify source version
tool ver	Altera (**Q**uartus), Xilinx (ISE, **V**ivado), Lattice Semiconductor(**Di**amond) or MicroSemi(**Li**bero) tool version number
MIPS /inst	prorated DMIPS per instruction, reduced for data word sizes under 32-bits, greater than one for multiple issue processors
clks/ inst	number of clocks per instruction, typically 1.0 for modern pipelined processors, subjective for older uP
KIPS /LUT	figure of merit, does not include effects of memory capacity, floating point or instruction set quality
Vendor	Vendors for which design builds: Actel: Libero, Intel(Altera): Quartus; Latticesemi: Diamond & iCEcube, Xilinx: ISE & Vivado
SOC	B: bare core (no RAM connections or memory access delay), Y: System on a Chip (has peripherals)
src code	VHDL or Verilog or System Verilog or schematic or gates or Proprietary or Scala etc
# src files	number of source files for compile, place, route & timing; includes test benches
top file	top file for compile, place, route & timing run, multiple versions of same design distinguished here
doc	is documentation provided?
tool chain	is there a compiler or assembler provided or available
fltg pt	does the compile, place, route & timing run include floating point?
Hav'd	H: separate instruction and data memory(s), 2C: # caches, M: MMU, N: von Neuman (single memory bus)
max data	maximum data address
max inst	maximum instruction address
byte adrs	is byte addressing provided
# inst	number of unique instructions, conditionals count as one instruction, somewhat subjective
# adr modes	abs, imm, PC rel, indexed, reg-reg indexed; stack, indir, indir++, --indir; (indir), (indir++), (--indir), (indexed), abs-short/direct page, scaled
# reg	number of registers in register file
pipe len	number of pipeline stages
start year	year of first design activity
last revis	last year for revisions or web page updates
secondary web link	secondary web address
note worthy	anything special about the design