

Data Science, AI, and Machine Learning in Public Health using R

Part 2

January 2026

Presented By: Wronski Associates

Working in Posit Cloud

Tasks:

- Create a posit.cloud account
- Install packages for other code (installs.R).
- Set an Anthropic API key (provided by instructor)
- Generate R code in Claude (math.R).
- Run the generated code (math.R) in posit.cloud

Create an account



[Log In](#) [Sign Up](#)


Friction free data science

Posit Cloud lets you access Posit's powerful set of data science tools right in your browser – no installation or complex configuration required.


[GET STARTED](#)

[ALREADY A USER? LOG IN](#)

If you already have a shinyapps.io account, you can [log in](#) using your existing credentials.



Select the Free option



Enter account information

Sign Up for Cloud Free

\$0 / forever

Questions? [Contact Us.](#)

If you make limited, occasional use of Posit Cloud, have access to an organization account, or just want to explore Cloud to see if it's right for you, our Cloud Free plan is all you need.

[Sign Up](#)

Verify email

Verify Your Email

We sent a link to verify your email address to

Please go to your email and click
that link to verify that we have your correct email
address - then return to this page and press
Continue.

Continue

Wrong email address? [Update your email](#)

Didn't get the email? You can [resend the link](#), but
you should also make sure our email didn't end up in
your spam folder.

Posit.cloud workspace

The screenshot shows the Posit.cloud workspace interface. The left sidebar contains navigation links for 'Spaces', 'Learn', 'Help', and 'Info'. The main content area is titled 'Your Workspace' and includes tabs for 'Content', 'Usage', and 'About'. The 'Content' tab is selected, showing a sub-section for 'Your Content' with options for 'New Project', 'Archive', and 'Trash'. A message at the top states: 'The ability to publish applications and documents to Posit Cloud is now removed for all users. Please visit [Posit Connect Cloud](#) to support your deployment needs.' The bottom of the page features the 'posit Cloud' logo and links for 'Terms' and 'Status', along with social media icons for Facebook, LinkedIn, Instagram, and GitHub.

Your Content - Your Workspace

posit.cloud/content/yours?sort=name_asc

The ability to publish applications and documents to Posit Cloud is now removed for all users. Please visit [Posit Connect Cloud](#) to support your deployment needs.

posit Cloud JC

Your Workspace JC

Content Usage About

Your Content (0) New Project

ARCHIVE SORT A Z

no content

Spaces

Your Workspace

New Space

Learn

Guide

What's New

Recipes

Cheatsheets

Help

Current System Status

Posit Community

Info

Plans & Pricing

Terms and Conditions

posit Cloud

Terms Status

f in i g

© 2022 Posit Software, PBC


Copy the instructor project

While logged in to your account, paste this link into a url: <https://posit.cloud/content/11680866>

Copy in progress



Save as a permanent copy



Workspace layout

The screenshot displays the posit Cloud workspace interface with several panels:

- Scripting area:** The central workspace where code can be written and run.
- Console:** A panel at the bottom showing the R environment and system status.
- Environment & history:** A panel on the right showing the global environment and history.
- Files available:** A file browser panel showing files in the current project.

Annotations highlight specific features:



- Scripting area:** Labeled "Scripting area" in the center of the workspace.
- Console for results & messages:** Labeled "Console for results & messages" at the bottom left.
- Environment & history:** Labeled "Environment & history" in the top right.
- Files available:** Labeled "Files available" in the bottom right.

The workspace sidebar includes links to "Your Workspace", "Clone_Test", "New Space", "Learn", "Guide", "What's New", "Recipes", "Cheatsheets", "Help", "Current System Status", "Posit Community", "Plans & Pricing", and "Terms and Conditions".

The file browser panel shows the following files:


Name	Size	Modified
.Rhistory	0 B	Dec 29, 2025, 3:28 PM
project.Rproj	205 B	Dec 29, 2025, 3:28 PM
math-backup.R	287 B	Dec 29, 2025, 3:30 PM

New R Script



File → Save As

- From the Menu bar, select File → Save As
- Give the script as name (e.g., test1)
- Press the **Save** button
- The script will appear in the files list.



Install R packages

- In the Files section, click on **installs.R**
- This opens the install code.
- Press **Source** to run the installs. Packages need to be installed in your environment before they can be used.


The screenshot shows the RStudio interface. On the left, the 'Files' panel displays a list of files and folders, including 'installs.R' which is highlighted with a red arrow. The main workspace shows the 'installs.R' script open in the editor, containing the following R code:

```
1 install.packages(c("httr", "jsonlite",
2                      "dplyr", "knitr", "ggplot2",
3                      "httr2", "rvest", "shiny",
4                      "bslib"))
5 install.packages("officer")
```

The 'Source' button in the top toolbar of the editor is also circled with a red oval. Below the editor, the 'Console' tab is active, showing the command 'R 4.5.2 · /cloud/project/'. The 'Environment' tab in the top right shows various global functions. The bottom right corner of the screenshot shows the file list from the 'Files' panel again.


Set the Anthropic API key

- In the Files section, click on **set-key.R**
- This opens the set-key code.
- Put your Anthropic API key in between the double-quotes
 - This key needs to be in place in order to use Anthropic's (Claude) LLMs.
- Press **Source** to set the key.



```
1 Sys.setenv(ANTHROPIC_API_KEY = "sk-ant-api03cm2r49...QEQ6dgAA")  
2
```

From Chat to Code



Prompt: Use the robot hand drawn style. Create an image of images to portray these three steps: prototype in chat tool, chat tool generates code, run code in posit.cloud

Code from Claude

Prompt Instructions

1. I want to provide 2 numbers that you will then multiply together.
2. Generate R code that allows me to interactively enter 2 numbers that will be multiplied together. The results should be displayed in the console.
3. If needed -- Modify the code to use readline

Copy this code if Claude refuses to use readline.


```
# Prompt user for two numbers
num1 <- as.numeric(readline(prompt = "Enter the first number: "))
num2 <- as.numeric(readline(prompt = "Enter the second number: "))
# Multiply the numbers
result <- num1 * num2
# Display the result
cat("The result of", num1, "*", num2, "=", result, "\n")
```

```
r
# Get two numbers from user input
num1 <- as.numeric(readline(prompt = "Enter first number: "))
num2 <- as.numeric(readline(prompt = "Enter second number: "))

# Multiply and display result
result <- num1 * num2
cat("Result:", num1, "*", num2, "=", result, "\n")
```


Create a new R script

- Copy the R code generated by Claude.
- In posit.cloud, select **R Script**. It is the first icon with a plus sign.
- Paste Claude code into posit.cloud
- File → Save As **Math**.
- Press **Source**



Enter values in the console

- Enter the values in the **Console**
- Review the result.




The screenshot shows the RStudio interface with the following components:

- File Menu:** File, Edit, Code, View, Plots, Session, Build, Debug, Profile, Tools, Help.
- Toolbar:** Go to file/function, Addins.
- Script Editor:** Untitled1, installs.R, math-backup.R. The math-backup.R code is:

```
1 # Get two numbers from user input
2 num1 <- as.numeric(readline(prompt = "Enter first number: "))
3 num2 <- as.numeric(readline(prompt = "Enter second number: "))
4
5 # Multiply and display result
6 result <- num1 * num2
7 cat("Result:", num1, "*", num2, "=", result, "\n")
```

- Environment Pane:** Shows objects like records_with_data (1508L), records_without_... (3492L), required_packages (chr [1:5] "httr2" "jsonlite" "dplyr" "tidyR" "g...), and result (15).
- File Browser:** Cloud > project, listing files such as .Rhistory, installs.R, motivation-backup.R, etc.
- Console Tab:** The tab is highlighted with a red box. It shows the command `> source("/cloud/project/math-backup.R")`, followed by user input `Enter first number: 3`, `Enter second number: 5`, and the output `Result: 3 * 5 = 15`.

From Chat to Code



Prompt: Use the robot hand drawn style. Create an image of images to portray these three steps: prototype in chat tool, chat tool generates code, run code in posit.cloud

Bring in data from an external source

Prompt Instructions

1. Read the data from this url and show the first 10 lines. Do not do anything else.

https://raw.githubusercontent.com/jmcody2014/BA/refs/heads/main/diabetic_data1K.csv

Hide steps

Thinking about retrieving and displaying initial dataset rows from a CSV file.

Fetched https://raw.githubusercontent.com/jmcody2014/BA/refs/heads/main/diabetic_data1K.csv githubusercontent.com ↗

Thought process

The user asked me to show the first 10 lines of the data. Let me extract just the first 10 lines from this CSV data.

Here are the first 10 lines of the data:

```
encounter_id,patient_nbr,race,gender,age,time_in_hospital,num_lab_procedures,nur
2278392,8222157,Caucasian,Female,[0-10),1,41,0,1,250.83,?,?,None,No,No,NO
149190,55629189,Caucasian,Female,[10-20),3,59,0,18,276,250.01,255,None,Up,Yes,>30
64410,86047875,AfricanAmerican,Female,[20-30),2,11,5,13,648,250,V27,None,No,Yes,NO
500364,82442376,Caucasian,Male,[30-40),2,44,1,16,8,250.43,403,None,Up,Yes,NO
16680,42519267,Caucasian,Male,[40-50),1,51,0,8,197,157,250,None,Steady,Yes,NO
35754,82637451,Caucasian,Male,[50-60),3,31,6,16,414,411,250,None,Steady,Yes,>30
55842,84259809,Caucasian,Male,[60-70),4,70,1,21,414,411,V45,None,Steady,Yes,NO
63768,114882984,Caucasian,Male,[70-80),5,73,0,12,428,492,250,None,No,Yes,>30
12522,48330783,Caucasian,Female,[80-90),13,68,2,28,398,427,38,None,Steady,Yes,NO
```

What will go into a summary table

Prompt Instructions

2. *What would you put into a summary table for this data?*

What would you put into a basic summary table?

Catalogued dataset variables and identified key summary statistics.



For this diabetic dataset, a basic summary table would typically include:

Dataset Overview:

- Total number of records (rows)
- Total number of variables (columns)
- Missing value counts

Numeric Variables (time_in_hospital, num_lab_procedures, num_procedures, num_medications):

- Count
- Mean
- Standard deviation
- Min / Max



Create a summary table

Prompt Instructions

3. Create a dataset overview and the mean, min and max for the numeric values.
4. Create the summary table and save it as a word document.

=====

DATASET OVERVIEW

=====

Total Records:	105
Total Variables:	16
Numeric Variables:	4
Categorical Variables:	12

=====

NUMERIC VARIABLES SUMMARY

=====

Variable	Mean	Min	Max

time_in_hospital	4.8	1	14
num_lab_procedures	46.5	2	87
num_procedures	1.6	0	6
num_medications	15.3	1	32

Summary table in a Word document

Diabetic Data Summary Table

Dataset Overview

Metric	Value
Total Records	105
Total Variables	16
Numeric Variables	4
Categorical Variables	12

Numeric Variables Summary

Variable	Mean	Min	Max
time_in_hospital	4.8	1	14
num_lab_procedures	46.5	2	87
num_procedures	1.6	0	6
num_medications	15.3	1	32

Code from Claude

Prompt Instructions

5. Convert this process to R code that writes out a word doc.

The screenshot shows a Jupyter Notebook interface. At the top, there's a toolbar with icons for file operations. Below it, a header bar says "url data / Reading CSV data from GitHub URL". The main area contains the following content:

- To run locally:**

```
r  
source("create_summary.R")
```
- A note: "The script reads directly from the GitHub URL, but you can change the path to a local file if preferred."
- A sidebar titled "Artifacts" lists two items:
 - "Create summary" (Code - R)
 - "Diabetic summary" (Document - DOCX)
- A section titled "Project content" shows a single item: "url data" (Created by you).

R isn't available on this system, but here's the R code that will create the Word document. I'll save it as a file you can download and run locally:

A slide titled "2 steps" with a "Presented file" section containing the following text:

```
Devised R script for generating Word documents.
```

Here's the R script that creates the Word document. It uses the `officer` and `flextable` packages which are the standard approach for creating Word docs in R.

Key components:

- 1. Packages:** `officer` (Word doc creation) + `flextable` (formatted tables)
- 2. Process:**
 - Read CSV data
 - Calculate summary statistics
 - Create formatted tables with `flextable()`
 - Build Word doc with `read_docx()` and `body_add_*` functions
 - Save with `print(doc, target = "filename.docx")`

Working in posit.cloud

Instructions

6. Create a new R Script.
7. Copy the code generated by Claude into the new, empty script
8. File → Save As 'diabetes-summary'
9. Press **Source** to run the code.
10. Download the Word document (*diabetic_summary.doc*) and examine it.

The screenshot shows the posit.cloud RStudio interface. The top menu bar includes File, Edit, Code, View, Plots, Session, Build, Debug, Profile, Tools, and Help. The main area has two tabs open: 'diabetes-summary-backup.R' and 'installs.R'. The 'diabetes-summary-backup.R' tab contains R code for generating a summary report. The 'installs.R' tab is currently active. The bottom console window shows the command `source("./cloud/project/diabetes-summary-backup.R")` being run, with the output "Document saved to: diabetic_summary.docx". On the right side, there is a file browser titled 'Cloud > project' showing files like '.Rhistory', 'agent-demo-backup.R', 'agent-report-summary.R', 'bethany1.R', 'cdc_first_50_rows.csv', 'create-data.R', 'diabetes-summary-backup.R', 'diabetic_summary.docx', and 'installs.R'. The status bar at the bottom right indicates 'R 4.5.2'.

Exercise

Instructions:

1. In the same project, begin a new chat.
2. Remind Claude not to create or run any code until you say it is ok to do so.

3. Ask Claude to:

- a. Use this url to read the data -

https://raw.githubusercontent.com/jimcody2014/BA/refs/heads/main/diabetic_data101k.csv

- b. This is the same data but has 101K rows.
- c. Display the first 10 rows of data as a table.
- d. Explain how it would go about identifying anything important or interesting in the data.
- e. Ask you 3 important questions before proceeding. Remind Claude to ask them one at a time.
- f. Once you are satisfied, ask Claude to proceed with its analysis.

g. **Note:** Within the tool, code will be written using python. Don't worry, we will have Claude convert to R.

4. Tell Claude you want the code converted to R and you will run it locally.
5. Copy and paste the code into a new posit.cloud R Script. Save as 'diabetes-analysis'.
6. Test to see if it runs. Ignore any warning messages at the end

Create code that uses machine learning

Instructions:

1. Create a new project named **Using ML**. All chats for this walkthrough will be in this project.
2. Add an instruction to the project. (Adjust as you see fit)

a. I am a public health professional with little technical and programming experience.

3. Ask Claude to:

a. Read the data from this url and tell me how many rows are available. Do not generate any other code until I tell you it is ok to do so.

https://raw.githubusercontent.com/jimcody2014/BA/refs/heads/main/diabetic_data101k.csv

b. Using the downloaded data, give me 3-4 suggestions about how I can go about predicting whether the next patient we encounter will be re-admitted.

c. Are any of these approaches non-ml algorithms?

d. For the ML suggestions, give me a few bullet points for each describing pros and cons.

e. What do you need to know from me in order to use XGBoost?

i. Mine returned 4 questions

ii. If you do not understand what Claude is asking for, ask it for an explanation.

f. Proceed with building the model.


i. **This will take a few minutes.**

g. Convert this code to R. **Do not try to run the R code.** Prepare a file for me and I will run it locally.

h. Look at the code to make sure it is usig the url to get the data. If it is not, tell Claude to use the url.

4. Copy and paste the code into posit.cloud. Name the file predict-readmit. Run the code

Applying AI: From Directive to Problem Statement



“Use AI” is not a problem statement—it’s a solution looking for a problem. That is a clarifying statement, not a criticism. Before we can evaluate whether AI is appropriate, we need to articulate what we’re actually trying to accomplish.

Common Ways Directives Arrive (and How to Unpack Them)

Directives come in predictable flavors; each has a different underlying question to surface.

Directive Type	Example	Underlying Question to Surface
Vague area	"We should use AI to improve disease surveillance."	What specific outcome? Measured how? What's not working now?
Task-based	"Can AI help us with our AI project backlog?"	What's causing the backlog? What decisions are being delayed? What would "helped" look like?
Peer pressure	"Other states are using AI for fraud detection —we should look into that."	Is our context similar? Do we have the same problem? The same data?
Buzzword-driven	"Let's use AI to be more data-driven."	What decisions aren't currently informed by data? What would change if they were?
Solution-embedded	"We need a chatbot for routine public inquiries."	What problem is the chatbot solving? High call volume? Long wait times? Repetitive questions?

The Anatomy of a Good Problem Statement

A good problem statement is specific, outcome-focused, and solution-agnostic.

A complete problem statement answers:

1. What decision or action will this inform?

- Not "improve outcomes" but "identify which patients to prioritize for outreach"
- Not "be more efficient" but "reduce time spent manually categorizing incoming requests"

2. Who needs the output and when?

- Is this for frontline staff making daily decisions? For leadership reviewing quarterly trends? For an annual report?
- Real-time? Daily batch? One-time analysis?

3. What does success look like?

- How will you know it worked?
- Is there a measurable target? (e.g., "reduce no-show rate from 28% to 20%)
- What's the counterfactual—what happens if this isn't done?

4. What's the current state?

- How is this handled today?
- What's the baseline performance?
- Why isn't the current approach working?

Example Transformation

Before

"Use AI to reduce no-shows at WIC clinics."

After

"Identify WIC participants likely to miss their upcoming appointment so clinic staff can send targeted reminders 48 hours in advance. Success = reduce no-show rate from 28% to 20% within 6 months. Currently, reminders are mailed to everyone 3 days before."

Red Flags in Problem Framing

Some problem framings are warning signs that more work is needed before proceeding.

Red Flag	Example	Why It's a Problem
No clear outcome	"Make things better" / "Improve quality"	You can't measure success; you can't define what AI would produce.
Solution embedded	"We need a chatbot" / "Build a predictive model"	You've skipped problem definition; you may be solving the wrong thing.
Too broad	"Improve public health" / "Reduce costs"	There's no specific decision or action; this is a goal, not a problem.
Too narrow (premature)	"Predict which of our 50 clients will default"	The volume may not justify AI; you've scoped before understanding.
Unmeasurable	"Make staff feel more supported"	You can't define or detect success.
No baseline	"We want to be faster"	Faster than what? How fast is it now?

The Reframing Conversation

Reframing isn't just an internal exercise. It often requires a conversation with the person who issued the directive.

- Pushing back on framing can feel risky, but it's essential.
- The goal isn't to say "no". It's to say "let me make sure I understand what we're trying to accomplish."
- Reframing is part of the process.

"I want to make sure we're solving the right problem. Can you tell me more about what's not working today?"

"When you say 'improve X,' what would that look like if it worked? How would we know?"

"Other states are doing this—do we know if their situation is similar to ours?"

"If we had a perfect solution, what would you do differently tomorrow?"


From Directive to Problem Statement Summary

Component	Key Takeaway
Why "use AI" isn't a starting point	AI is a tool; surface the underlying pain point
How directives arrive	Recognize the type; have questions ready
Anatomy of a problem statement	Four elements: decision, audience/timing, success, current state
Red flags	Spot vague, embedded, or unmeasurable framings
The reframing conversation	Have language to push back diplomatically

Draft AI Directives (20 minutes in breakout rooms)

The following statements represent high-level, intentionally vague directives intended for staff to translate into well-scoped projects. Select 2 - 3 statements and add context to make them more specific. Bullet points are ok for this exercise.

1. Use AI to make our reports faster.
2. Figure out how AI can help detect problem signals early.
3. Create something that uses AI to help states submit better data.
4. Develop an AI tool that can answer questions about problem patterns.
5. Look into AI for automating routine tasks in the branch.
6. Build an AI system that reads every email we get and automatically tells us what to do with it. == Applying AI: The Problem Triage Framework (Triage)



Is There a Clear Outcome or Decision?

If you can't define what success looks like or what decision the AI would inform, stop here.

- This is the first gate. Without a clear outcome, everything else is speculation.
- The outcome should be specific: what exactly will the model produce?
- The outcome should be tied to a decision or action: who will use this output, and for what?
- Vague outcomes ("improve things," "be more efficient") are red flags.

Diagnostic Questions

Question	What You're Looking For
What would the model output?	A specific prediction, classification, score, or generated content
What decision does this inform?	A concrete action someone would take based on the output
Who uses the output?	A named role or team with capacity to act
How would you know it worked?	A measurable change in outcomes, efficiency, or accuracy

Clear vs. Unclear Outcomes

Clear Outcome

Flag patients with >50% probability of 30-day readmission

Classify emails as complaint, question, or compliment

Generate a first draft of the weekly surveillance summary

Unclear Outcome

Improve patient outcomes

Make the inbox more manageable

Help with reporting

Go/No-Go:

- **Go:** You can write a sentence: "The model will produce [X] so that [person/team] can [decision/action]."
- **No-Go:** You cannot complete that sentence, or it's vague.

Is There Data—and Is It Accessible?

No data, no ML. But "data exists" isn't enough—you need data you can actually get your hands on.

- AI learns from examples. You need historical data that includes both the inputs (features) and the outcomes (labels).
- Existence isn't enough: the data must be accessible, usable, and of sufficient quality.
- Common blockers: data is in another system, requires legal agreements, is on paper, or has quality issues.

Diagnostic Questions

Question	What You're Looking For
Does the data exist?	Confirmed, not assumed
Where does it live?	Specific system, database, or files
Who controls access?	Named owner or governance process
What approvals are needed?	Data use agreements, IRB, legal review
Does it include the outcome?	The thing you're trying to predict must be recorded
How much data is there?	Thousands of examples is usually a minimum
What's the quality?	Completeness, consistency, accuracy

Common Data Blockers

Blocker	Example
Data doesn't exist	"Success" was never tracked; outcome is undefined
Data exists but is inaccessible	Records are in another agency's system with no data-sharing agreement
Data is on paper or in PDFs	Would require manual extraction or OCR
Data is too sparse	Only 50 examples of the outcome in 5 years
Data quality is poor	Inconsistent coding, missing fields, duplicates
Data doesn't include the outcome	You have inputs but not what happened next

Go/No-Go:

- **Go:** Data exists, is accessible, includes the outcome, and has reasonable quality and volume.
- **No-Go:** Any of the above blockers are present and can't be resolved.

Is There a Pattern to Learn?

AI finds patterns. If the phenomenon is random, rare, or driven by factors not in your data, AI won't help.

- AI needs signal—a relationship between inputs and outcomes that holds across examples.
- If the outcome is essentially random, or driven by factors you can't measure, there's no pattern to learn.
- If the outcome is extremely rare, there may not be enough examples to learn from.
- If the underlying process has changed, historical patterns may not apply.

Diagnostic Questions

Question	What You're Looking For
Is there reason to believe inputs relate to the outcome?	Prior research, domain knowledge, or exploratory analysis
Is the outcome common enough?	Enough positive and negative examples to learn from
Is the process stable?	Patterns from the past are likely to hold in the future
Are the drivers in your data?	The factors that influence the outcome are captured

Warning Signs

Warning Sign	Example
Outcome is essentially random	Predicting lottery numbers
Outcome is extremely rare	3 events in 20 years
Key drivers aren't in the data	Compliance depends on family support, which isn't recorded
Process has shifted	Policy change makes historical patterns obsolete
Adversarial context	Fraudsters adapt once they know you're predicting

Go/No-Go:

- **Go:** There's reason to believe a learnable pattern exists, the outcome is common enough, and the process is stable.
- **No-Go:** The outcome is random, too rare, or the drivers aren't in your data.

The Problem is Repeatable. Wait.... What?

AI shines when you need to make similar decisions many times. One-off analyses rarely justify the investment.

One-off analyses rarely justify the investment → Is this really true?

- Building, validating, and deploying AI takes effort. That effort pays off when making the same type of decision repeatedly.
- One-time questions ("Why did the rate of rural hospital closings increase so dramatically last year?") are often better answered with traditional analysis.
- Repeatability also means the problem will keep occurring. There is ongoing value, not just a one-time fix.

High Repeatability (Good for AI)

Triage 500 incoming applications per week

Flag high-risk patients daily

Classify 10,000 public comments on a rule

Predict monthly caseload

Low Repeatability (Probably Not AI)

Decide whether to open a new regional office

Investigate why one clinic has high turnover

Write the agency's strategic plan

Explain a one-time budget shortfall

Is the Effort Justified?

Could a simpler rule, checklist, or existing process accomplish the same thing? Is the problem high-volume or high-stakes enough to warrant the investment?

- AI projects aren't free. They require data preparation, model development, validation, deployment, and ongoing maintenance.
- The investment should be proportional to the value.
- Sometimes a simple rule or manual process is good enough—or even better.

Diagnostic Questions

Question	What You're Looking For
What's the volume?	How many decisions per week/month/year?
What's the cost of the current process?	Staff time, errors, delays
What's the cost of errors?	Consequences of getting it wrong
Could a simple rule work?	Can an expert write down the logic?
Is the improvement worth the investment?	Realistic estimate of benefit vs. cost

When AI May Not Be Justified

Situation	Better Alternative
Low volume (dozens per year)	Manual review
Logic is simple and documented	Rule-based system or checklist
Current process works well	Don't fix what isn't broken
Marginal improvement expected	Invest elsewhere
One-time analysis	Traditional statistics or manual review

Go/No-Go:

- **Go:** The problem is high-volume, high-stakes, or high-cost, and simpler alternatives won't suffice.
- **No-Go:** A simpler approach would achieve most of the benefit at a fraction of the cost.

Can You Act on the Output?

A prediction is useless if there's no intervention pathway. Knowing the answer must change what you do.

- This is often the forgotten question. People get excited about prediction without asking: "Then what?"
- Actionability requires: someone who will act, capacity to act, an intervention that works, and a process to deliver the output.
- If you can't act—due to capacity, authority, or policy—the AI output is wasted.

Diagnostic Questions

Question	What You're Looking For
What would you do with the output?	Specific intervention or decision
Who would act on it?	Named role or team
Do they have capacity?	Staff time, resources, bandwidth
Is there an intervention that works?	Evidence that the action improves outcomes
Is there a process to deliver the output?	Integration into workflow

Actionability Failures

Failure	Example
No capacity	Model flags 500 patients, but only 2 care coordinators available
No authority	Model identifies fraud, but only another agency can investigate
No intervention	Model predicts turnover, but there's no retention program
No integration	Output sits in a report no one reads
Staff override	Recommendations are routinely ignored

Go/No-Go:

- **Go:** There's a clear action, a capable actor, and a process to deliver the output.
- **No-Go:** Any link in the action chain is broken.


Putting It Together: The Triage Decision

The five questions form a sequential filter. Failing any one is a reason to pause—not necessarily to stop forever, but to address the gap.

#	Question	Go	No-Go
1	Is there a clear outcome or decision?	Can articulate output and decision	Vague or undefined
2	Is there data—and is it accessible?	Exists, accessible, includes outcome	Missing, inaccessible, or poor quality
3	Is there a pattern to learn?	Learnable, common enough, stable	Random, rare, or shifted
4	Is the effort justified?	High-volume, high-stakes, no simpler way	Low volume or simple rule works
5	Can you act on the output?	Clear action, capable actor, integrated	No capacity, authority, or pathway

Applying AI: When AI is Overkill or Wrong

Knowing when **not** to use AI is as valuable as knowing when to use it.



When a Simple Rule Works

If the logic can be written as a flowchart or a few IF-THEN statements, AI is not needed. Explainability and maintainability favor simple rules.

- AI is powerful when patterns are complex and hard to articulate. But many decisions follow straightforward logic.
- Rules are transparent, easy to audit, and easy to change.
- AI adds complexity, maintenance burden, and opacity—only justified when rules can't capture the pattern.

Signs a Rule Might Be Enough

Situation	Example
Logic is already documented	Eligibility criteria for a benefit program
Decisions follow a checklist	Inspection pass/fail based on defined criteria
Experts can articulate the logic	"If A and B, then X; otherwise Y"
Exceptions are rare and known	A few edge cases that can be handled manually

Questions to ask:

- Can a subject matter expert write down the decision rules?
- How often do exceptions occur that the rules can't handle?
- Would a decision tree or flowchart capture 90% of cases?

When You Need to Explain the "Why"

If the primary goal is understanding causal mechanisms or defending a decision in a legal or policy context, classical statistics may be more appropriate than AI.

- AI optimizes for prediction, not explanation. Many models (especially deep learning) are "black boxes."
- Some contexts require explainability: legal proceedings, regulatory compliance, public accountability, clinical decision-making.
- Classical statistics—regression, hypothesis testing—is designed to quantify relationships and attribute effects.

When Explanation Matters More Than Prediction

Context	Why Explanation Matters
Policy evaluation	Need to know if an intervention caused an outcome, not just predict outcomes
Legal or regulatory decisions	May need to justify why a specific decision was made
Clinical care	Physicians need to explain recommendations to patients
Public accountability	Citizens may demand to know why they were flagged or denied
Root cause analysis	Need to understand why something happened, not just predict it will

Questions to ask:

- Will someone need to explain **why** this decision was made?
- Is the goal to understand a relationship or to predict an outcome?
- Are there legal, regulatory, or ethical requirements for transparency?

When Data Doesn't Exist or Is Too Sparse

AI can't conjure patterns from nothing. Small samples, rare events, or missing outcome data are showstoppers.

- AI learns from examples. If there aren't enough examples, especially of the outcome being predicted, the model won't learn well.
- "Enough" depends on the complexity of the problem, but dozens or low hundreds is usually too few for most ML approaches.
- Missing outcome data is particularly problematic: A model can't predict something it's never observed.

Data Insufficiency Scenarios

Scenario	Problem
Rare outcome	Predicting which of 10,000 facilities will have a catastrophic failure when it's happened 3 times in 20 years
New program	No historical data exists because the program just launched
Outcome not recorded	"Success" was never systematically tracked
Biased sample	Data does not exist for all participants
Data exists but is inaccessible	Records are in paper files, another agency's system, or legally restricted

Questions to ask:

- How many examples of the outcome do we have?
- Is the outcome recorded consistently and reliably?
- Are there systematic gaps in who or what is represented?

When the Problem Is a Moving Target

If the underlying pattern changes faster than the model can be retrained, AI may produce stale or misleading outputs.

- AI models learn patterns from historical data. They assume the future will resemble the past.
- When the underlying process shifts, due to policy changes, external shocks, or evolving behavior, models degrade.
- "Model drift" is manageable with monitoring and retraining, but some contexts change too fast or too unpredictably.

When Patterns Are Unstable

Situation	Problem
Policy or regulation change	Eligibility rules changed; historical patterns no longer apply
External shock	Pandemic, economic crisis, natural disaster disrupts normal patterns
Adversarial behavior	Fraudsters adapt to detection methods; the pattern shifts as you act on it
Rapid evolution	Technology, markets, or behaviors changing faster than retraining cycles
One-time event	Patterns from a unique historical period won't generalize

Questions to ask:

- Has the underlying process changed recently?
- How quickly does the environment change?
- Can we retrain frequently enough to keep up?
- Are we trying to predict something that actors will game once they know we're predicting it?

When Human Judgment Is the Point

Some decisions should remain human because of accountability, nuance, or public trust—even if AI could technically make them.

- Not every decision **should** be automated, even if it **could** be.
- Some decisions require human accountability: someone needs to be responsible for the outcome.
- Some decisions require nuance that AI can't capture: context, relationships, values.
- Some decisions affect public trust: automating them may be legal but unwise.

When to Keep Humans in the Loop

Situation	Why Human Judgment Matters
High-stakes individual decisions	Denying benefits, removing children, criminal sentencing
Value-laden tradeoffs	Balancing efficiency vs. equity, cost vs. access
Relationship-dependent contexts	Case management, counseling, community engagement
Novel or ambiguous situations	Edge cases that don't fit historical patterns
Public-facing decisions	Where automation could erode trust or appear dehumanizing

Questions to ask:

- Who is accountable if this decision is wrong?
- Does this decision require context that isn't in the data?
- Is there value in the human interaction itself?

When the Cost of Being Wrong Is Unacceptable

If a wrong prediction has catastrophic consequences and a human review cannot be built in, the risk may outweigh the benefit.

- All models make errors. The question is whether the cost of those errors is acceptable.
- False positives and false negatives have different consequences; both need to be understood.
- High-stakes contexts may require human review of all AI recommendations, which may negate efficiency gains.

Error Cost Considerations

Error Type	Low-Cost Example	High-Cost Example
False positive	Sending an unnecessary appointment reminder	Falsely flagging a family for child abuse investigation
False negative	Missing a low-priority inspection	Failing to detect a disease outbreak

Risk mitigation options:

- Human review of all AI-flagged cases (but this adds cost and delay)
- Human review of high-confidence flags only (but low-confidence cases may be wrong)
- AI as one input among many (but staff may over-rely on it anyway)
- Threshold tuning to favor one error type over another (but tradeoffs remain)


Questions to ask:

- What happens if the model is wrong? Who is harmed?
- Can we build in human review? At what cost?
- Is the error rate acceptable given the stakes?
- Are we comfortable with the tradeoff between false positives and false negatives?

When AI is Overkill or Wrong Summary

Component	Key Takeaway
Simple rule works	AI should earn its complexity; rules are transparent and maintainable
Need to explain the "why"	Prediction and explanation are different goals; choose accordingly
Data doesn't exist or is too sparse	No data, no AI; verify before proposing
Problem is a moving target	AI assumes the future looks like the past; unstable contexts mislead
Human judgment is the point	"Can we?" is different from "Should we?"
Cost of being wrong is unacceptable	Every model errs; high stakes demand oversight

Applying AI: Matching Problems to AI Task Types (Scope)



What Are You Trying to Produce?

The first scoping question is: what kind of output does the model produce? This determines the task type.

- AI tasks are categorized by what they produce.
- Getting the task type right is essential—it determines what algorithms are appropriate, what data you need, and how you evaluate success.
- The four main task types cover most agency use cases.

The Four Task Types

Task Type	What It Produces	Example
Classification	A category or label	Is this patient high-risk or low-risk? Is this email a complaint, question, or compliment?
Regression	A number	How many WIC participants will enroll next month? What's the predicted length of stay?
Clustering	Groups or segments	What natural groupings exist among overdose cases? Which facilities have similar inspection profiles?
Generation	New content	A summary of this report. A first draft of this communication.

How to Identify the Task Type

If the output is...

Yes/no, or one of several categories

A continuous number (count, amount, duration)

Groups discovered from the data (no predefined categories)

Text, images, or other content created by the model

Then the task type is...

Classification

Regression

Clustering

Generation

Common confusion:

- **Classification vs. Regression:** If predicting "will they or won't they," it's classification. If predicting "how much" or "how many," it's regression.
- **Classification vs. Clustering:** Classification assigns to **predefined** categories (supervised). Clustering **discovers** categories from the data (unsupervised).

What Does Your Data Look Like?

The structure and labeling of data determines the learning paradigm—supervised or unsupervised.

- **Supervised learning:** You have labeled data—examples where you know the outcome. The model learns to predict the label from the inputs.
- **Unsupervised learning:** You don't have labels. The model finds structure or patterns in the data without being told what to look for.
- The distinction matters because it determines what's possible and what data you need.

Learning Paradigms

Paradigm	What You Have	What the Model Does	Example
Supervised	Labeled data (inputs + known outcomes)	Learns to predict the outcome from inputs	Predict readmission (yes/no) from patient data
Unsupervised	Unlabeled data (inputs only)	Finds patterns, groups, or structure	Group outbreak reports by similarity

How Task Type and Paradigm Connect

Task Type	Typical Paradigm
Classification	Supervised (you have labels for each category)
Regression	Supervised (you have the number you're predicting)
Clustering	Unsupervised (you're discovering groups, not predicting them)
Generation	Supervised (deep learning trained on examples)

Data Type	Description	Examples
Structured	Organized in rows and columns; each column is a defined field	Spreadsheets, databases, claims data
Unstructured	No predefined format; requires processing to extract information	Free text, images, audio, PDFs

Why it matters:

- Structured data works with most ML algorithms.
- Unstructured data typically requires NLP (for text) or deep learning (for images, audio).
- Many real problems involve a mix—structured fields plus free-text notes.

Putting It Together: The Scoping Sentence

"This is a [task type] problem using [learning paradigm] on [data type] data."

Scoping Sentence Examples

Problem	Task Type	Paradigm	Data Type	Scoping Sentence
Predict which patients will be readmitted within 30 days	Classification	Supervised	Structured	"This is a classification problem using supervised learning on structured data."
Estimate the number of WIC enrollees next quarter	Regression	Supervised	Structured	"This is a regression problem using supervised learning on structured data."
Group disease outbreak reports by similarity	Clustering	Unsupervised	Unstructured	"This is a clustering problem using unsupervised learning on unstructured data."
Generate plain-language summaries of inspection findings	Generation	Supervised (deep learning)	Unstructured	"This is a generation problem using supervised learning (deep learning) on unstructured data."

Scoping Sentence Examples

Problem	Task Type	Paradigm	Data Type	Scoping Sentence
Classify incoming emails by topic	Classification	Supervised	Unstructured	"This is a classification problem using supervised learning on unstructured data."
Predict length of hospital stay	Regression	Supervised	Structured	"This is a regression problem using supervised learning on structured data."
Identify natural groupings among overdose cases	Clustering	Unsupervised	Structured	"This is a clustering problem using unsupervised learning on structured data."
Flag public comments that contain misinformation	Classification	Supervised	Unstructured	"This is a classification problem using supervised learning on unstructured data."

Why this matters:

- The scoping sentence gives technical staff a starting point.
- It ensures you and the technical team are talking about the same thing.
- It helps identify what data preparation is needed (e.g., labeling, text processing).

When Scoping Gets Complicated

Not every problem fits neatly into one box. Recognize common complications and know when to consult.

- Some problems involve multiple task types (e.g., classify, then summarize).
- Some problems are borderline (e.g., classification with many categories vs. regression with discretized output).
- Some problems require hybrid approaches (e.g., structured data plus free text).
- It's okay not to have all the answers—the goal is to get close enough to have a productive conversation with technical staff.

Common Complications

Complication	Example	What to Do
Multiple steps	Flag high-risk patients (classification), then generate outreach letter (generation)	Scope each step separately
Borderline task type	Predict "low / medium / high" risk—is this classification or regression?	Either can work; discuss with technical team
Mixed data	Structured claims data plus free-text case notes	May need separate processing pipelines; flag for technical team
Unclear labels	You want to classify, but outcomes aren't consistently recorded	May need to create labels first (labeling project)
Rare outcome	Classification where only 2% of cases are positive	May need special techniques (class imbalance); flag for technical team

From Scope to Conversation

The output of scoping is not a technical specification. Usually, it's a starting point for conversation with technical staff or vendors.

- Participants are not expected to design the solution.
- The goal is to communicate clearly: what's the problem, what's the task type, what data is available, and what complications exist.
- Technical staff will take it from there—selecting algorithms, designing features, setting up evaluation.

What to Bring to the Conversation

Element	What to Communicate
Problem statement	From Topic 1—what decision or action does this inform?
Triage results	From Topic 5—the five questions and your answers
Scoping sentence	Task type, paradigm, data type
Data description	What data exists, where it lives, volume, quality, access
Complications	Anything that doesn't fit neatly—mixed data, unclear labels, rare outcomes
Concerns	Ethical flags, political sensitivities, timeline constraints

Matching Problems to AI Task Types (Scope) Summary


Component	Key Takeaway
What are you trying to produce?	Task type: classification, regression, clustering, or generation
What does your data look like?	Paradigm (supervised/unsupervised) and data type (structured/unstructured)
The scoping sentence	"This is a [task type] problem using [paradigm] on [data type] data."
When scoping gets complicated	Identify complications; you don't have to solve them
From scope to conversation	Frame clearly; technical staff take it from there

Should I use AI for this problem?

For this exercise, you will continue to work in a group. Have each member of the breakout room share the problem/opportunity/project they wrote down this morning. Select one as the subject for triage and work through the following steps:

1. **Is the problem suitable for AI/ML?** Consider what parts involve prediction, pattern-finding, or relationship exploration.
2. **Apply an AI triage framework.** Evaluate data sufficiency, feasibility, impact, risk, operational use, and stakeholder needs.
3. **Is AI/ML overkill?** Determine whether simpler statistical approaches could answer the question.

Applying AI: Surfacing Bias and Ethical Flags



Bias In, Bias Out

If historical data reflects past inequities, the model will learn and perpetuate those patterns.

- This isn't a bug—it's how the technology works. The model finds patterns; it doesn't know if those patterns are fair.
- The question isn't "is there bias?" (there almost always is) but "what kind, how much, and does it matter for this use case?"

How Bias Gets Into Data

Source of Bias	Example
Biased decisions	Child welfare investigations historically initiated more often in low-income communities
Biased access	Healthcare utilization data reflects who had insurance and access, not who needed care
Biased measurement	Performance reviews that systematically rate certain groups lower
Biased labels	"Fraud" labels based on who got investigated, not who actually committed fraud
Selection bias	Data only includes people who stayed in a program, not those who dropped out

Questions to ask:

- What human decisions produced this data?
- Who was more likely to be in this dataset? Who was less likely?
- If we train on this data, whose patterns are we learning?

Who's in the Data and Who's Missing?

If certain populations are underrepresented in training data, the model may perform poorly for them. Participants should ask: does this data reflect the population we'll apply this to?

Common Representation Problems

Problem	Example
Geographic gaps	Model trained on urban clinic data applied to rural populations
Demographic gaps	Model trained mostly on white patients applied to diverse population
Temporal gaps	Model trained on pre-pandemic data applied post-pandemic
Institutional gaps	Model trained on one hospital's data applied across a health system
Outcome gaps	Rare outcomes for certain groups mean less data to learn from

Questions to ask:

- Who is in this dataset? Who is missing or underrepresented?
- Does the training data reflect the population where we'll deploy this?
- Are there groups for whom we have very few examples?
- Have we checked whether the model performs differently across groups?

Transparency and Explainability Expectations

Some decisions require explanation to the affected person or the public.

- Some models (especially deep learning) are "black boxes"—they produce outputs, but it's hard to say why.
- Some contexts require explainability: legal proceedings, clinical decisions, public accountability.
- Even if not legally required, explainability builds trust and enables oversight.
- There's often a tradeoff: more complex models may be more accurate but less explainable.

When Explainability Matters

Context	Why Explainability Matters
Benefit denials	Applicants may have a right to know why they were denied
Clinical recommendations	Physicians need to explain decisions to patients
Child welfare	Families and courts may demand to know why a flag was raised
Public-facing decisions	Citizens expect transparency in government decisions
Audits and oversight	Regulators or legislators may require explanation

Questions to ask:

- Will anyone need to explain why this decision was made?
- Can we articulate what factors drove the model's recommendation?
- Is there a legal or regulatory requirement for explainability?
- Would a "black box" decision erode public trust?

When to Flag vs. When to Stop

Not every concern is a dealbreaker.

- Bias and ethical concerns exist on a spectrum. Some are serious enough to stop a project; others can be noted and managed.

Escalation Framework

Level	Description	Example	Action
Note and monitor	Minor concern; manageable with design choices	Model uses zip code; could proxy for race	Document; test for disparate impact; monitor
Pause and consult	Significant concern; needs expert input	Training data reflects known historical bias	Consult with equity office or ethics board before proceeding
Stop and escalate	Serious concern; potential for significant harm	Model would be used for high-stakes decisions on vulnerable population with no human review	Escalate to leadership; do not proceed without explicit approval


Questions to ask:

- Is this a concern I can address with design choices, or does it need outside input?
- Who in my organization should know about this?
- What's the worst-case scenario if this concern isn't addressed?
- Is there a formal review process this should go through?

Surfacing Bias and Ethical Flags Summary

Component	Key Takeaway
Bias in, bias out	Historical data reflects past decisions—ask what biases are baked in
Who's in the data	Underrepresented groups may get worse predictions
Proxies for protected characteristics	Removing race doesn't make a model race-neutral
Disparate impact	Overall accuracy can hide group-level harms
Transparency and explainability	Some decisions require explanation
When to flag vs. stop	Surface concerns; escalate appropriately

Applying AI: Writing a Problem Brief



What a Problem Brief Is (and Isn't)

A problem brief is a clear, concise articulation of the problem, the desired outcome, and the context—written for someone who doesn't know the program area. Articulating a problem clearly is the bridge between "we should use AI" and actually getting something built.

What a Problem Brief Does and Doesn't Do

It Does

- Articulate the problem clearly
- Define what success looks like
- Describe the current state
- Identify stakeholders and constraints
- Flag concerns and unknowns

It Doesn't

- Prescribe a technical solution
- Specify algorithms or tools
- Include project timelines or budgets
- Assign tasks or responsibilities
- Resolve all questions

Core Elements of a Problem Brief

A complete problem brief has six elements. Each one answers a question that technical staff or decision-makers will need answered.

The Six Elements

Element	Question It Answers	What to Include
Problem statement	What's the challenge?	What's not working, what's the pain point, or what opportunity exists. Be specific.
Desired outcome	What decision or action would this enable?	What the model would produce, who would use it, and what they would do with it.
Current state	How is this handled today?	The baseline: current process, performance, volume, and why it's inadequate.
Data landscape	What data exists?	Where the data lives, what it contains, volume, quality, access, and gaps.
Stakeholders	Who needs to be involved?	Who would use the output, who needs to approve, who needs to be consulted.
Constraints and concerns	What should we be aware of?	Timeline, resources, ethical flags, political sensitivities, technical limitations.

Writing a Good Problem Statement

The problem statement is the foundation. It should be specific, outcome-focused, and solution-agnostic.

- A good problem statement describes the pain point without embedding a solution.
- It's specific enough that someone outside the program area can understand it.
- It focuses on outcomes (what's not working) rather than activities (what you want to do).

Problem statement formula:

[Who] is experiencing [what problem], which results in [what consequence]. Currently, [how it's handled], but [why that's inadequate].

Weak vs. Strong Problem Statements

Weak Problem Statement

"We need a chatbot for our call center."

"We want to use AI to improve maternal health."

"We should predict fraud."

Strong Problem Statement

"Constituents calling our benefits hotline wait an average of 18 minutes to reach a representative. 40% of calls are simple status checks that don't require human assistance. This leads to frustration and ties up staff who could handle complex cases."

"Women in rural counties are 2.3x more likely to experience severe maternal morbidity than those in urban areas. We lack early warning indicators to identify high-risk pregnancies before complications occur. Currently, risk assessment is done at the first prenatal visit using a paper checklist."

"Our program integrity unit reviews 200 provider claims per month for potential fraud, selected based on manual referrals. We estimate we're missing 80% of fraudulent claims. Each undetected fraud case costs an average of \$45,000."

Describing the Data Landscape

Data landscape includes: what data exists, where it lives, what format it's in, how much there is, what's known about quality, and what approvals are needed to access it. It's okay to have gaps but they need to be identified.

What to Include in Data Landscape

Question	What to Document
What data exists?	Tables, fields, systems, sources
Where does it live?	System names, databases, file locations
What format is it in?	Structured (database, spreadsheet) or unstructured (text, PDFs)
How much is there?	Number of records, time range covered
What's the quality?	Completeness, consistency, known issues
Does it include the outcome?	Is the thing you're trying to predict recorded?
What approvals are needed?	Data use agreements, IRB, legal review
What's missing or unknown?	Gaps, uncertainties, things you need to find out

Example data landscape description:

"Data sources include Medicaid claims (5 years, 2M+ records, stored in our data warehouse), vital records (birth certificates linked by patient ID), and WIC enrollment data (separate system, requires data sharing agreement). Claims data is generally complete but has known issues with diagnosis coding consistency. We do not currently have social determinants of health data. Outcome variable (hospital readmission within 30 days) is recorded in claims. Access requires DUA with Medicaid agency (in progress)."

Common Mistakes in Problem Briefs

Certain mistakes are predictable and avoidable. Recognizing them helps participants write better briefs and critique others' briefs.

Mistake	Example	Why It's a Problem
Embedding a solution	"We need a machine learning model that..."	Skips problem definition; may be solving the wrong thing
Being too vague	"Improve outcomes for clients"	Can't evaluate success; technical staff don't know what to build
Being too broad	"Use AI to transform our department"	No specific problem; no way to scope or prioritize
Overcomplicating	"A system that predicts X, flags Y, generates Z, and integrates with A, B, C"	Too many goals; likely to fail or take forever
Ignoring the "so what"	"Predict which clients will miss appointments" (but no intervention)	Prediction without action is useless
Skipping constraints	No mention of timeline, resources, or sensitivities	Sets up for surprise blockers later
Assuming data exists	"We'll use our data to..." without verification	May discover data doesn't exist or isn't accessible

How to avoid these mistakes:

- Write the problem statement before mentioning any technology.
- Ask: "If someone outside my agency read this, would they understand the problem?"
- Ask: "What would we do differently if we had the answer?"
- Ask: "What could go wrong, and have I mentioned it?"

The Review Process: Giving and Receiving Feedback

Problem briefs improve with feedback.

- Writing is iterative. A first draft is rarely final.
- Peer review catches blind spots—things that are obvious to you but not to others.
- A good critique focuses on clarity, completeness, and feasibility—not style preferences.

Review Rubric

Criterion	Questions to Ask
Problem is specific and outcome-focused	Can I explain the problem to someone outside this program? Is there a clear pain point?
Success is defined	Do I know what "working" looks like? Is it measurable?
Current state is described	Do I understand how this is handled today and why that's inadequate?
Data is addressed	Do I know what data exists, where it is, and what's uncertain?
Stakeholders are identified	Do I know who will use the output and who needs to be consulted?
Concerns are flagged	Are constraints, risks, and sensitivities mentioned?
No solution is embedded	Does the brief describe a problem, or does it prescribe a solution?

Giving and Receiving Feedback

Giving feedback:

- Start with what's clear and strong.
- Ask questions rather than making assertions: "I wasn't sure what you meant by..." or "What would happen if...?"
- Focus on gaps, not style: "I didn't see anything about data access—is that a concern?"
- Be specific: "The problem statement is clear, but the success criteria are vague" is more useful than "needs work."

Receiving feedback:

- Assume good intent—the goal is a better brief.
- Listen for confusion—if the reviewer is confused, others will be too.
- Ask clarifying questions: "What would make this clearer?"
- Revise based on patterns—if multiple reviewers flag the same issue, it's real.

Writing a Problem Brief Summary

Component	Key Takeaway
What a brief is	Frames the problem; doesn't prescribe the solution
Core elements	Six elements: problem, outcome, current state, data, stakeholders, constraints
Problem statement	Specific, outcome-focused, solution-agnostic
Data landscape	Name what exists, where it is, and what's unknown
Common mistakes	Embedding solutions, being vague, ignoring "so what"
Review process	Use the rubric; give and receive feedback constructively


Using an LLM with R

Purpose

- More practice getting Claude to do what we want.
- **Using** an LLM in our code
- Working with API keys
- We will create 2 reports. Motivation (in console) and Motivation-shiny (nicer interface).
 - Both reports use AI for creating the R code.
 - Both use AI as part of the code.

Motivation app

I want to create a small motivation app. I will provide a topic and the code will generate a motivational paragraph. Let's run it interactively in Claude.



Motivation Generator



Motivation Generator

Enter any topic and get inspired!

Enter a topic (e.g., fitness, career, creativity)

Inspire Me!



Your motivation awaits...

A Motivation Message

Winter darkness

Inspire Me!

 Winter darkness is not your enemy—it's your forge, the sacred crucible where resilience is hammered into unbreakable steel. In these shortened days and lengthened nights, you discover that your inner light burns brightest when external illumination fades, proving that true strength doesn't depend on perfect conditions but thrives in spite of them. The bare trees and frost-covered ground aren't symbols of death but of powerful patience, teaching you that sometimes the greatest growth happens underground, invisible and unstoppable. Embrace this season of introspection as your competitive advantage, using these quiet hours to plan, prepare, and kindle the fire that will explode into brilliance when spring arrives. Let winter's darkness become the canvas upon which you paint your most audacious dreams, knowing that those who harness the power of the dormant season emerge as unstoppable forces when the world awakens.

Generating R code

Prompt: If we want to convert this to so I can run it in posit.cloud using R, what has to change. I don't need an interface, just the console. Don't generate code yet. Just tell me what is different.

1. API Key Requirement: The React artifact handles authentication automatically behind the scenes

In R, you'll need your own Anthropic API key, typically stored as an environment variable or passed directly

2. HTTP Requests: JavaScript uses `fetch()`

R would use the `httr` or `httr2` package to make POST requests

3. JSON Handling: JavaScript has native JSON support

R would use the `jsonlite` package to build the request body and parse the response

4. User Input: Instead of a web form, you'd use `readline()` to prompt for topics in the console

5. No UI Layer: All the React components, state management, styling, and error display go away

Just a simple script that prints output to the console

6. Structure: Instead of a component with hooks and event handlers, it becomes a straightforward linear script or a simple function

Could add a while loop if you want to keep prompting for multiple topics

The API Key

API keys 1

API keys are owned by workspaces and remain active even after the creator is removed

KEY	WORKSPACE	CREATED BY	CREATED AT ^	LAST USED AT	COST ⓘ
motivation-key sk-ant-api03-lxS...dgAA	Default ⓘ	Jim jcodygroup@gmail.com	Dec 6, 2025	Dec 10, 2025	\$0.20 ...

Credit balance

Your credit balance will be consumed with API, Claude Code and Workbench usage. You can buy credits directly or set up auto-reload thresholds.

\$4.79
Remaining Balance

Charged to
American Express •••• 8019 ⓘ [Buy credits](#)

(X) Auto reload is disabled. Enable auto reload to avoid API interruptions when credits are fully spent. [Edit](#)

Code: Get the API key

```
# Set your API key (or use Sys.setenv(ANTHROPIC_API_KEY = "your-key-here"))  
# You can also set this in your .Renviron file  
  
api_key <- Sys.getenv("ANTHROPIC_API_KEY")
```

Code: Build the prompt

```
# Build the request body
body <- list(
  model = "claude-sonnet-4-20250514",
  max_tokens = 1000,
  messages = list(
    list(
      role = "user",
      content = paste0(
        'Write a single inspiring and motivational paragraph about: "', topic, '". ',
        'Make it uplifting, energizing, and actionable. Use vivid language that sparks determination. ',
        'Keep it to one well-crafted paragraph (4-6 sentences). ',
        'Do not include any preamble or explanation--just the motivational paragraph itself.'
      )
    )
  )
)
# Print the generated JSON
print(toJSON(body))
```

more code ...

Code: Make the API request

```
# Make the API request

response <- POST(
  url = "https://api.anthropic.com/v1/messages",
  add_headers(
    `x-api-key` = api_key,
    `anthropic-version` = "2023-06-01",
    `content-type` = "application/json"
  ),
  body = toJSON(body, auto_unbox = TRUE),
  encode = "raw"
)
```

Code: The interface

```
cat("\n")
cat("=====\\n")
cat("      █ MOTIVATION GENERATOR █ \\n")
cat("=====\\n")
cat("Enter a topic to get inspired!\\n")
cat("Type 'quit' to exit.\\n\\n")
```

more code . . .

Running the code

```
Console Terminal x Background Jobs x
R 4.5.2 · /cloud/project/ ↗
> source("/cloud/project/motivation-backup.R")

=====
    ✨ MOTIVATION GENERATOR ✨
=====

Enter a topic to get inspired!
Type 'quit' to exit.

Enter topic: getting an api key

Generating motivation...

🔥 Today is the day you unlock the digital gateway to limitless possibilities—your API keys, but the master key to a universe of data, functionality, and innovation waiting at your fingertips. With this key in hand, anything is possible. As you navigate to that developer portal, fill out those forms with the confidence of a digital architect. This is the moment when your imagination truly begins to soar. Each click brings you closer to breaking down the walls between imagination and implementation. With powerful services at your disposal and your code will speak fluently with the digital giants of our time. As you pass through the digital landscape, that precious key in your possession—the APIs are calling your name, ready to lead you on a journey like no other. This is your moment to stop dreaming and start building; go forth and be the digital architect you were born to be!

Enter topic: quit

Stay motivated! Goodbye! 💪
```

Using an LLM in our diabetes analysis

Instructions:

1. Create a new project named **Using an LLM**. All chats for this walkthrough will be in this project.
2. Add an instruction to the project. (Adjust as you see fit)
 - a. I am a public health professional with little technical and programming experience.
3. **Ask Claude to:**
 - a. Read the data from this url and tell me how many rows are available. Do not generate any other code until I tell you it is ok to do so.
https://raw.githubusercontent.com/jimcody2014/BA/refs/heads/main/diabetic_data101k.csv
 - b. I know I can run EDA and some other basic analytics on this data. Give me 3-4 suggestions on how I can use an LLM to generate insights.
 - c. If Automated narrative reporting (or something similar) does not show up, ask "Let's do some automated narrative reporting. Tell me what you can do to enhance reporting."
 - d. Ask Claude to describe some aspect of this work in more detail. Make sure you know what Claude is going to do.
 - e. Proceed with the project.
 - i. **This will take a few minutes.**
 - f. Convert this code to R. **Do not try to run the R code.** Prepare a file for me and I will run it locally. Make sure it uses the url. Make sure it includes an LLM.
 - g. Look at the code to make sure it is usig the url to get the data.
4. Copy and paste the code into posit.cloud. Name the file predict-readmit. Run the code.