```
import { useState, useMemo } from "react";

const RAW = [
  { d:"03/20", n:[3,11,15,33,39] },
  { d:"03/19", n:[5,23,25,30,37] },
  { d:"03/18", n:[21,22,31,32,35] },
  { d:"03/17", n:[11,13,19,22,27] },
  { d:"03/16", n:[17,19,21,29,34] },
  { d:"03/14", n:[8,10,18,20,34] },
  { d:"03/13", n:[2,5,11,12,15] },
  { d:"03/12", n:[4,5,7,23,35] },
  { d:"03/11", n:[5,15,26,37,38] },
  { d:"03/10", n:[11,12,14,17,32] },
  { d:"03/09", n:[7,12,15,32,38] },
  { d:"03/07", n:[15,17,18,34,36] },
  { d:"03/06", n:[19,24,29,32,34] },
  { d:"03/05", n:[1,4,8,12,36] },
  { d:"03/04", n:[4,8,12,16,17] },
  { d:"03/03", n:[2,19,21,32,35] },
  { d:"03/02", n:[3,12,20,21,27] },
  { d:"03/01", n:[2,8,15,29,31] },
  { d:"02/28", n:[2,4,13,26,27] },
  { d:"02/27", n:[1,22,23,37,39] },
  { d:"02/26", n:[3,6,9,31,39] },
  { d:"02/25", n:[5,22,28,35,36] },
  { d:"02/24", n:[16,23,25,32,36] },
  { d:"02/23", n:[3,10,12,27,36] },
  { d:"02/22", n:[8,13,16,24,25] },
  { d:"02/21", n:[1,8,19,20,25] },
  { d:"02/20", n:[4,11,22,23,27] },
  { d:"02/19", n:[8,15,19,25,27] },
  { d:"02/18", n:[8,10,12,32,33] },
  { d:"02/17", n:[6,8,11,20,21] },
  { d:"02/16", n:[5,7,15,18,34] },
  { d:"02/15", n:[11,13,18,22,34] },
  { d:"02/14", n:[1,3,13,31,36] },
  { d:"02/13", n:[4,28,31,33,34] },
  { d:"02/12", n:[1,12,21,35,37] },
  { d:"02/11", n:[11,15,18,29,33] },
  { d:"02/10", n:[10,11,17,22,36] },
  { d:"02/09", n:[16,21,25,31,35] },
  { d:"02/07", n:[3,8,22,27,32] },
  { d:"02/06", n:[1,6,29,32,34] },
  { d:"02/05", n:[8,9,13,32,35] },
```

```
{ d:"02/04", n:[8,17,22,27,28] },
{ d:"02/03", n:[3,5,11,15,23] },
{ d:"02/02", n:[6,8,31,37,38] },
{ d:"01/31", n:[5,12,16,21,32] },
{ d:"01/30", n:[16,17,29,30,36] },
{ d:"01/29", n:[6,11,28,36,37] },
{ d:"01/28", n:[10,11,23,24,29] },
{ d:"01/27", n:[5,17,18,23,32] },
{ d:"01/26", n:[6,15,23,26,30] },
{ d:"01/24", n:[6,7,15,35,37] },
{ d:"01/23", n:[3,11,12,21,31] },
{ d:"01/22", n:[3,6,11,30,34] },
{ d:"01/21", n:[4,15,23,27,38] },
{ d:"01/20", n:[16,19,23,25,34] },
{ d:"01/19", n:[12,16,23,24,29] },
{ d:"01/17", n:[2,10,11,24,37] },
{ d:"01/16", n:[18,19,22,27,29] },
{ d:"01/15", n:[1,2,3,19,36] },
{ d:"01/14", n:[1,2,16,33,35] },
{ d:"01/13", n:[6,16,17,19,31] },
{ d:"01/12", n:[3,13,18,24,30] },
{ d:"01/10", n:[11,25,26,34,38] },
{ d:"01/09", n:[1,12,14,22,34] },
{ d:"01/08", n:[3,8,10,21,30] },
{ d:"01/07", n:[5,10,14,15,28] },
{ d:"01/06", n:[1,2,6,11,33] },
{ d:"01/05", n:[10,16,18,34,39] },
{ d:"01/03", n:[22,23,31,32,38] },
{ d:"01/02", n:[17,18,25,36,39] },
{ d:"01/01", n:[15,16,18,29,36] },
{ d:"12/31", n:[8,10,11,26,35] },
{ d:"12/30", n:[11,12,24,27,33] },
{ d:"12/29", n:[5,10,13,29,37] },
{ d:"12/27", n:[1,15,19,28,38] },
{ d:"12/26", n:[1,10,20,27,36] },
{ d:"12/25", n:[14,18,28,36,39] },
{ d:"12/24", n:[2,3,14,25,30] },
{ d:"12/23", n:[9,22,24,30,35] },
{ d:"12/22", n:[2,22,24,27,38] },
{ d:"12/20", n:[1,5,16,35,38] },
{ d:"12/19", n:[12,16,23,27,30] },
{ d:"12/18", n:[4,9,32,33,36] },
{ d:"12/17", n:[5,6,7,19,32] },
{ d:"12/16", n:[2,10,14,33,35] },
{ d:"12/15", n:[3,17,27,29,38] },
{ d:"12/13", n:[2,9,21,31,38] },
{ d:"12/12", n:[10,24,26,28,35] },
```

```
  { d:"12/11", n:[2,6,17,25,26] },
  { d:"12/10", n:[4,7,11,16,26] },
  { d:"12/09", n:[7,8,15,30,39] },
  { d:"12/08", n:[5,23,27,28,31] },
  { d:"12/06", n:[6,22,23,24,32] },
  { d:"12/05", n:[2,3,16,17,29] },
  { d:"12/04", n:[1,7,20,25,37] },
  { d:"12/03", n:[5,9,14,33,35] },
  { d:"12/02", n:[2,5,8,13,29] },
  { d:"12/01", n:[2,3,4,20,24] },
  { d:"11/29", n:[8,27,30,33,36] },
  { d:"11/28", n:[8,13,14,22,28] },
];

const TC = {
  0:{bg:"#ef4444",tx:"#fff"},1:{bg:"#f97316",tx:"#fff"},2:{bg:"#eab308",tx:"#111"
  3:{bg:"#22c55e",tx:"#fff"},4:{bg:"#06b6d4",tx:"#fff"},5:{bg:"#3b82f6",tx:"#fff"
  6:{bg:"#8b5cf6",tx:"#fff"},7:{bg:"#ec4899",tx:"#fff"},8:{bg:"#14b8a6",tx:"#fff"
  9:{bg:"#f43f5e",tx:"#fff"},
};

const Ball=({v,size=26,isTail})=>{
  const t=isTail?v:v%10;
  return <span style={{display:"inline-flex",alignItems:"center",justifyContent:"
    width:size,height:size,borderRadius:"50%",flexShrink:0,fontFamily:"'Orbitron'
    fontWeight:800,fontSize:size*0.42,
    ...(isTail?{background:TC[t].bg,color:TC[t].tx}:
      {background:TC[t].bg+"28",border:`1.5px solid ${TC[t].bg}`,color:"#fff"})
  }}>{isTail?v:String(v).padStart(2,"0")}</span>;
};

export default function App(){
  const [nPeriod,setN]=useState(100);
  const [tab,setTab]=useState("predict");
  const [selTail,setSelTail]=useState(null);
  const [selGap,setSelGap]=useState(1);

  const A=useMemo(()=>{
    const data=RAW.slice(0,nPeriod);
    const total=data.length*5;
    const tails=data.map(r=>[...new Set(r.n.map(x=>x%10))]);

    // basic
    const cnt=Array(10).fill(0);
    data.forEach(r=>r.n.forEach(x=>cnt[x%10]++));
    const streaks=Array(10).fill(0);
    for(let t=0;t<10;t++) for(let i=0;i<data.length;i++){if(data[i].n.some(x=>x%1
```

```
const gaps=Array(10).fill(nPeriod);
for(let t=0;t<10;t++) for(let i=0;i<data.length;i++){if(data[i].n.some(x=>x%1

// ====== TRANSITION MATRIX ======
// trans[gap][from][to] = count of times: when 'from' appeared at period i, '
const MG=5;
const trans={},transT={};
for(let g=1;g<=MG;g++){trans[g]=Array.from({length:10},()=>Array(10).fill(0))
for(let i=0;i<data.length;i++){
  for(let g=1;g<=MG;g++){
    if(i-g>=0){
      tails[i].forEach(fr=>{tails[i-g].forEach(to=>{trans[g][fr][to]++;});tra
    }
  }
}

// ====== NUMBER-LEVEL FOLLOW ======
// numFollow[gap][fromTail][number] = count
const numF={};
for(let g=1;g<=MG;g++){
  numF[g]=Array.from({length:10},()=>({}));
  for(let i=g;i<data.length;i++){
    tails[i].forEach(fr=>{
      data[i-g].n.forEach(num=>{numF[g][fr][num]=(numF[g][fr][num]||0)+1;});
    });
  }
}

// ====== PREDICTION ======
const latest=tails[0];
const gw={1:0.40,2:0.28,3:0.17,4:0.09,5:0.06};
const predTail=Array(10).fill(0);
const predNum={};
for(let g=1;g<=MG;g++){
  latest.forEach(fr=>{
    const tot=transT[g][fr]||1;
    for(let to=0;to<10;to++) predTail[to]+=(trans[g][fr][to]/tot)*gw[g];
    Object.entries(numF[g][fr]).forEach(([num,c])=>{const n=+num;predNum[n]=(
  });
}
const pmx=Math.max(...predTail);
const predTailNorm=predTail.map(s=>pmx>0?(s/pmx)*100:0);

// old score
const oldS=Array(10).fill(0);
for(let t=0;t<10;t++){
  const f=cnt[t]/total/0.1;
```

```
    const sb=streaks[t]>=3?1.5:streaks[t]>=2?1.2:1;
    const rb=gaps[t]===0?1.3:gaps[t]===1?1.1:gaps[t]>=5?0.7:1;
    const r10=data.slice(0,10).reduce((c,r)=>c+r.n.filter(x=>x%10===t).length,0
    oldS[t]=(f*0.3+(r10/50/0.1)*0.35+sb*0.2+rb*0.15)*100;
  }

  const final=Array(10).fill(0);
  for(let t=0;t<10;t++) final[t]=oldS[t]*0.35+predTailNorm[t]*0.65;

  const tailNums=Array.from({length:10},()=>new Set());
  data.forEach(r=>r.n.forEach(x=>tailNums[x%10].add(x)));
  const tailNumsArr=tailNums.map(s=>[...s].sort((a,b)=>a-b));

  const ranked=final.map((s,i)=>({tail:i,score:s,cnt:cnt[i],streak:streaks[i],g
    nums:tailNumsArr[i],transS:predTailNorm[i],oldS:oldS[i]})).sort((a,b)=>b.sc

  const topNums=Object.entries(predNum).map(([n,s])=>({num:+n,score:s})).sort((

  return {cnt,total,streaks,gaps,ranked,data,tails,trans,transT,numF,latest,
    predTailNorm,topNums,final,MG,tailNumsArr};
},[nPeriod]);

const top3=A.ranked.slice(0,3);

// helpers
const Btn=({on,children,...p})=><button {...p} style={{padding:"6px 16px",borde
  border:on?"2px solid #fbbf24":"2px solid rgba(255,255,255,0.1)",
  background:on?"rgba(251,191,36,0.15)":"rgba(255,255,255,0.03)",
  color:on?"#fbbf24":"#94a3b8",cursor:"pointer",fontWeight:700,fontSize:13,...(

const Tab=({k,label})=><button onClick={()=>setTab(k)} style={{padding:"7px 13p
  background:tab===k?"rgba(99,102,241,0.35)":"rgba(255,255,255,0.04)",
  color:tab===k?"#fff":"#94a3b8",cursor:"pointer",fontWeight:600,fontSize:12}}>

const Box=({children,title,sub})=><div style={{background:"rgba(255,255,255,0.0
  borderRadius:14,marginBottom:18,overflow:"hidden"}}>
  {title&&<div style={{padding:"13px 16px",borderBottom:"1px solid rgba(255,255
    <h3 style={{fontSize:14,fontWeight:700}}>{title}</h3>
    {sub&&<p style={{fontSize:11,color:"#64748b",marginTop:2}}>{sub}</p>}
  </div>}
  <div style={{padding:16}}>{children}</div>
</div>;

// compute transition % for display
const getTransRow=(g,fr)=>{
  const tot=A.transT[g][fr]||1;
  return A.trans[g][fr].map((c,to)=>({to,count:c,pct:c/tot*100}));
```

```
};

// get top numbers for a specific tail + gap
const getTopNums=(g,fr)=>{
  const obj=A.numF[g][fr];
  return Object.entries(obj).map(([n,c])=>({num:+n,count:c})).sort((a,b)=>b.cou
};

return <div style={{minHeight:"100vh",background:"linear-gradient(135deg,#0f0f2
  color:"#e2e8f0",fontFamily:"'Noto Sans TC','Segoe UI',sans-serif",padding:16}
  <style>{`@import url('https://fonts.googleapis.com/css2?family=Noto+Sans+TC:w
  *{box-sizing:border-box;margin:0;padding:0}::-webkit-scrollbar{width:5px;heig
  ::-webkit-scrollbar-thumb{background:rgba(255,255,255,0.15);border-radius:3px

  {/* Header */}
  <div style={{textAlign:"center",marginBottom:18}}>
    <h1 style={{fontFamily:"'Orbitron',monospace",fontSize:"clamp(18px,5vw,30px
      background:"linear-gradient(90deg,#fbbf24,#ef4444,#ec4899)",
      WebkitBackgroundClip:"text",WebkitTextFillColor:"transparent",letterSpaci
      今彩539 尾數轉移分析</h1>
    <p style={{color:"#64748b",fontSize:12,marginTop:4}}>轉移矩陣 + 間隔追號 + 號
  </div>

  <div style={{display:"flex",justifyContent:"center",gap:7,marginBottom:16,fle
    {[20,30,50,100].map(x=><Btn key={x} on={nPeriod===x} onClick={()=>setN(x)}>
  </div>
  <div style={{display:"flex",justifyContent:"center",gap:5,marginBottom:18,fle
    <Tab k="predict" label="🎯 綜合預測"/><Tab k="trans" label="🔄 轉移矩陣"/>
    <Tab k="follow" label="📐 間隔追號"/><Tab k="history" label="📋 走勢"/>
  </div>

  {/* ========== PREDICT ========== */}
  {tab==="predict"&&<div>
    <Box title="📡 最新開獎 03/20" sub="以此期尾數為起點，透過轉移矩陣預測下期">
      <div style={{display:"flex",gap:8,flexWrap:"wrap",alignItems:"center"}}>
        <span style={{fontSize:12,color:"#94a3b8"}}>號碼</span>
        {RAW[0].n.map(x=><Ball key={x} v={x} size={32}/>)}
        <span style={{fontSize:12,color:"#94a3b8",margin:"0 6px"}}>→ 尾數</span>
        {A.latest.sort((a,b)=>a-b).map(t=><Ball key={t} v={t} size={32} isTail/
      </div>
    </Box>

    {/* Top 3 */}
    <div style={{background:"linear-gradient(135deg,rgba(251,191,36,0.1),rgba(2
      border:"1px solid rgba(251,191,36,0.22)",borderRadius:16,padding:20,margi
      <h2 style={{fontSize:17,fontWeight:700,color:"#fbbf24",marginBottom:2}}>🎯
      <p style={{fontSize:11,color:"#94a3b8",marginBottom:16}}>
```

```
        舊模型(頻率＋連莊＋近期) 35% ＋ 轉移矩陣預測 65%</p>
      <div style={{display:"flex",justifyContent:"center",gap:12,flexWrap:"wrap
        {top3.map((t,i)=><div key={t.tail} style={{width:100,padding:"16px 0 12
          background:`${TC[t.tail].bg}18`,border:`2px solid ${TC[t.tail].bg}77`
          <div style={{position:"absolute",top:-10,left:"50%",transform:"transl
            background:["#fbbf24","#94a3b8","#cd7f32"][i],color:"#000",fontWeig
            padding:"2px 10px",borderRadius:10}}>{["🥇 TOP","🥈 2nd","🥉 3rd"]
          <div style={{fontSize:36,fontFamily:"'Orbitron',monospace",fontWeight
            color:TC[t.tail].bg,lineHeight:1}}>{t.tail}</div>
          <div style={{fontSize:10,color:"#94a3b8",marginTop:6}}>轉移 {t.transS.
          <div style={{fontSize:10,color:"#64748b"}}>連莊{t.streak}期 ｜ 共{t.cnt
        </div>)}
      </div>
      <div style={{background:"rgba(0,0,0,0.3)",borderRadius:12,padding:14,text
        <p style={{fontSize:13,fontWeight:700,color:"#fbbf24",marginBottom:8}}>
        {top3.map(t=><div key={t.tail} style={{marginBottom:6,display:"flex",al
          <Ball v={t.tail} size={24} isTail/><span style={{fontSize:12,color:"#
          {t.nums.map(n=><span key={n} style={{background:"rgba(255,255,255,0.0
            padding:"2px 8px",fontWeight:700,fontFamily:"'Orbitron',monospace",
            {String(n).padStart(2,"0")}</span>)}
        </div>)}
      </div>
    </div>

    {/* Top numbers */}
    <Box title="🔢 轉移預測 — 號碼 TOP 15" sub="由最新期尾數出發，經 1~5 期轉移加權，算
      <div style={{display:"flex",flexWrap:"wrap",gap:7}}>
        {A.topNums.slice(0,15).map((x,i)=><div key={x.num} style={{display:"fle
          alignItems:"center",gap:3,padding:"8px 4px",borderRadius:10,width:50,
          background:i<5?"rgba(251,191,36,0.1)":"rgba(255,255,255,0.03)",
          border:i<5?"1px solid rgba(251,191,36,0.2)":"1px solid rgba(255,255,2
          <span style={{fontSize:10,color:i<5?"#fbbf24":"#64748b",fontWeight:70
          <Ball v={x.num} size={30}/><span style={{fontSize:9,color:"#94a3b8"}}
        </div>)}
      </div>
    </Box>

    {/* Explain */}
    <Box title="💡 轉移預測原理">
      <div style={{fontSize:12,color:"#94a3b8",lineHeight:1.8}}>
        <p style={{marginBottom:8}}>統計近 {nPeriod} 期資料中：<strong style={{col
        <p style={{marginBottom:8}}>以最新一期（03/20）的尾數 {A.latest.sort((a,b)=
        <p style={{marginBottom:8}}>間隔加權：隔 1 期權重 40%、隔 2 期 28%、隔 3 期
        <p>最終綜合分 ＝ 轉移矩陣 65% ＋ 傳統拖牌(頻率＋連莊＋走勢) 35%。</p>
      </div>
    </Box>
  </div>}
```

```
{/* ========== TRANSITION MATRIX ========== */}
{tab==="trans"&&<div>
  <div style={{display:"flex",justifyContent:"center",gap:6,marginBottom:14,f
    {[1,2,3,4,5].map(g=><Btn key={g} on={selGap===g} onClick={()=>setSelGap(g
      隔 {g} 期</Btn>)}
  </div>
  <Box title={`🔄 尾數轉移矩陣 — 隔 ${selGap} 期`}
    sub={`讀法：左側「來源尾數」出現後，隔 ${selGap} 期開出上方「目標尾數」的機率`}>
    <div style={{overflowX:"auto"}}>
      <table style={{borderCollapse:"collapse",fontSize:11,width:"100%",minWi
        <thead><tr>
          <th style={{padding:"6px 8px",textAlign:"center",color:"#64748b",fo
          {[0,1,2,3,4,5,6,7,8,9].map(t=><th key={t} style={{padding:"6px 4px"
            <Ball v={t} size={22} isTail/></th>)}
        </tr></thead>
        <tbody>{[0,1,2,3,4,5,6,7,8,9].map(fr=>{
          const row=getTransRow(selGap,fr);
          const mx=Math.max(...row.map(r=>r.pct));
          return <tr key={fr} style={{borderBottom:"1px solid rgba(255,255,25
            <td style={{padding:"6px 8px",textAlign:"center"}}><Ball v={fr} s
            {row.map(r=>{
              const hot=r.pct>=mx-1&&r.pct>0;
              return <td key={r.to} style={{padding:"4px 2px",textAlign:"cent
                <div style={{
                  borderRadius:6,padding:"4px 2px",fontSize:11,fontWeight:hot
                  background:hot?`${TC[r.to].bg}30`:"transparent",
                  color:hot?TC[r.to].bg:r.pct>8?"#e2e8f0":"#475569",
                }}>{r.pct.toFixed(0)}%</div>
              </td>;
            })}
          </tr>;})}
        </tbody>
      </table>
    </div>
    <div style={{marginTop:12,fontSize:11,color:"#64748b",lineHeight:1.6}}>
      高亮 = 該列最高機率（最愛跟的尾數）
    </div>
  </Box>

  {/* Based on latest */}
  <Box title={`📡 以最新期尾數查表 (隔 ${selGap} 期)`}
    sub="最新期各尾數在此間隔下，最常帶出哪些尾數">
    {A.latest.sort((a,b)=>a-b).map(fr=>{
      const row=getTransRow(selGap,fr).sort((a,b)=>b.pct-a.pct);
      return <div key={fr} style={{marginBottom:12}}>
        <div style={{display:"flex",alignItems:"center",gap:8,marginBottom:6}
```

```
          <Ball v={fr} size={26} isTail/>
          <span style={{fontSize:12,color:"#94a3b8"}}>出現後隔{selGap}期 → 最常
        </div>
        <div style={{display:"flex",gap:6,flexWrap:"wrap",paddingLeft:34}}>
          {row.slice(0,5).map((r,i)=><div key={r.to} style={{display:"flex",a
            background:i===0?"rgba(251,191,36,0.12)":"rgba(255,255,255,0.04)"
            borderRadius:8,padding:"4px 10px",border:i===0?"1px solid rgba(25
            <Ball v={r.to} size={20} isTail/>
            <span style={{fontSize:11,color:i===0?"#fbbf24":"#94a3b8",fontWei
          </div>)}
        </div>
      </div>;
    })}
  </Box>
</div>}

{/* ========== FOLLOW (number level) ========== */}
{tab==="follow"&&<div>
  <Box title="📐 間隔追號分析" sub="選擇一個尾數與間隔，查看該尾數出現後隔幾期最常開出哪
    <p style={{fontSize:12,color:"#94a3b8",marginBottom:12}}>點選尾數：</p>
    <div style={{display:"flex",gap:8,flexWrap:"wrap",marginBottom:14}}>
      {[0,1,2,3,4,5,6,7,8,9].map(t=><div key={t} onClick={()=>setSelTail(t)}
        opacity:selTail===t?1:0.5,transform:selTail===t?"scale(1.15)":"scale(
        <Ball v={t} size={36} isTail/></div>)}
    </div>
    <p style={{fontSize:12,color:"#94a3b8",marginBottom:10}}>間隔期數：</p>
    <div style={{display:"flex",gap:6,marginBottom:16}}>
      {[1,2,3,4,5].map(g=><Btn key={g} on={selGap===g} onClick={()=>setSelGap
        style={{padding:"4px 14px",fontSize:12}}>隔{g}期</Btn>)}
    </div>

    {selTail!==null&&<div>
      <div style={{background:"rgba(0,0,0,0.2)",borderRadius:12,padding:14,ma
        <div style={{display:"flex",alignItems:"center",gap:8,marginBottom:10
          <Ball v={selTail} size={30} isTail/>
          <span style={{fontSize:14,fontWeight:700}}>
            尾數 {selTail} 出現後，隔 {selGap} 期最常開出的號碼
          </span>
        </div>
        <div style={{display:"flex",flexWrap:"wrap",gap:6}}>
          {getTopNums(selGap,selTail).slice(0,12).map((x,i)=><div key={x.num}
            display:"flex",flexDirection:"column",alignItems:"center",gap:3,
            padding:"8px 4px",borderRadius:10,width:52,
            background:i<3?"rgba(251,191,36,0.12)":"rgba(255,255,255,0.03)",
            border:i<3?"1px solid rgba(251,191,36,0.25)":"1px solid rgba(255,
            <span style={{fontSize:9,color:i<3?"#fbbf24":"#64748b",fontWeight
            <Ball v={x.num} size={30}/>
```

```
          <span style={{fontSize:10,color:"#94a3b8"}}>{x.count}次</span>
        </div>)}
      </div>
    </div>

    {/* Tail transition for this tail */}
    <div style={{background:"rgba(0,0,0,0.2)",borderRadius:12,padding:14}}>
      <p style={{fontSize:13,fontWeight:700,marginBottom:10}}>
        尾數 {selTail} → 隔 {selGap} 期的尾數機率分布
      </p>
      {getTransRow(selGap,selTail).sort((a,b)=>b.pct-a.pct).map((r,i)=>{
        const barW=Math.max(r.pct*2.5,0);
        return <div key={r.to} style={{display:"flex",alignItems:"center",g
          <Ball v={r.to} size={22} isTail/>
          <div style={{flex:1,height:18,background:"rgba(255,255,255,0.06)"
            <div style={{height:"100%",width:`${barW}%`,background:`${TC[r.
              transition:"width 0.3s"}}/>
          </div>
          <span style={{fontSize:11,color:i===0?"#fbbf24":"#94a3b8",fontWei
            {r.pct.toFixed(1)}%</span>
          <span style={{fontSize:10,color:"#475569",width:32,textAlign:"rig
        </div>;})}
    </div>
  </div>}

  {selTail===null&&<div style={{textAlign:"center",padding:"30px 0",color:"
    👆 請先點選一個尾數開始查詢
  </div>}
</Box>

{/* Quick view: latest tails follow */}
<Box title="⚡ 快速查看：最新期各尾數的追號建議"
  sub={`以 03/20 的尾數，各自隔 1 期最常開出的前 5 個號碼`}>
  {A.latest.sort((a,b)=>a-b).map(fr=>{
    const topN=getTopNums(1,fr).slice(0,5);
    return <div key={fr} style={{marginBottom:10,display:"flex",alignItems:
      <Ball v={fr} size={26} isTail/>
      <span style={{fontSize:12,color:"#64748b"}}>→</span>
      {topN.map((x,i)=><div key={x.num} style={{display:"flex",alignItems:"
        background:i===0?"rgba(251,191,36,0.1)":"rgba(255,255,255,0.04)",
        borderRadius:8,padding:"3px 8px"}}>
        <Ball v={x.num} size={22}/>
        <span style={{fontSize:10,color:i===0?"#fbbf24":"#94a3b8"}}>{x.coun
      </div>)}
    </div>;
  })}
</Box>
```

```
    </div>}

    {/* ========== HISTORY ========== */}
    {tab==="history"&&<Box title={`尾數走勢（近 ${Math.min(nPeriod,40)} 期）`} sub="
      <div style={{overflowX:"auto"}}>
        <table style={{width:"100%",borderCollapse:"collapse",fontSize:11}}>
          <thead><tr style={{background:"rgba(255,255,255,0.04)"}}>
            <th style={{padding:"7px 8px",textAlign:"left",color:"#64748b",fontSi
            <th style={{padding:"7px 8px",textAlign:"left",color:"#64748b",fontSi
            <th style={{padding:"7px 8px",textAlign:"left",color:"#64748b",fontSi
          </tr></thead>
          <tbody>{A.data.slice(0,40).map((r,i)=>{
            const ts=[...new Set(r.n.map(x=>x%10))].sort((a,b)=>a-b);
            return <tr key={i} style={{borderBottom:"1px solid rgba(255,255,255,0
              <td style={{padding:"5px 8px",fontSize:11,color:"#94a3b8",position:
                fontFamily:"monospace"}}>{r.d}</td>
              <td style={{padding:"5px 8px"}}><div style={{display:"flex",gap:3}}
                {r.n.map((x,j)=><Ball key={j} v={x} size={26}/>)}</div></td>
              <td style={{padding:"5px 8px"}}><div style={{display:"flex",gap:3}}
                {ts.map(t=><Ball key={t} v={t} size={20} isTail/>)}</div></td>
            </tr>;})}
          </tbody>
        </table>
      </div>
    </Box>}

    <div style={{textAlign:"center",padding:"16px 0 6px",fontSize:10,color:"#3341
      ⚠️ 本分析僅供娛樂參考，樂透為隨機事件，過去數據不代表未來結果。請理性投注。未滿18歲不得購
    </div>
  </div>;
}
```