

ShellX Quickstart Guide

Welcome to ShellX — the Cognitive Developer Engine.

This guide will help you get started with:

- Running ShellX commands
 - Using the V3 Cognitive Engine
 - Understanding reports, LinkX, and Stones
 - Using Superman mode
-

Installation

ShellX is currently integrated into KickerOS.
Standalone packaging will be introduced in V4.

Cognitive Mode (V3)

Cognitive Mode is the signature feature of ShellX V3.

It reads your entire message, extracts intent, runs the full pipeline, and produces a clean 1-2-3 summary.

Run Cognitive Mode

```
shellx --xx "Fix the rendering pipeline and update the shader logic."
```

Output

1. What you wanted
2. What ShellX did
3. What changed

A full report is saved to:

```
.reports/ShellX_<timestamp>.md
```

LinkX and Stones are updated automatically.

Superman Mode

Superman is the “all-systems” diagnostic engine.

Run Superman

```
shellx-superman "audit everything and stabilize the engine"
```

Superman performs:

- Smart input
 - Deep audit
 - Debug
 - Architect analysis
 - Memory update
 - Safe-mode autofix
 - Verification
 - Stone creation
 - LinkX update
-

Standard Commands

```
shellx preflight
shellx report
shellx collect
shellx look
```

Reports

ShellX generates two types of reports:

1. Cognitive Summary (V3)

Shown in the terminal.

2. Full Report

Saved to `.reports/` with:

- Raw worker outputs
 - Architecture map
 - Memory state
 - Autofix notes
 - Verification results
-

LinkX Memory

LinkX stores:

- Intent
- Actions
- Changes
- Diffs
- Report paths
- Stone references
- Timestamps

It becomes a timeline of your project's evolution.

Stones

Every operation creates a Stone:

- Timestamp
- Summary
- Diff
- Report link
- Reversible state

Stones are your recovery snapshots.

Next Steps

- Explore the Commands Cheat Sheet
- Try Superman mode
- Review your LinkX timeline
- Inspect Stones for recovery

Welcome to ShellX.