

Write Up Basic Command In Kali Linux

OS Version + Kernel = **uname -a**

This is how to check OS version of kali on the machine

```
(kali@kali)-[~]
$ uname -a
Linux kali 6.11.2-amd64 #1 SMP PREEMPT_DYNAMIC Kali 6.11.2-1kali1 (2024-10-15) x86_64 GNU/Linux
```

List cpu = **lscpu**

It list down all cpu information on the machine


```
(kali@kali)-[~]
$ lscpu
Architecture:                x86_64
CPU op-mode(s):              32-bit, 64-bit
Address sizes:               40 bits physical, 48 bits virtual
Byte Order:                  Little Endian
CPU(s):                      4
  On-line CPU(s) list:       0-3
Vendor ID:                   AuthenticAMD
Model name:                  AMD Ryzen 5 7530U with Radeon Graphics
CPU family:                  25
Model:                      80
Thread(s) per core:         1
Core(s) per socket:         2
Socket(s):                   2
Stepping:                    0
BogoMIPS:                    3992.40
Flags:                       fpu vme de pse tsc msr pae mce cx8 apic sep mtrr pge mca cmov pat pse36 clflush mmx fxsr sse sse2 ht syscall nx mmx
                             xt rdtscp lm constant_tsc rep_good nopl tsc_reliable nonstop_tsc cpuid extd_apicid tsc_known_freq pni pclmulqdq ssse
                             3 fma cx16 sse4_1 sse4_2 movbe popcnt aes xsave avx hypervisor lahf_lm abm sse4a misalignsse 3dnowprefetch osvw vm
                             all arat overflow_recov succor
Virtualization features:
  Hypervisor vendor:         VMware
  Virtualization type:       full
Caches (sum of all):
  L1d:                       128 KiB (4 instances)
  L1i:                       128 KiB (4 instances)
  L2:                         2 MiB (4 instances)
  L3:                         64 MiB (4 instances)
NUMA:
  NUMA node(s):              1
  NUMA node0 CPU(s):         0-3
Vulnerabilities:
  Gather data sampling:      Not affected
  Itlb multihit:             Not affected
  L1tf:                      Not affected
  Mds:                       Not affected
  Meltdown:                 Not affected
  Mmio stale data:          Not affected
  Reg file data sampling:    Not affected
  Retbleed:                 Not affected
```

```
Spec rstack overflow:       Vulnerable: Safe RET, no microcode
Spec store bypass:          Vulnerable
Spectre v1:                 Mitigation; usercopy/swapgs barriers and __user pointer sanitization
Spectre v2:                 Mitigation; Retpolines; STIBP disabled; RSB filling; PBRSE-eIBRS Not affected; BHI Not affected
Srbds:                     Not affected
Tsx async abort:            Not affected
```

List block device= **lsblk**

check disk space usage = **df -h**

For this just type it on the notepad and copy paste to terminal to make it merge up and down.



```
(kali㉿kali)-[~]
└─$ lsblk
df -h
NAME        MAJ:MIN RM  SIZE RO TYPE MOUNTPOINTS
sda           8:0    0 80.1G  0 disk
└─sda1        8:1    0 80.1G  0 part /
Filesystem   Size  Used Avail Use% Mounted on
udev         921M    0   921M   0% /dev
tmpfs        197M  1.3M  196M   1% /run
/dev/sda1     79G   21G   55G  28% /
tmpfs        983M   35M  948M   4% /dev/shm
tmpfs         5.0M    0   5.0M   0% /run/lock
tmpfs         1.0M    0   1.0M   0% /run/credentials/systemd-journald.service
tmpfs         1.0M    0   1.0M   0% /run/credentials/systemd-udev-load-credentials.service
tmpfs         1.0M    0   1.0M   0% /run/credentials/systemd-sysctl.service
tmpfs         1.0M    0   1.0M   0% /run/credentials/systemd-tmpfiles-setup-dev-early.service
tmpfs         1.0M    0   1.0M   0% /run/credentials/systemd-tmpfiles-setup-dev.service
tmpfs        983M  712K  982M   1% /tmp
tmpfs         1.0M    0   1.0M   0% /run/credentials/systemd-tmpfiles-setup.service
tmpfs         1.0M    0   1.0M   0% /run/credentials/getty@tty1.service
tmpfs        197M  140K  197M   1% /run/user/1000
```

List usb info = **lsusb**

It showing about usb information on the machine

```
(kali㉿kali)-[~]
└─$ lsusb
Bus 001 Device 001: ID 1d6b:0002 Linux Foundation 2.0 root hub
Bus 002 Device 001: ID 1d6b:0001 Linux Foundation 1.1 root hub
Bus 002 Device 002: ID 0e0f:0003 VMware, Inc. Virtual Mouse
Bus 002 Device 003: ID 0e0f:0002 VMware, Inc. Virtual USB Hub
Bus 002 Device 004: ID 0e0f:0006 VMware, Inc. Virtual Keyboard
```

Live running process = **top**

It show the live running process of the machine and will be change every second.

```
(kali@kali)-[~]
└─$ top
top - 04:24:42 up 21:12, 2 users, load average: 0.05, 0.07, 0.08
Tasks: 247 total, 1 running, 243 sleeping, 3 stopped, 0 zombie
%Cpu(s): 2.6 us, 0.8 sy, 0.0 ni, 96.6 id, 0.0 wa, 0.0 hi, 0.0 si, 0.0 st
MiB Mem : 1964.9 total, 100.1 free, 1280.5 used, 889.6 buff/cache
MiB Swap: 1024.0 total, 97.2 free, 926.8 used, 684.5 avail Mem

  PID USER      PR  NI    VIRT    RES    SHR S  %CPU  %MEM    TIME+  COMMAND
 1039 root        20   0   722948   314848   60368 S   9.9   15.6   28:23.27 Xorg
608017 kali       20   0   463156   102600   88476 S   1.3    5.1    0:08.80 qterminal
 1329 kali       20   0   1278160   76276   48400 S   0.7    3.8    7:00.43 xfwm4
  630 root        20   0   317704    5148    4764 S   0.3    0.3    3:40.01 vmtoolsd
 1382 kali       20   0   375536   20232   12256 S   0.3    1.0    4:21.14 panel-13-cpugra
 1384 kali       20   0   338100   16236   11404 S   0.3    0.8    4:13.86 panel-15-genmon
 1420 kali       20   0   219880   19608   12416 S   0.3    1.0    3:34.33 vmtoolsd
 1439 kali       20   0   621720   18988   16384 S   0.3    0.9    0:01.53 nm-applet
540766 kali       20   0   4312196  185108   18608 S   0.3    9.2    1:59.73 java
623290 root         20   0         0         0     0 I   0.3    0.0    0:00.06 kworker/3:2-events
624512 kali       20   0    9312    5344    3168 R   0.3    0.3    0:00.03 top
   1 root        20   0    22676    9008    6136 S   0.0    0.4    0:06.24 systemd
   2 root        20   0         0         0     0 S   0.0    0.0    0:00.04 kthreadd
   3 root        20   0         0         0     0 S   0.0    0.0    0:00.00 pool_workqueue_release
   4 root        20  -20         0         0     0 I   0.0    0.0    0:00.00 kworker/R-rcu_gp
   5 root        0 -20         0         0     0 I   0.0    0.0    0:00.00 kworker/R-sync_wq
   6 root        0 -20         0         0     0 I   0.0    0.0    0:00.00 kworker/R-slub_flushwq
   7 root        0 -20         0         0     0 I   0.0    0.0    0:00.00 kworker/R-netns
   9 root        0 -20         0         0     0 I   0.0    0.0    0:00.90 kworker/0:0H-kblockd
  11 root       20   0         0         0     0 I   0.0    0.0    0:00.00 kworker/u128:0-ipv6_addrconf
  12 root       0 -20         0         0     0 I   0.0    0.0    0:00.00 kworker/R-mm_percpu_wq
  13 root       20   0         0         0     0 I   0.0    0.0    0:00.00 rcu_tasks_kthread
  14 root       20   0         0         0     0 I   0.0    0.0    0:00.00 rcu_tasks_rude_kthread
  15 root       20   0         0         0     0 I   0.0    0.0    0:00.00 rcu_tasks_trace_kthread
  16 root       20   0         0         0     0 S   0.0    0.0    0:01.21 ksoftirqd/0
  17 root       20   0         0         0     0 I   0.0    0.0    0:31.19 rcu_preempt
  18 root       20   0         0         0     0 S   0.0    0.0    0:00.15 rcu_exp_par_gp_kthread_worker/1
  19 root       20   0         0         0     0 S   0.0    0.0    0:00.10 rcu_exp_gp_kthread_worker
  20 root       rt   0         0         0     0 S   0.0    0.0    0:01.74 migration/0
  21 root      -51   0         0         0     0 S   0.0    0.0    0:00.00 idle_inject/0
  22 root       20   0         0         0     0 S   0.0    0.0    0:00.00 cpuhp/0
  23 root       20   0         0         0     0 S   0.0    0.0    0:00.00 cpuhp/1
  24 root      -51   0         0         0     0 S   0.0    0.0    0:00.00 idle_inject/1
  25 root       rt   0         0         0     0 S   0.0    0.0    0:01.84 migration/1
  26 root       20   0         0         0     0 S   0.0    0.0    0:01.12 ksoftirqd/1
  28 root       0 -20         0         0     0 I   0.0    0.0    0:00.00 kworker/1:0H-events_highpri
  29 root       20   0         0         0     0 S   0.0    0.0    0:00.00 cpuhp/2
```

List installed software = **dpkg -l**

This command show all installed software in the Kali linux.

```
(kali@kali)-[~]
$ dpkg -l
Desired=Unknown/Install/Remove/Purge/Hold
| Status=Not/Inst/Conf-files/Unpacked/half-inst/trig-aWait/Trig-pend
|/ Err?=(none)/Reinst-required (Status,Err: uppercase=bad)
++-- Name Version Architecture Description
++--
```

ii	7zip	24.08+dfsg-1	amd64	7-Zip file archiver with a high compression >
ii	accountsservice	23.13.9-7	amd64	query and manipulate user account information >
ii	acl	2.3.2-2+b1	amd64	access control list - utilities
ii	adduser	3.137	all	add and remove users and groups
ii	adwaita-icon-theme	47.0-2	all	default icon theme of GNOME
ii	aircrack-ng	1:1.7+git20230807.4bf83f1a-2	amd64	wireless WEP/WPA cracking utilities
ii	alsa-topology-conf	1.2.5.1-3	all	ALSA topology configuration files
ii	alsa-ucm-conf	1.2.12-1	all	ALSA Use Case Manager configuration files
ii	amass	4.2.0-0kali1	amd64	In-depth DNS Enumeration and Network Mapping
ii	amass-common	4.2.0-0kali1	all	In-depth DNS Enumeration and Network Mapping
ii	amd64-microcode	3.20240820.1	amd64	Platform firmware and microcode for AMD CPUs>
ii	apache2	2.4.62-3	amd64	Apache HTTP Server
ii	apache2-bin	2.4.62-3	amd64	Apache HTTP Server (modules and other binary>
ii	apache2-data	2.4.62-3	all	Apache HTTP Server (common files)
ii	apache2-utils	2.4.62-3	amd64	Apache HTTP Server (utility programs for web>
ii	apparmor	3.1.7-1+b3	amd64	user-space parser utility for AppArmor
ii	apt	2.9.10+kali1	amd64	commandline package manager
ii	apt-file	3.3	all	search for files within Debian packages (com>
ii	apt-utils	2.9.10+kali1	amd64	package management related utility programs
ii	arj	3.10.22-28	amd64	archiver for .arj files
ii	arp-scan	1.10.0-2+b1	amd64	arp scanning and fingerprinting tool
ii	arping	2.25-1	amd64	sends IP and/or ARP pings (to the MAC addres>
ii	aspell	0.60.8.1-1+b2	amd64	GNU Aspell spell-checker
ii	aspell-en	2020.12.07-0-1	all	English dictionary for GNU Aspell
ii	aspnetcore-runtime-6.0	6.0.8-1	amd64	
ii	aspnetcore-targeting-pack-6.0	6.0.9-1	amd64	
ii	at-spi2-common	2.54.0-1	all	Assistive Technology Service Provider Interf>
ii	at-spi2-core	2.54.0-1	amd64	Assistive Technology Service Provider Interf>
ii	atftpd	0.8.0-5	amd64	advanced TFTP server
ii	atril	1.26.2-3	amd64	MATE document viewer
ii	atril-common	1.26.2-3	all	MATE document viewer (common files)
ii	attr	1:2.5.2-2	amd64	utilities for manipulating filesystem extend>
ii	autopsy	2.24-6kali1	all	graphical interface to SleuthKit
ii	avahi-daemon	0.8-13+b3	amd64	Avahi mDNS/DNS-SD daemon
ii	avahi-utils	0.8-13+b3	amd64	Avahi browsing, publishing and discovery uti>
ii	axel	2.17.14-2	amd64	light command line download accelerator
ii	base-files	1:2024.4.0	amd64	Debian base system miscellaneous files

Show user and date = **echo "\$(whoami) | \$(date)"**

echo for display text line

" for string

() it runs the command on it

whoami for current user

date for show the date and time.

```
(kali@kali)-[~]
$ echo "$(whoami) | $(date)"
kali | Tue Apr 8 04:30:20 AM EDT 2025
```