

Cable Firmware Upgrade with Live-Patch

Live-Patch enables a seamless update of the cable firmware.

Prerequisites

The cable firmware gateway version must be set to ISFU (see "FW GW version : ISFU" in the example below).

Burn the cable firmware image binary.

```
1 # mlx cables -d mt52000_pciconf0_cable_22 -i img.bin -u
```

To get the cable's firmware binary, please contact Mellanox Support (support@mellanox.com).

Burning Process Example:

Query the device:

```
1 # mlx cables -d mt52000_pciconf0_cable_22
2 Querying Cables ....
3 Cable #1:
4 -----
5 Cable name      : mt52000_pciconf0_cable_22
6 FW version     : 32.20.121
7 FW Dev ID      : 0x22
8 FW GW version  : ISFU
9 ----- Cable EEPROM -----
10 Identifier     : QSFP28 (11h)
11 Technology     : 850 nm VCSEL (00h)
12 Compliance    : Extended Specification Compliance is valid, 100GBASE-SR4 or
13 Wavelength    : 850 nm
14 OUI            : 0x0002c9
15 Vendor        : Mellanox
16 Serial number  : MT1623FT01610
17 Part number    : MMA1B00-C100D
18 Revision      : A2
19 Temperature    : 31 C
20 Length        : 50 m
```

Query the image:

```
# mlx cables -i img.bin
Image name      : img.bin
FW version     : 32.30.204
```

FW Dev ID : 0x22
FW GW version : ISFU

Upgrade the firmware:

```
1 # mlx cables -i img.bin -d mt52000_pciconf0_cable_22 -u
2 Cable FW version : 32.20.121
3 Image FW version : 32.30.204
4 The image version is newer than the FW version on the cable, Do you want to
5 100%
6 -I- The FW was updated successfully
```

Query and verify the new firmware version:



Networking NVIDIA Firmware Tools (MFT) Documentation

4.22.0 ▾



```
3 Cable #1:
4 -----
5 Cable name      : mt52000_pciconf0_cable_22
6 FW version      : 32.30.204
7 FW Dev ID       : 0x22
8 FW GW version   : ISFU
9 ----- Cable EEPROM -----
10 Identifier      : QSFP28 (11h)
11 Technology      : 850 nm VCSEL (00h)
12 Compliance      : Extended Specification Compliance is valid, 100GBASE-SR4 or
13 Wavelength      : 850 nm
14 OUI             : 0x0002c9
15 Vendor          : Mellanox
16 Serial number   : MT1623FT01610
17 Part number     : MMA1B00-C100D
18 Revision        : A2
19 Temperature     : 31 C
20 Length          : 50 m
```

Last updated: September 18, 2019



Previous page
[MTUSB Cable Board](#)

Next page

[Troubleshooting](#)



🔍 Use with AI ▾

[Privacy Policy](#)
[Your Privacy Choices](#)
[Terms of Service](#)
[Accessibility](#)
[Corporate Policies](#)
[Product Security](#)
[Contact](#)

Copyright © 2026 • Powered by Scroll Sites & Atlassian Confluence