

Working with Cables

The following are the tools that can work with cables: mstdump, mlxdump and mlx cables.

The below are examples using the tools mentioned above.

mstdump

```
1  mstdump mt4115_pciconf0_cable_0
2  0x00000000 0x0002060d
3  0x00000004 0x00000000
4  0x00000008 0x00000000
5  0x0000000c 0x00000000
6  0x00000010 0x00000000
7  0x00000014 0x4a340000
8  0x00000018 0x8b7f0000
9  0x0000001c 0x00000000
10 0x00000020 0xc0210000
11 0x00000024 0x901aa61d
12 0x00000028 0x6dc9521c
13 0x0000002c 0xe2d12fca
14 ...
15 ...
16 ...
```

mlxdump

```
1  # mlxdump -d mt4115_pciconf0_cable_0 snapshot
2  -I- Dumping crspace...
3  -I- crspace was dumped successfully
4  -I- Dump file "mlxdump.udmp" was generated successfully
```

For the mlx cables example, refer to section mlx cables.

Last updated: April 17, 2019



[Privacy Policy](#)

[Your Privacy Choices](#)

[Terms of Service](#)

[Accessibility](#)

[Corporate Policies](#)

[Product Security](#)

[Contact](#)

Copyright © 2026 · Powered by Scroll Sites & Atlassian Confluence