

List of NVIDIA-Certified Systems

Reference Configurations

Reference Configurations are NVIDIA-Certified server configurations that form the foundation of NVIDIA Reference Architectures such as [NCP Reference Configurations](#) and [Enterprise Reference Configurations](#).

Reference Configurations include PCIe Optimized and HGX platforms that follow prescriptive design patterns to ensure optimal performance when deployed in a cluster environment.

Systems previously tested in Reference Configurations with NVIDIA L40S and L40 GPUs are certified for NVIDIA OVX™. Systems previously tested in Reference Configurations with NVIDIA B3140H or NVIDIA ConnectX®-8 SuperNICs for East-West data connectivity are Spectrum-X™ Compatible.

Solutions based on NVIDIA Enterprise Reference Architectures are available from NVIDIA's global partners. Contact your partner representative for details.

Learn more about Enterprise Reference Architectures in the [NVIDIA Enterprise Reference Architectures](#) documentation.

PCIe Optimized Reference Configuration

PCIe Optimized Reference Configurations are NVIDIA-Certified scale-out compute nodes that use PCIe GPUs and high-bandwidth NVIDIA networking for compute and graphics workloads. Each configuration name follows the pattern CPU-GPU-Network Adaptor-Average GPU Network Bandwidth. For example, 2-4-3-200 represents two CPUs, four PCIe GPUs, three network adaptors, and an average network bandwidth of 200 Gb/s.

The PCIe Optimized 2-2-3-400 configuration supports two PCIe GPUs and three network adaptors. The PCIe Optimized 2-4-3-200 configuration supports four PCIe GPUs and three network adaptors. The PCIe Optimized 2-8-5-200 configuration supports eight PCIe GPUs and five network adaptors.

The supported PCIe GPUs and network adaptors are listed in the [NVIDIA Enterprise Reference Architecture Whitepaper](#).

Note

- Systems that are *OVX Certified* have been tested with GPUs such as **L40S** and **L40**.
- Systems that are *Spectrum-X Compatible* have been tested with SuperNICs such as **B3140H** and **ConnectX-8 (CX8)**.

Partner	System	Tested NVIDIA GPUs	Tested Network Devices (East-West)	Tested Network Devices (North-South)
HPE	ProLiant Compute DL380 Gen12	RTX PRO 6000 Blackwell Server Edition ¹	CX7	B3220

Note:

¹ GPU power is capped based on system capabilities. Contact the partner for details.

PCIe Optimized Reference Configuration 2-4-3-200				
Partner	System	Tested NVIDIA GPUs	Tested Network Devices (East-West)	Tested Network Devices (North-South)
ASUS	ESC8000A-E12	L40	CX7	B3220
ASUS	ESC8000-E11	L40S	CX7	B3220
Dell Technologies	PowerEdge R760xa Rack Server	L40S	B3140H, CX7	B3220
GIGABYTE	G293-S47-A	L40S	CX7	B3220
GIGABYTE	G493-SB0-A	L40S, L40	CX7	B3220
HPE	ProLiant DL380a Gen11	L40S	B3140H, CX7	B3220
HPE	ProLiant DL385 Gen11	L40S, L40	CX7	B3220
Lenovo	ThinkSystem SR675 V3 Server	L40S, L40	B3140H, CX7	B3220
Nutanix	NX-9151-G9	H100 NVL, L40S	B3140H, CX7	B3220
Nutanix/Dell	XC760xa-6N	L40S	B3140H, CX7	B3220
PEGATRON	AS205-2T1	RTX PRO 6000 Blackwell Server Edition	B3140H, CX7	B3220
Supermicro	SYS-221GE-NR	RTX PRO 6000 Blackwell Server Edition, H100 NVL, L40S	B3140H, CX7	B3220
Supermicro	SYS-421GE-TNRT3	L40S	CX7	B3220
Wistron	E-Wing-Ahsoka	H100 NVL	B3140H, CX7	B3220

PCIe Optimized Reference Configuration 2-8-5-200				
Partner	System	Tested NVIDIA GPUs	Tested Network Devices (East-West)	Tested Network Devices (North-South)
ASUS	ESC8000A-E13P	L40S	CX7	B3220

Partner	System	Tested NVIDIA GPUs	Tested Network Devices (East-West)	Tested Network Devices (North-South)
Cisco	UCS C845A M8 AI Server	RTX PRO 6000 Blackwell Server Edition, RTX PRO 4500 Blackwell Server Edition, H200 NVL, H100 NVL, L40S	B3140H, CX7	B3220
Dell Technologies	PowerEdge XE7740 Rack Server	RTX PRO 6000 Blackwell Server Edition, RTX PRO 4500 Blackwell Server Edition, H200 NVL	B3140H, CX7	B3220
Dell Technologies	PowerEdge XE7745 Rack Server	RTX PRO 6000 Blackwell Server Edition, RTX PRO 4500 Blackwell Server Edition, H200 NVL, L40S	B3140H, CX7	B3220
Fujitsu	PRIMERGY GX2560 M8s	RTX PRO 6000 Blackwell Server Edition, H200 NVL	B3140H, CX7	B3220
GIGABYTE	G493-SB4-A	L40S	CX7	B3220
GIGABYTE	G493-ZB4-A	L40S	CX7	B3220
GIGABYTE	G494-ZB4-AAP2	RTX PRO 6000 Blackwell Server Edition	CX7	B3240, B3220
HPE	ProLiant Compute DL380a Gen12	RTX PRO 6000 Blackwell Server Edition	CX7	B3220
Inventec	P90G6	L40S	CX7	B3220
Leadtek	WinFast GS5850T	RTX PRO 6000 Blackwell Server Edition, H200 NVL, L40S	B3140H, CX7	B3220
Leadtek	WinFast GS5852T	RTX PRO 6000 Blackwell Server Edition, H200 NVL	B3140H, CX7	B3220
Leadtek	WinFast GS5855T	RTX PRO 6000 Blackwell Server Edition, H200 NVL	B3140H, CX7	B3220
Lenovo	ThinkSystem SR675 V3 Server	RTX PRO 6000 Blackwell Server Edition, H200 NVL, L40S, L40	B3140H, CX7	B3220
MSI	S5063G480RAE20	H200 NVL	B3140H, CX7	B3220
MSI	S6053G480RAU8	RTX PRO 6000 Blackwell Server Edition	B3140H, CX7	B3220
Netweb	SDI200A2G-524	H200 NVL	B3140H, CX7	B3220
Netweb	SDI300A2G-524	H200 NVL	B3140H, CX7	B3220
PEGATRON	AS400-2A1	RTX PRO 6000 Blackwell Server Edition	B3140H, CX7	B3220
PEGATRON	AS400-2A1-CX8	RTX PRO 6000 Blackwell Server Edition	CX8	B3220
QCT	QuantaGrid D75E-4U	RTX PRO 6000 Blackwell Server Edition, L40S	CX7	B3220

Partner	System	Tested NVIDIA GPUs	Tested Network Devices (East-West)	Tested Network Devices (North-South)
Supermicro	AS-5126GS-TNRT2	RTX PRO 6000 Blackwell Server Edition, H200 NVL	B3140H, CX7	B3220
Supermicro	SYS-421GE-TNRT	L40S	B3140H, CX7	B3220
Supermicro	SYS-422GA-NRT	RTX PRO 6000 Blackwell Server Edition	B3140H, CX7	B3220
Supermicro	SYS-422GL-NR	RTX PRO 6000 Blackwell Server Edition, H200 NVL	B3140H, CX7	B3240, B3220
Supermicro	SYS-521GE-TNRT	RTX PRO 6000 Blackwell Server Edition	B3140H, CX7	B3240, B3220
Supermicro	SYS-521GE-TNRT	RTX PRO 4500 Blackwell Server Edition, H200 NVL	B3140H, CX7	B3220
Supermicro	SYS-521GE-TNRT	L40S	CX7	B3220
Supermicro	SYS-522GA-NRT	RTX PRO 6000 Blackwell Server Edition, RTX PRO 4500 Blackwell Server Edition, H200 NVL	B3140H, CX7	B3220
Wistron	X-wing-Flyboy (Tacoma)	H100 NVL	B3140H, CX7	B3220

HGX Reference Configuration

HGX Reference Configurations are NVIDIA-Certified scale-up server platforms for large-scale AI training, inference, and other accelerated computing workloads. Configuration names follow the pattern CPU-GPU-Network Adaptor-Average GPU Network Bandwidth. For example, 2-8-9-400 represents two CPUs, eight GPUs, nine network adaptors, and an average network bandwidth of 400 Gb/s.

The 2-8-9-400 configuration supports NVIDIA HGX H100/H200 systems. The 2-8-9-800 and 2-8-10-800 configurations support NVIDIA HGX B200/B300 systems with an average network bandwidth of 800 Gb/s. Spectrum-X Compatible Reference Configurations are tested with NVIDIA networking devices such as B3140H and ConnectX-8. Supported HGX GPUs and network adaptors are listed in the [NVIDIA Enterprise Reference Architecture Whitepaper](#).

i

Note

- Systems that are *Spectrum-X Compatible* have been tested with SuperNICs such as **B3140H** and **ConnectX-8 (CX8)**.

HGX Reference Configuration: 2-8-9-400

Partner	Data Center Server	Tested NVIDIA GPUs	Tested Network Devices (East-West)	Tested Network Devices (North-South)
---------	--------------------	--------------------	------------------------------------	--------------------------------------

Partner	Data Center Server	Tested NVIDIA GPUs	Tested Network Devices (East-West)	Tested Network Devices (North-South)
Aivres	KR6288E2	HGX H200 8-GPU, HGX H100 8-GPU	CX7	B3220
Aivres	KR6288X2	HGX H200 8-GPU, HGX H100 8-GPU	CX7	B3220
ASUS	ESC N8-E11V	HGX H200 8-GPU	CX7	B3220
Cisco	UCS C885A M8 Rack Server	HGX H200 8-GPU, HGX H100 8-GPU	B3140H, CX7	B3240, B3220
Dell Technologies	PowerEdge XE9680L Rack Server	HGX B200	CX7	B3220
Dell Technologies	PowerEdge XE9680 Rack Server	HGX H200 8-GPU, HGX H100 8-GPU	CX7	B3220
Dell Technologies	PowerEdge XE9780 Rack Server	HGX B200	CX8	B3220
Eviden	BullSequana AI 641-H02	HGX H200 8-GPU	B3140H, CX7	B3220
GIGABYTE	G593-SD1-LAX3	HGX H200 8-GPU	B3140H, CX7	B3220
GIGABYTE	G893-SD1-AAX5	HGX B200	B3140H, CX7	B3220
GIGABYTE	G894-SD1-AAX5	HGX B200	B3140H, CX7	B3220
HPE	Cray XD685 Gen11	HGX H200 8-GPU	B3140H, CX7	B3220
International Computer Concepts	VELOCITY R828I-4NS	HGX H100 8-GPU	CX7	B3220
Inventec	P8000G6	HGX H200 8-GPU, HGX H100 8-GPU	CX7	B3220
Inventec	P9000IG6(AC)	HGX B200	B3140H, CX7	B3220
Lenovo	ThinkSystem SR680a V3 Server	HGX B200, HGX H200 8-GPU, HGX H100 8-GPU	CX7	B3220
Lenovo	ThinkSystem SR685a V3	HGX H200 8-GPU, HGX H100 8-GPU	CX7	B3220
Lenovo	ThinkSystem SR780a V3	HGX H200 8-GPU, HGX H100 8-GPU	B3140H, CX7	B3220
Lenovo	ThinkSystem SR780a V3 GPU Server	HGX B200	CX7	B3220
Netweb	SDI200A2G-820	HGX H200 8-GPU, HGX H100 8-GPU	CX7	B3220
PEGATRON	AS800-2T0-8H1	HGX B200	B3140H, CX7	B3220

Partner	Data Center Server	Tested NVIDIA GPUs	Tested Network Devices (East-West)	Tested Network Devices (North-South)
QCT	<u>QuantaGrid D74H-7U</u>	HGX H100 8-GPU	CX7	B3220
Supermicro	<u>AS-A126GS-TNBR</u>	HGX B200	CX7	B3220
Supermicro	<u>AS-4125GS-TNHR2-LCC</u>	HGX H200 8-GPU, HGX H100 8-GPU	B3140H, CX7	B3220
Supermicro	<u>AS-4126GS-NBR-LCC</u>	HGX B200	CX7	B3220
Supermicro	<u>AS-8125GS-TNHR</u>	HGX H100 8-GPU	CX7	B3220
Supermicro	<u>SYS-421GE-TNHR2-LCC</u>	HGX H100 8-GPU	B3140H, CX7	B3220
Supermicro	<u>SYS-821GE-TNHR</u>	HGX H200 8-GPU, HGX H100 8-GPU	B3140H, CX7	B3220
Supermicro	<u>SYS-822GS-NBRT</u>	HGX B200	B3140H, CX7	B3220
Wistron	<u>Miramar - ICEMan</u>	HGX H200 8-GPU, HGX H100 8-GPU	B3140H, CX7	B3220

HGX Reference Configuration: 2-8-9-800

Partner	Data Center Server	Tested NVIDIA GPUs	Tested Network Devices (East-West)	Tested Network Devices (North-South)
Lenovo	<u>ThinkSystem SR680a V4 Server</u>	HGX B300	CX8	B3240
Supermicro	<u>SYS-222GS-NB3OT-ALC</u>	HGX B300	CX8	B3240
Supermicro	<u>SYS-422GS-NB3RT-ALC</u>	HGX B300	CX8	B3240
Supermicro	<u>SYS-422GS-NB3RT-LCC</u>	HGX B300	CX8	B3240
Supermicro	<u>SYS-822GS-NB3RT</u>	HGX B300	CX8	B3240

HGX Reference Configuration: 2-8-10-800

Partner	Data Center Server	Tested NVIDIA GPUs	Tested Network Devices (East-West)	Tested Network Devices (North-South)
Cisco	<u>UCS C880A M8 Rack Server</u>	HGX B300	CX8	B3240
Compal	<u>SGX30-2</u>	HGX B300	CX8	B3240
GIGABYTE	<u>G4L4-AD3-LAX7</u>	HGX B300	CX8	B3240
GIGABYTE	<u>G4L4-SD3-LAX7</u>	HGX B300	CX8	B3240
GIGABYTE	<u>G4L4-ZD3-LAX7</u>	HGX B300	CX8	B3240

Partner	Data Center Server	Tested NVIDIA GPUs	Tested Network Devices (East-West)	Tested Network Devices (North-South)
GIGABYTE	TO46-SD3-LA07	HGX B300	CX8	B3240
HPE	Compute XD690	HGX B300	CX8	B3240
HPE	ProLiant Compute XD685	HGX B300	CX8	B3240
Netweb	CDI300E1HG-108	HGX B300	CX8	B3240
Supermicro	AS-4126GS-NB3RT-LCC	HGX B300	CX8	B3240
Supermicro	Gold Series AS-8126GS-NB3RT	HGX B300	CX8	B3240

Reference Configuration (Inference Only)

These systems support inference-only deployments with RTX PRO 6000 Blackwell Server Edition and RTX PRO 4500 Blackwell Server Edition GPUs in 2-8-1 and 2-4-1 configurations.

These configurations do not define an East-West network and use only DPU-based North-South connectivity.

Reference Configuration (Inference Only) 2-8-1

Partner	Data Center Server	Tested NVIDIA GPUs	Tested Network Devices (North-South)
Cisco	UCS C845A M8 AI Server	RTX PRO 4500 Blackwell Server Edition	B3220
Supermicro	AS-4125GS-TNRT2	RTX PRO 4500 Blackwell Server Edition	B3220

Reference Configuration (Inference Only) 2-4-1

Partner	Data Center Server	Tested NVIDIA GPUs	Tested Network Devices (North-South)
HPE	ProLiant Compute DL380 Gen12	RTX PRO 4500 Blackwell Server Edition	B3220
Supermicro	SYS-222C-TN	RTX PRO 4500 Blackwell Server Edition	B3220

Systems Certified for NVIDIA Confidential Computing

NVIDIA-Certified systems testing for Confidential Computing validates robust application performance with Confidential Computing. These systems provide hardware-based protection for AI workloads and sensitive data assets while maintaining optimal NVIDIA acceleration. Learn more about [NVIDIA Confidential Computing](#).

NVIDIA Confidential Computing

- [Dell Technologies PowerEdge R770 Rack Server with RTX PRO 6000 Blackwell Server Edition](#)
- [Dell Technologies PowerEdge R7715 Rack Server with RTX PRO 6000 Blackwell Server Edition](#)
- [Dell Technologies PowerEdge XE7740 Rack Server with RTX PRO 6000 Blackwell Server Edition](#)
- [Dell Technologies PowerEdge XE7745 Rack Server with RTX PRO 6000 Blackwell Server Edition](#)
- [HPE ProLiant Compute DL380a Gen12 with RTX PRO 6000 Blackwell Server Edition](#)

Data Center Servers

The following systems have been validated by NVIDIA as NVIDIA-Certified Systems - Data Center Servers.

The NVIDIA GPUs listed in the following table are certified for Data Center Servers across all generally available GPU versions. For example, any system validated for the A100 GPU is certified for both the A100 40 GB and A100 80 GB versions.

NVIDIA AI Enterprise is supported on NVIDIA-Certified Systems across bare metal, virtualized, and cloud deployments. For a complete list of supported software platforms, refer to the [NVIDIA AI Enterprise Infrastructure Support Matrix](#).

Each NVIDIA-Certified System is tested with supported NVIDIA GPUs to validate the performance and reliability of the combined system.

Data Center Servers

Partner	Data Center Server	Supported NVIDIA GPUs
Aetina	AIS-D422-A1	L4, A2, T4
Aivres	KR6288E2	HGX H200 8-GPU, HGX H100 8-GPU
Aivres	KR6288X2	HGX H200 8-GPU, HGX H100 8-GPU
Altos Computing	BrainSphere R880 F8 AI Server	HGX B300
ASUS	ESC N8A-E12	HGX H100 8-GPU
ASUS	ESC N8-E11	HGX H100 8-GPU
ASUS	ESC N8-E11V	HGX H200 8-GPU
ASUS	ESC8000A-E12	H100
ASUS	ESC8000A-E13P	RTX PRO 6000 Blackwell Server Edition, L40S
ASUS	ESC8000-E11	L40, L4
ASUS	ESC8000-E11P	L40

Partner	Data Center Server	Supported NVIDIA GPUs
Atipa Technologies	Procyon SE218-8G4	T4
Cisco	UCS C220 M7 ²	L4
Cisco	UCS C220 M8 SFF Rack Server ²	L4
Cisco	UCS C225 M8 SFF Rack Server ²	L4
Cisco	UCS C240 M6 ²	L4
Cisco	UCS C240 M7 ²	H100 NVL, H100, L40S, L40, L4
Cisco	UCS C240 M8 SFF Rack Server ²	RTX PRO 6000 Blackwell Server Edition ¹ , RTX PRO 4500 Blackwell Server Edition, H200 NVL ¹ , H100 NVL, L40S, L4
Cisco	UCS C245 M8 SFF Rack Server ²	RTX PRO 4500 Blackwell Server Edition, H100 NVL, L40S, L40, L4
Cisco	UCS C845A M8 AI Server ²	RTX PRO 6000 Blackwell Server Edition, RTX PRO 4500 Blackwell Server Edition, H200 NVL, H100 NVL, L40S
Cisco	UCS C880A M8 Rack Server	HGX B300
Cisco	UCS C885A M8 Rack Server ²	HGX H200 8-GPU, HGX H100 8-GPU
Cisco	UCS X210c M7 ²	RTX PRO 6000 Blackwell Server Edition, RTX PRO 4500 Blackwell Server Edition, H200 NVL, H100 NVL, H100, L40S, L40, L4
Cisco	UCS X210c M8 ²	RTX PRO 6000 Blackwell Server Edition, RTX PRO 4500 Blackwell Server Edition, H200 NVL, H100 NVL, L40S, L4
Cisco	UCS X215c M8 ²	H200 NVL, H100 NVL, L40S, L40, L4
Cisco	UCS XE130c M8 ²	L4
Compal	SG220-2	H100 NVL
Compal	SGX30-2	HGX B300
Compal	SX420-2A	RTX PRO 6000 Blackwell Server Edition, H200 NVL
DataON	AZS-6208G	A2
Dell Technologies	DSS 8440	T4
Dell Technologies	PowerEdge R570 Rack Server	RTX PRO 4500 Blackwell Server Edition
Dell Technologies	PowerEdge R650 Rack Server	L4, T4
Dell Technologies	PowerEdge R660 Rack Server	L4
Dell Technologies	PowerEdge R740 / PowerEdge R740xd	A10, T4
Dell Technologies	PowerEdge R750 Rack Server	H100, L40, L4, A10, T4
Dell Technologies	PowerEdge R750xa Rack Server	H100, L40S, L40, L4, A10, T4

Partner	Data Center Server	Supported NVIDIA GPUs
Dell Technologies	PowerEdge R760 Rack Server	H100, L40S, L40, L4
Dell Technologies	PowerEdge R760xa Rack Server	H100, L40S, L40, L4
Dell Technologies	PowerEdge R760xd2 Rack Server	L4
Dell Technologies	PowerEdge R770 Rack Server	RTX PRO 6000 Blackwell Server Edition ¹ , RTX PRO 4500 Blackwell Server Edition, H200 NVL ¹
Dell Technologies	PowerEdge R6615 Rack Server	L4
Dell Technologies	PowerEdge R6625 Rack Server	L4
Dell Technologies	PowerEdge R7515 Rack Server	L4
Dell Technologies	PowerEdge R7525 Rack Server	H100, L40, L4, A10, T4
Dell Technologies	PowerEdge R7615 Rack Server	H100, L40S, L40, L4
Dell Technologies	PowerEdge R7625 Rack Server	H100, L40S, L40, L4
Dell Technologies	PowerEdge R7715 Rack Server	RTX PRO 6000 Blackwell Server Edition ¹ , RTX PRO 4500 Blackwell Server Edition, H200 NVL ¹
Dell Technologies	PowerEdge R7725 Rack Server	RTX PRO 6000 Blackwell Server Edition ¹ , RTX PRO 4500 Blackwell Server Edition, H200 NVL ¹
Dell Technologies	PowerEdge XE7740 Rack Server	RTX PRO 6000 Blackwell Server Edition, RTX PRO 4500 Blackwell Server Edition, H200 NVL
Dell Technologies	PowerEdge XE7745 Rack Server	RTX PRO 6000 Blackwell Server Edition, RTX PRO 4500 Blackwell Server Edition, H200 NVL, L40S
Dell Technologies	PowerEdge XE8640 Rack Server	HGX H100 4-GPU
Dell Technologies	PowerEdge XE9640 Rack Server	HGX H200 4-GPU, HGX H100 4-GPU
Dell Technologies	PowerEdge XE9680L Rack Server	HGX B200
Dell Technologies	PowerEdge XE9680 Rack Server	HGX H200 8-GPU, HGX H100 8-GPU, HGX A100-SXM4
Dell Technologies	PowerEdge XE9780 Rack Server	HGX B300, HGX B200
Dell Technologies	PowerEdge XR11 Rack Server	L4, T4
Dell Technologies	PowerEdge XR12 Rack Server	L4, A10, T4
Dell Technologies	PowerEdge XR5610 Rack Server	L4
Dell Technologies	PowerEdge XR7620 Rack Server	L4
Dell Technologies	PowerEdge XR8620t Compute Sled	L4
Dell Technologies	VxRail V570 / V570F	T4
Dell Technologies	VxRail V670F	T4

Partner	Data Center Server	Supported NVIDIA GPUs
Eviden	BullSequana AI 621-A01	L40S
Eviden	BullSequana AI 622-A01	H100
Eviden	BullSequana AI 641-A01	HGX H100 8-GPU
Eviden	BullSequana AI 641-A02	HGX H200 8-GPU
Eviden	BullSequana AI 641-H02	HGX H200 8-GPU
Fsas Technologies	PRIMERGY RX2450 M2	H100 NVL, H100, L40S, RTX 6000 Ada
Fsas Technologies	PRIMERGY RX2530 M8	L4
Fsas Technologies	PRIMERGY RX2540 M7	H100 NVL, H100, L40S, L40, L4, RTX 6000 Ada
Fsas Technologies	PRIMERGY RX2540 M8	RTX PRO 6000 Blackwell Server Edition, H200 NVL, L4
Fsas Technologies	PRIMERGY TX2550 M7	H100 NVL, H100, L40S, L40, RTX 6000 Ada
Fujitsu	PRIMERGY GX2560 M7	HGX H100 4-GPU
Fujitsu	PRIMERGY GX2560 M8s	RTX PRO 6000 Blackwell Server Edition, H200 NVL
Fujitsu	PRIMERGY GX2580 M8s	HGX B300
Fujitsu	PRIMERGY RX2530 M7	H100
Fujitsu	PRIMERGY RX2540 M5	T4
Fujitsu	PRIMERGY RX2540 M6	L40, L4, A100X, A30X
Fujitsu	PRIMERGY RX2540 M7	H100, L40S, L40, L4, RTX 6000 Ada
Fujitsu	PRIMERGY TX2550 M7	H100, L40S, L40, RTX 6000 Ada
GIGABYTE	G4L4-AD3-LAX7	HGX B300
GIGABYTE	G4L4-SD3-LAX7	HGX B300
GIGABYTE	G4L4-ZD3-LAX7	HGX B300
GIGABYTE	G242-Z11	T4
GIGABYTE	G292-Z44	A10
GIGABYTE	G293-S40-A	L4
GIGABYTE	G293-S42-A	L40S
GIGABYTE	G293-S43	L4
GIGABYTE	G293-Z42-A	L40S
GIGABYTE	G294-Z42-AAP2	RTX PRO 6000 Blackwell Server Edition
GIGABYTE	G363-SR0-AAX1	HGX H100 4-GPU

Partner	Data Center Server	Supported NVIDIA GPUs
GIGABYTE	G363-SR0-AAX4	HGX H200 4-GPU
GIGABYTE	G363-ZR0-AAX1	HGX H100 4-GPU
GIGABYTE	G363-ZR0-AAX4	HGX H200 4-GPU
GIGABYTE	G493-SB0-A	L40S, L40, L4
GIGABYTE	G493-SB3-A	L40S
GIGABYTE	G493-ZB0-A	L40S
GIGABYTE	G493-ZB1-A	L40
GIGABYTE	G493-ZB2-A	L40S
GIGABYTE	G493-ZB3-A	H100
GIGABYTE	G494-SB0-AAP2	H200 NVL
GIGABYTE	G494-ZB4-AAP2	RTX PRO 6000 Blackwell Server Edition
GIGABYTE	G593-SD0-A	HGX H100 8-GPU
GIGABYTE	G593-SD1-AAX1	HGX H100 8-GPU
GIGABYTE	G593-SD1-AAX3	HGX H200 8-GPU
GIGABYTE	G593-SD1-LAX3	HGX H200 8-GPU
GIGABYTE	G593-SD2-A	HGX H100 8-GPU
GIGABYTE	G593-ZD2-A	HGX H100 8-GPU
GIGABYTE	G893-SD1-AAX3	HGX H200 8-GPU
GIGABYTE	G893-SD1-AAX5	HGX B200
GIGABYTE	G893-ZD1-AAX5	HGX B200
GIGABYTE	G894-AD3-AAX7	HGX B300
GIGABYTE	G894-SD1-AAX5	HGX B200
GIGABYTE	G894-SD3-AAX7	HGX B300
GIGABYTE	G894-ZD3-AAX7	HGX B300
GIGABYTE	R281-G30	T4
GIGABYTE	R282-Z96	A10
GIGABYTE	R283-S93-AAF1	L40
GIGABYTE	TO46-SD3-LA07	HGX B300
GIGABYTE	XL44-SX2-AAS1	RTX PRO 6000 Blackwell Server Edition

Partner	Data Center Server	Supported NVIDIA GPUs
H3C	UniServer R4900 G5	A10
Hiper Global US	HG-03012301-4C-1	HGX H100 4-GPU
Hiper Global US	HG-03012301-8A/B/C-1	HGX H100 8-GPU
Hitachi	HA8000V/DL320 Gen11	L40S, L40, L4
Hitachi	HA8000V/DL320 Gen12	L40S, L4
Hitachi	HA8000V/DL360 Gen10	T4
Hitachi	HA8000V/DL360 Gen10 Plus	T4
Hitachi	HA8000V/DL360 Gen12	L4
Hitachi	HA8000V/DL380a Gen11	H100 NVL, H100, L40S, L40
Hitachi	HA8000V/DL380a Gen12	RTX PRO 6000 Blackwell Server Edition, H200 NVL, L40S
Hitachi	HA8000V/DL380 Gen10 Plus	A10, T4
Hitachi	HA8000V/DL380 Gen11	H100 NVL, H100, L40S, L40, L4
Hitachi	HA8000V/DL380 Gen12	H100 NVL, L40S, L4
Hitachi	HA8000V/ML350 Gen12	L40S
Hitachi Vantara	HA820 G3	H100 NVL
Hitachi Vantara	Hitachi Advanced Server DS120 G2	T4
Hitachi Vantara	Hitachi Advanced Server DS220 G2	T4
Hitachi Vantara	Hitachi Advanced Server HA820 G3	H100 NVL, H100, L40S, L40
HPE	Apollo 2000 (XL290 Gen10 Plus)	T4
HPE	Apollo 6500 (XL645d Gen10 Plus)	A10
HPE	Apollo 6500 (XL675d Gen10 Plus)	A10
HPE	Compute Scale-up Server 3200	L40S
HPE	Compute XD690	HGX B300
HPE	Cray XD665 Gen11²	HGX H100 4-GPU
HPE	Cray XD670 Gen11	HGX H200 8-GPU, HGX H100 8-GPU
HPE	Cray XD685 Gen11	HGX H200 8-GPU
HPE	ProLiant Compute DL320 Gen12	L40S, L4
HPE	ProLiant Compute DL325 Gen12	L4
HPE	ProLiant Compute DL340e Gen12	L4

Partner	Data Center Server	Supported NVIDIA GPUs
HPE	ProLiant Compute DL340 Gen12	L40S, L4
HPE	ProLiant Compute DL345 Gen12	L40S, L4
HPE	ProLiant Compute DL360 Gen12	L4
HPE	ProLiant Compute DL380a Gen12	RTX PRO 6000 Blackwell Server Edition, H200 NVL, L40S, L4
HPE	ProLiant Compute DL380 Gen12	RTX PRO 6000 Blackwell Server Edition ¹ , H200 NVL ¹ , H100 NVL, L40S, L4
HPE	ProLiant Compute ML350 Gen12	L40S, L4
HPE	ProLiant Compute XD685	HGX B300
HPE	ProLiant DL320 Gen1 1	L40S, L40, L4
HPE	ProLiant DL360 Gen10 Plus	T4
HPE	ProLiant DL380a Gen1 1	H100 NVL, H100, L40S, L40, L4
HPE	ProLiant DL380 Gen10	T4
HPE	ProLiant DL380 Gen10 Plus	A10, T4
HPE	ProLiant DL380 Gen1 1	H100 NVL, H100, L40S, L40, L4
HPE	ProLiant DL385 Gen10 Plus V2	T4
HPE	ProLiant DL385 Gen1 1	RTX PRO 6000 Blackwell Server Edition, H200 NVL ¹ , H100 NVL, L40S, L40, L4
HPE	ProLiant ML350 Gen1 1	L40S
Inspur Electronic Information	NF5280M6	A10, T4
Inspur Electronic Information	NF5468A5	T4
Inspur Electronic Information	NF5468M5	T4
Inspur Electronic Information	NF5468M6	T4
International Computer Concepts	VELOCITY R428A-4	L40S
International Computer Concepts	VELOCITY R428I-4NS	L40S, L40, L4
International Computer Concepts	VELOCITY R528A-4N	HGX H100 8-GPU
International Computer Concepts	VELOCITY R528I-4NSS	HGX H100 8-GPU

Partner	Data Center Server	Supported NVIDIA GPUs
International Computer Concepts	VELOCITY R529I-4NSS	L40S
International Computer Concepts	VELOCITY R828I-4NS	HGX H100 8-GPU
Inventec	P90G6	L40S
Inventec	P5000AG7	RTX PRO 6000 Blackwell Server Edition
Inventec	P8000G6	HGX H200 8-GPU, HGX H100 8-GPU
Inventec	P9000IG6(AC)	HGX B200
Leadtek	WinFast GS2050T	RTX 6000 Ada
Leadtek	WinFast GS4850T	RTX 6000 Ada
Leadtek	WinFast GS4855 ST	RTX 6000 Ada
Leadtek	WinFast GS5850T	RTX PRO 6000 Blackwell Server Edition, H200 NVL, L40S
Leadtek	WinFast GS5852T	RTX PRO 6000 Blackwell Server Edition, H200 NVL
Leadtek	WinFast GS5855T	RTX PRO 6000 Blackwell Server Edition, H200 NVL
Leadtek	WinFast WS2050	L40S, RTX 6000 Ada
Lenovo	ThinkAgile HX630 V4	L4
Lenovo	ThinkAgile HX645 V3	L4
Lenovo	ThinkAgile HX650a V4	H200 NVL
Lenovo	ThinkAgile HX650 V4	L40S, L4
Lenovo	ThinkAgile VX630 V3	L4
Lenovo	ThinkAgile VX650 V3	H100, L40S, L40, L4
Lenovo	ThinkAgile VX655 V3	H100, RTX A4500
Lenovo	ThinkAgile VX665 v3	L40S, L40
Lenovo	ThinkAgile VX3331	L4
Lenovo	ThinkAgile VX3530-G	L40, L4
Lenovo	ThinkAgile VX3575-G	L40, L4
Lenovo	ThinkAgile VX7531	L40, L4
Lenovo	ThinkAgile VX7576	L40, L4
Lenovo	ThinkSystem SD650-N V3 Supercomputing Server	HGX H200 4-GPU, HGX H100 4-GPU

Partner	Data Center Server	Supported NVIDIA GPUs
Lenovo	ThinkSystem SD665-N V3	HGX H200 4-GPU, HGX H100 4-GPU
Lenovo	ThinkSystem SR630 V2	L4
Lenovo	ThinkSystem SR630 V3 Rack Server	L4
Lenovo	ThinkSystem SR630 V4	L4
Lenovo	ThinkSystem SR635 V3	L4
Lenovo	ThinkSystem SR645 V3 Rack Server	L4
Lenovo	ThinkSystem SR650a V4 Server	RTX PRO 6000 Blackwell Server Edition, H200 NVL, H100 NVL, L40S, L4
Lenovo	ThinkSystem SR650 V2 Rack Server	H100, L40, L4
Lenovo	ThinkSystem SR650 V3 Rack Server	H100, L40S, L40, L4
Lenovo	ThinkSystem SR650 V4 Server	H100 NVL, L40S, L4, RTX 6000 Ada
Lenovo	ThinkSystem SR655 V3 Rack Server	H100, L40S, L4, RTX A4500
Lenovo	ThinkSystem SR665 Rack Server	H100, L40, L4
Lenovo	ThinkSystem SR665 V3 Rack Server	L40S, L40, L4
Lenovo	ThinkSystem SR670 V2	H100, L40S, L40, L4, T4
Lenovo	ThinkSystem SR675 V3 Server	RTX PRO 6000 Blackwell Server Edition, HGX H200 4-GPU, HGX H100 4-GPU, H200 NVL, H100 NVL, H100, L40S, L40, L4
Lenovo	ThinkSystem SR680a V3 Server	HGX B200, HGX H200 8-GPU, HGX H100 8-GPU
Lenovo	ThinkSystem SR680a V4 Server	HGX B300
Lenovo	ThinkSystem SR685a V3	HGX H200 8-GPU, HGX H100 8-GPU
Lenovo	ThinkSystem SR780a V3	HGX B200, HGX H200 8-GPU, HGX H100 8-GPU
Lenovo	ThinkSystem ST650 V2 Server	L4
Liquid	UltraStack UX-3016	L40S
MSI	S3063G290RAU4	RTX PRO 6000 Blackwell Server Edition, H200 NVL
MSI	S5063G480RAE20	H200 NVL
MSI	S6053G480RAU8	RTX PRO 6000 Blackwell Server Edition
MSI	S6053G481RAU8	RTX PRO 6000 Blackwell Server Edition

Partner	Data Center Server	Supported NVIDIA GPUs
NationGate	NH8230 8U AI SERVER	HGX H200 8-GPU
NEC	Express5800/R120h-2M	T4
NEC	Express5800/R120j-2M	H100 NVL, H100, L40S, L40, L4
NEC	NX7700x/A50102E-2 v2	T4
Netweb	CDI300E1HG-108	HGX B300
Netweb	SDA300C2G-56	H200 NVL
Netweb	SDI200A2G-524	H200 NVL
Netweb	SDI200A2G-820	HGX H200 8-GPU, HGX H100 8-GPU
Netweb	SDI300A2G-524	H200 NVL
Nutanix	NX-3155G-G8	A10, T4
Nutanix	NX-3155-G9	H100, L40S, L4
Nutanix	NX-8155A-G9	L4
Nutanix	NX-9151-G9	H100 NVL, L40S
Nutanix/Cisco	HCIAF240C-M7SN	H100, L40S, L40, L4
Nutanix/Cisco	HCIAF240C-M7SX	H100, L40S, L40, L4
Nutanix/Dell	XC660-10	L4
Nutanix/Dell	XC750xa	H100, L40, L4, A10, T4
Nutanix/Dell	XC750-24	H100, L40, L4, A10, T4
Nutanix/Dell	XC760xa-6N	H100, L40S, L40, L4
Nutanix/Dell	XC760-24	H100, L40S, L40, L4
Nutanix/Dell	XC7525-24	H100, A10, T4
Nutanix/Dell	XC7625-24	H100, L40S, L40, L4
Nutanix/Fujitsu	XF8055 VDI M7	H100, L40
Nutanix/HPE	DX320-4	L40S, L40, L4
Nutanix/HPE	DX380A-8 Gen11	H100 NVL, H100, L40S, L40, L4
Nutanix/HPE	DX380-8 Gen10 Plus	A10, T4
Nutanix/HPE	DX380-12	H100 NVL, H100, L40S, L40, L4
Nutanix/HPE	DX 380-24 Gen11	H100 NVL, H100, L40S, L40, L4
Nutanix/HPE	DX380-24 SFF	H100 NVL, H100, L40S, L40, L4

Partner	Data Center Server	Supported NVIDIA GPUs
Nutanix/HPE	DX385-8 Gen11	H100 NVL, L40S, L40, L4
Nutanix/Lenovo	HX650 v3	H100, L40S, L40, L4
Nutanix/Lenovo	HX665 v3	H100, L40S, L40
PEGATRON	AS205-2T1	RTX PRO 6000 Blackwell Server Edition
PEGATRON	AS400-2A1	RTX PRO 6000 Blackwell Server Edition
PEGATRON	AS400-2A1-CX8	RTX PRO 6000 Blackwell Server Edition
PEGATRON	AS800-2T0-8H1	HGX B200
QCT	QuantaGrid D43N-3U	A10
QCT	QuantaGrid D53XQ-2U	T4
QCT	QuantaGrid D54U-3U	H100, L40S, A16
QCT	QuantaGrid D54X-1U	L4
QCT	QuantaGrid D74H-7U	HGX H100 8-GPU
QCT	QuantaGrid D75E-4U	RTX PRO 6000 Blackwell Server Edition, HGX H200 8-GPU, L40S
QCT	QuantaGrid S44NL-1U	L4
QCT	QuantaPlex T43Z-2U	T4
Supermicro	AS-A126GS-TNBR	HGX B200
Supermicro	AS-4125GS-TNHR2-LCC	HGX H200 8-GPU, HGX H100 8-GPU
Supermicro	AS-4125GS-TNRT	H100
Supermicro	AS-4126GS-NB3RT-LCC	HGX B300
Supermicro	AS-4126GS-NBR-LCC	HGX B200
Supermicro	AS-5126GS-TNRT	H200 NVL
Supermicro	AS-5126GS-TNRT2	RTX PRO 6000 Blackwell Server Edition, H200 NVL
Supermicro	AS-8125GS-TNHR	HGX H100 8-GPU
Supermicro	Gold Series AS-8126GS-NB3RT	HGX B300
Supermicro	GPU Blade SBA-4119SG	A10, T4
Supermicro	SYS-A21GE-NBRT	HGX B200
Supermicro	SYS-A22GA-NBRT	HGX B200
Supermicro	SYS-120GQ-TNRT	A10, T4
Supermicro	SYS-120U-TNR	T4

Partner	Data Center Server	Supported NVIDIA GPUs
Supermicro	SYS-121H-TNR	H100, L40S
Supermicro	SYS-122H-TN	RTX PRO 4500 Blackwell Server Edition
Supermicro	SYS-212GB-FNR	RTX PRO 6000 Blackwell Server Edition
Supermicro	SYS-220GP-TNR	A10, T4
Supermicro	SYS-220U-TNR	A10, T4
Supermicro	SYS-221GE-NR	RTX PRO 6000 Blackwell Server Edition, H100 NVL
Supermicro	SYS-221GE-TNHT-LCC	HGX H100 4-GPU
Supermicro	SYS-221H-TNR	L40S
Supermicro	SYS-222C-TN	RTX PRO 6000 Blackwell Server Edition, RTX PRO 4500 Blackwell Server Edition
Supermicro	SYS-222GS-NB30T-ALC	HGX B300
Supermicro	SYS-222H-TN	RTX PRO 6000 Blackwell Server Edition, RTX PRO 4500 Blackwell Server Edition
Supermicro	SYS-420GP-TNR	A10, T4
Supermicro	SYS-421GE-NBRT-LCC	HGX B200
Supermicro	SYS-421GE-TNHR2-LCC	HGX H100 8-GPU
Supermicro	SYS-421GU-TNXR	HGX H100 4-GPU
Supermicro	SYS-422GA-NBRT-LCC	HGX B200
Supermicro	SYS-422GA-NRT	RTX PRO 6000 Blackwell Server Edition
Supermicro	SYS-422GL-FNR2	RTX PRO 4500 Blackwell Server Edition
Supermicro	SYS-422GL-NR	RTX PRO 6000 Blackwell Server Edition, H200 NVL
Supermicro	SYS-422GS-NB3RT-ALC	HGX B300
Supermicro	SYS-422GS-NB3RT-LCC	HGX B300
Supermicro	SYS-521GE-TNRT	RTX PRO 6000 Blackwell Server Edition, RTX PRO 4500 Blackwell Server Edition, H200 NVL, H100 NVL, L40S
Supermicro	SYS-522GA-NRT	RTX PRO 6000 Blackwell Server Edition, RTX PRO 4500 Blackwell Server Edition, H200 NVL
Supermicro	SYS-621H-TN12R	L4
Supermicro	SYS-740GP-TNRT	A10, T4
Supermicro	SYS-741GE-TNRT	L40S
Supermicro	SYS-821GE-TNHR	HGX H200 8-GPU, HGX H100 8-GPU

Partner	Data Center Server	Supported NVIDIA GPUs
Supermicro	SYS-822GS-NB3RT	HGX B300
Supermicro	SYS-822GS-NBRT	HGX B200
Supermicro	2114GT-DNR	A10
Wistron	E-Wing-Ahsoka	H100 NVL
Wistron	Miramar -ICEMan	HGX H200 8-GPU, HGX H100 8-GPU
Wistron	X-wing-Flyboy (Tacoma)	H100 NVL

Note:

¹ GPU power is capped based on system capabilities. Contact the partner for details.

² Modular system with built-in OEM networking.

DGX Spark / Grace Blackwell GB10 Systems

The following systems have been validated by NVIDIA as NVIDIA-Certified Systems - NVIDIA DGX™ Spark / Grace Blackwell GB10 systems. Delivering the power of Grace Blackwell in a desktop-friendly size, NVIDIA-Certified partner systems built with NVIDIA GB10 GPUs are ideal for AI developers, researchers, and data scientists.

DGX Spark / Grace Blackwell GB10 Systems

Partner	DGX Spark / Grace Blackwell GB10 systems	Supported NVIDIA GPUs
Acer	Veriton GN100-UD11	GB10
ASUS	Ascent GX10	GB10
Dell Technologies	Pro Max with GB10	GB10
GIGABYTE	ATAGB10-9000	GB10
HP	ZGX Nano AI Station	GB10
Lenovo	ThinkStation PGX Workstation	GB10
MSI	EdgeXpert	GB10

DGX Station / Grace Blackwell GB300 Systems

The following systems have been validated by NVIDIA as NVIDIA-Certified Systems - NVIDIA DGX Station™ / Grace Blackwell GB300 systems. These deskside AI supercomputers let you develop, fine-

tune, and run inference with large AI models and long-running AI agents locally. You can then deploy them to the data center or cloud.

DGX Station / Grace Blackwell GB300 Systems

Partner	DGX Station / Grace Blackwell GB300 systems	Supported NVIDIA GPUs
GIGABYTE	W775-V10-L01	GB300

NVIDIA Arm CPU Systems

The following systems have been validated by NVIDIA as NVIDIA-Certified Systems - NVIDIA Arm CPU Systems and are listed in the following table.

NVIDIA Arm systems use the [NVIDIA Grace™ CPU](#) architecture, which is designed for hyperscale, enterprise, and high-performance computing (HPC) applications. The Grace CPU uses NVIDIA NVLink™-C2C to enable access by the GPU at seven times the bandwidth of a traditional PCIe connection. The [NVIDIA Grace Hopper™ Superchip](#) pairs a power-efficient, high-bandwidth NVIDIA Grace CPU with an NVIDIA H100 Tensor Core GPU to maximize the capabilities for accelerated computing and generative AI workloads.

NVIDIA Arm CPU Systems

Partner	System	NVIDIA Module	Tested Network Devices
Compal	SX220-1N	GH200 96 GB*	CX7
GIGABYTE	XH23-VG0-A NVIDIA MGX™ Arm Server	GH200 96 GB*	CX7
HPE	ProLiant Compute DL384 Gen12	GH200 144 GB	B3140H
PEGATRON	AS201-1N0	GH200 144 GB, GH200 96 GB*	CX7
QCT	QuantaGrid S74G-2U	GH200 96 GB*	CX7
Supermicro	ARS-111GL-NHR	GH200 96 GB	CX7
Supermicro	ARS-221GL-NHIR	GH200 144 GB	CX7

Note:

* Tested as a standalone system.

Workstations

The following systems have been validated by NVIDIA as NVIDIA-Certified Systems - Workstations.

NVIDIA-Certified workstations provide the hardware foundation of [Data Science Workstations](#) that combine optimized hardware with a data science software stack built on NVIDIA CUDA-X™ AI. They use enterprise-class GPUs to accelerate data science workloads and are validated for optimal performance, reliability, and compatibility with NVIDIA software and services.

NVIDIA-Certified systems are tested with each supported NVIDIA GPU to ensure that they can work together to provide the highest level of performance and reliability.

Workstations

Partner	Workstation	Supported NVIDIA GPUs	High Performance NVIDIA Networking
Advantech	ACP-4340	RTX 6000 Ada, RTX 4000 Ada	
Advantech	ACP-4340+AIMB-788	RTX 4000 Ada	
Advantech	ACP-4340MB-IOT	RTX 5000 Ada	
Advantech	AIR-410	RTX 6000 Ada	
Advantech	AIR-420	RTX PRO 6000 Blackwell Max-Q Workstation Edition	
Advantech	AIR-520	RTX A5000	
Advantech	IPC-730	RTX 4500 Ada, RTX 2000 Ada	
Advantech	IPC-730 + AIMB-789	RTX PRO 6000 Blackwell Workstation Edition, RTX PRO 6000 Blackwell Max-Q Workstation Edition	
Advantech	MIC-770V2	RTX A2000	
Altos Computing	BrainSphere P330 F6	RTX 6000 Ada	
ASUS	ExpertCenter E500 G9	RTX A2000	
BOXX	APEXX A3.02	RTX A6000, RTX A5000	
BOXX	APEXX A3.03	RTX A4000, RTX A2000	
BOXX	APEXX A3.04	RTX 6000 Ada	
BOXX	APEXX E3.04	RTX A4000, RTX A2000	
BOXX	APEXX P4i.02	RTX 6000 Ada	
BOXX	APEXX S3.06	RTX A6000	
BOXX	APEXX S3.07	RTX A6000, RTX A5000, RTX A4500, RTX A4000	
BOXX	APEXX S3.08	RTX 6000 Ada, RTX A6000	
BOXX	APEXX T3.05	RTX A6000, RTX A5000	
BOXX	APEXX T3.07	RTX 6000 Ada, RTX A6000, RTX A2000	

Partner	Workstation	Supported NVIDIA GPUs	High Performance NVIDIA Networking
BOXX	APEXX T4L	RTX A6000	
BOXX	APEXX T4P.01	RTX PRO 6000 Blackwell Workstation Edition, RTX 6000 Ada	
BOXX	APEXX T4.07	RTX 5000 Ada	
BOXX	APEXX W3L	RTX A6000, RTX A5000	
BOXX	APEXX W4L	RTX A6000, RTX A5000	
BOXX	FLEXX S1G	RTX 6000 Ada	
BOXX	FLEXX S2G	RTX A6000, RTX A4000	
BOXX	RAXX P3	RTX A6000, RTX A5000	
BOXX	RAXX T3	RTX A6000	
Dell Technologies	Precision 3650 Tower Workstation	RTX A5000	
Dell Technologies	Precision 5820 Tower Workstation	RTX A5000, RTX A4000	
Dell Technologies	Precision 5860 Tower Workstation	RTX 6000 Ada	
Dell Technologies	Precision 7960 Tower Workstation	RTX 6000 Ada	
HP	HP Z4 G5 Snow	RTX 6000 Ada, RTX 5000 Ada, RTX 4500 Ada, RTX 4000 Ada	
HP	HP Z6 G5	RTX 6000 Ada, RTX 5000 Ada, RTX 4500 Ada, RTX 4000 Ada, A800 Active	
HP	HP Z6 G5 A	RTX 6000 Ada, RTX 5000 Ada, RTX 4500 Ada, RTX 4000 Ada, RTX 4000 SS Ada, RTX A800 40GB Active	
HP	HP Z8 Fury G5	RTX 6000 Ada, RTX 5000 Ada, RTX 4500 Ada, RTX 4000 Ada, A800 Active	
HP	Z2 G8 Tower Workstation	RTX A5000, RTX A4000	
HP	Z4 G4 Workstation	RTX A6000, RTX A5000, RTX A4000	
HP	Z6 G4 Workstation	RTX A6000, RTX A4000	
HP	Z8 G4 Workstation	RTX A6000, RTX A5000, RTX A4000	
HP	ZCentral 4R	RTX A6000, RTX A5000, RTX A4000	
Leadtek	WinFast WS750	RTX 5000 Ada, RTX 4000 Ada, RTX A5500, RTX A4500	
Leadtek	WinFast WS850	RTX 6000 Ada, RTX 5000 Ada, RTX 4000 Ada	

Partner	Workstation	Supported NVIDIA GPUs	High Performance NVIDIA Networking
Leadtek	WinFast WS855	RTX PRO 6000 Blackwell Max-Q Workstation Edition	
Leadtek	WinFast WS940	RTX A6000, RTX A5500, RTX A5000, RTX A4500, RTX A4000	
Leadtek	WinFast WS945	RTX 6000 Ada, RTX A6000, RTX A5500, RTX A5000, RTX A4500, RTX A4000	
Leadtek	WinFast WS950	RTX PRO 6000 Blackwell Workstation Edition, RTX 6000 Ada, RTX 5000 Ada, RTX 4000 Ada	
Leadtek	WinFast WS1040	RTX 6000 Ada, RTX 4000 Ada, RTX A6000, RTX A5500, RTX A5000, RTX A4500, RTX A4000	
Leadtek	WinFast WS1050	RTX 6000 Ada, RTX 5000 Ada, RTX 4000 Ada	
Leadtek	WinFast WS2040	RTX A6000, RTX A5500, RTX A5000, RTX A4500, RTX A4000	
Leadtek	WinFast WS2050	RTX PRO 6000 Blackwell Max-Q Workstation Edition, RTX 6000 Ada, RTX 5000 Ada, RTX 4000 Ada	
Lenovo	ThinkPad P16	RTX A5500	
Lenovo	ThinkStation P4 Workstation	RTX PRO 6000 Blackwell Workstation Edition, RTX PRO 5000 48GB Blackwell	
Lenovo	ThinkStation P5	RTX 2000 Ada	
Lenovo	ThinkStation P5 Gen 2 Workstation	RTX PRO 5000 72GB Blackwell, RTX PRO 5000 48GB Blackwell	
Lenovo	ThinkStation P5 Workstation	RTX 6000 Ada, RTX 5000 Ada	Yes
Lenovo	ThinkStation P7	RTX 2000 Ada	
Lenovo	ThinkStation P7 Workstation	RTX PRO 6000 Blackwell Workstation Edition, RTX PRO 6000 Blackwell Max-Q Workstation Edition, RTX PRO 5000 Blackwell Workstation Edition, RTX 6000 Ada, RTX 5000 Ada	Yes
Lenovo	ThinkStation P8 Workstation	RTX PRO 6000 Blackwell Workstation Edition, RTX PRO 6000 Blackwell Max-Q Workstation Edition, RTX PRO 5000 48GB Blackwell, RTX 6000 Ada, RTX 5000 Ada, RTX 2000 Ada	
Lenovo	ThinkStation P350 Tower	RTX A5000, RTX A4000	
Lenovo	ThinkStation P520c Workstation	RTX A5000, RTX A4000	
Lenovo	ThinkStation P520 Workstation	RTX A6000, RTX A5500, RTX A5000, RTX A4000	
Lenovo	ThinkStation P620 Tower Workstation	RTX A6000, RTX A5500, RTX A5000, RTX A4000	

Partner	Workstation	Supported NVIDIA GPUs	High Performance NVIDIA Networking
Lenovo	ThinkStation P720 Tower Workstation	RTX A6000, RTX A5000, RTX A4000	
Lenovo	ThinkStation P920 Tower Workstation	RTX A6000, RTX A5500, RTX A5000	
Lenovo	ThinkStation PX Workstation	RTX 6000 Ada, RTX 5000 Ada	Yes
Lenovo	ThinkSystem SR650 V4 Server	RTX 4500 Ada, RTX 4000 Ada	
Lenovo	ThinkSystem SR655 V3 Rack Server	RTX PRO 6000 Blackwell Max-Q Workstation Edition, RTX 4500 Ada	
Lenovo	ThinkSystem SR665 V3 Rack Server	RTX PRO 6000 Blackwell Max-Q Workstation Edition, RTX 4500 Ada	
Microway	Whisperstation	RTX A6000	
Netweb	Camarero RSI200A3A-48	RTX 6000 Ada	
Netweb	SSI200FOR-34	RTX A6000	
Netweb	Tyrone Camarero ADI200C3A-54	RTX 6000 Ada	
RAVE Computer	RenderBEAST X2	RTX 6000 Ada	
Siemens AG	Simatic IPC RW-545A	RTX A5000, RTX A4000	
Siemens AG	Simatic IPC547J	RTX A4000	
Siemens AG	Simatic IPC847E	RTX A4000	
Siemens AG	Simatic IPC1047E	RTX A5000, RTX A4000	
Supermicro	SYS-121H-TNR	RTX A5000	
Supermicro	SYS-531A-IL	RTX A6000, RTX A5500, RTX A4500, RTX A2000	
Supermicro	SYS-540A-TR	RTX A6000, RTX A5500, RTX A4500, RTX A2000	
Supermicro	SYS-551A-T	RTX 5000 Ada	
Supermicro	SYS-740GP-TNRT	RTX A6000, RTX A5000	
Supermicro	5014A-TT	RTX A6000, RTX A5500, RTX A4500	
Supermicro	5039A-i	RTX A6000	

Mobile Workstations

The following systems have been validated by NVIDIA as NVIDIA-Certified Systems - Mobile Workstations.

NVIDIA-Certified workstations provide the hardware foundation of [Data Science Workstations](#) that combine optimized hardware with a data science software stack built on NVIDIA CUDA-X AI. They use enterprise-class GPUs to accelerate data science workloads and are validated for optimal performance, reliability, and compatibility with NVIDIA software and services.

NVIDIA-Certified systems are tested with each supported NVIDIA GPU to ensure that they can work together to provide the highest level of performance and reliability.

Mobile Workstations

Partner	Workstation	Supported NVIDIA GPUs
BOXX	GoBOXX SLM 17	RTX A5500
Dell Technologies	Precision 7560 Workstation	RTX A5000, RTX A4000
Dell Technologies	Precision 7680 Workstation	RTX 5000 Ada, RTX 4000 Ada
Dell Technologies	Precision 7760 Workstation	RTX A5000, RTX A4000
Dell Technologies	Precision 7780 Workstation	RTX 5000 Ada, RTX 4000 Ada
Lenovo	ThinkPad P1 Gen 4 Mobile Workstation	RTX A5000, RTX A4000
Lenovo	ThinkPad P1 Gen 6 Mobile Workstation	RTX 5000 Ada
Lenovo	ThinkPad P15 Gen 2 Mobile Workstation	RTX A5000, RTX A4000
Lenovo	ThinkPad P17 Gen 2 Mobile Workstation	RTX A5000, RTX A4000

High-Density VDI Servers

The following systems have been validated by NVIDIA as NVIDIA-Certified Systems - High-Density VDI Servers.

NVIDIA-Certified systems are tested with each supported NVIDIA GPU to ensure that they can work together to provide the highest level of performance and reliability.

High-Density VDI Servers

Partner	High-Density VDI Servers	Supported NVIDIA GPUs
ATOS	BullSequana SA20G	A16

Partner	High-Density VDI Servers	Supported NVIDIA GPUs
Cisco	UCS C240 M7	A16
Cisco	UCS C240 M8 SFF Rack Server	A16
Cisco	UCS C245 M8	A16
Cisco	UCS X210c M7	A16
Cisco	UCS X210c M8	A16
Cisco	UCS X215c M8	A16
DataON	AZS-6208G	A16
Dell Technologies	PowerEdge R740 / PowerEdge R740xd	A16
Dell Technologies	PowerEdge R750	A16
Dell Technologies	PowerEdge R750xa	A16
Dell Technologies	PowerEdge R760	A16
Dell Technologies	PowerEdge R760xa Rack Server	A16
Dell Technologies	PowerEdge R960 Server Node	A16
Dell Technologies	PowerEdge R7515	A16
Dell Technologies	PowerEdge R7525	A16
Dell Technologies	PowerEdge R7615 Rack Server	A16
Dell Technologies	PowerEdge R7625 Rack Server	A16
GIGABYTE	E152-ZE0	A16
GIGABYTE	E162-220	A16
GIGABYTE	G242-Z12	A16
GIGABYTE	G292-Z24	A16
GIGABYTE	G292-Z44	A16
GIGABYTE	G292-Z45	A16
GIGABYTE	G292-280	A16
GIGABYTE	G492-H80	A16
GIGABYTE	G492-HA0	A16
GIGABYTE	R282-Z93	A16
Hitachi	HA8000V/DL380 Gen10 Plus	A16
Hitachi Vantara	Hitachi Advanced Server DS220 G2	A16

Partner	High-Density VDI Servers	Supported NVIDIA GPUs
HPE	ProLiant DL380 Gen10	A16
HPE	ProLiant DL380 Gen10 Plus	A16
HPE	ProLiant DL385 Gen10 Plus	A16
Lenovo	ThinkSystem SR650 V3 Server	A16
Nutanix	NX-3155-G9	A16
Nutanix	NX-8155A-G9	A16
Nutanix/Dell	XC760xa-6N	A16
Nutanix/Dell	XC760-24	A16
Nutanix/Dell	XC7625-24	A16
Nutanix/Supermicro	NX-8155AS-G10	A16
QCT	QuantaGrid D43N-3U	A16
QCT	QuantaGrid D53XQ-2U	A16
Supermicro	AS-2015HS-TNR	A16
Supermicro	SYS-621H-TN12R	A16
Supermicro	SYS-740GP-TNRT	A16

Edge Systems

The following servers and workstations have been validated by NVIDIA as NVIDIA-Certified Systems - Edge Systems.

NVIDIA AI Enterprise is supported when used on NVIDIA-Certified systems in bare metal deployments, virtualized deployments, and in the cloud. The supported bare metal, virtualized, and cloud software platforms are listed in the [NVIDIA AI Enterprise Infrastructure Support Matrix](#).

NVIDIA-Certified systems are tested with each supported NVIDIA GPU to ensure that they can work together to provide the highest level of performance and reliability.

Enterprise Edge servers are tested for remote systems management using the industry-standard Redfish API.

Industrial Edge workstations are tested at elevated ambient temperatures to demonstrate their ability to function effectively outside a typical data center environment. Contact your hardware provider for the specific NVIDIA GPUs supported for this use case.

Edge Systems

Partner	Server / Workstation	Supported NVIDIA GPUs	Enterprise Edge Server	Industrial Edge Workstation
Aaeon	BOXER-6843-ADS	L4		Yes
Aaeon	BOXER-8332	A2		Yes
Aaeon	Maxer-2100-Q670	L4, RTX 6000 Ada		Yes
Adlink	AXE-5100R7	L4	Yes	Yes
Adlink	AXE-6120IL	L4		Yes
Adlink	AXE-7120SR	L4	Yes	Yes
Adlink	AXE-7220SR	L4	Yes	Yes
Adlink	AXE-7400SR	L4		Yes
Advantech	ACP-2020G	A2		Yes
Advantech	ACP-4340	RTX 4000 Ada SFF		Yes
Advantech	ACP-4340+AIMB-788	RTX 4000 Ada		Yes
Advantech	AIR-510	RTX 6000 Ada		Yes
Advantech	AIR-520	RTX 6000 Ada, RTX 4000 Ada		Yes
Advantech	EPC-B3522	RTX A4500		Yes
Advantech	EPC-B3588	RTX A4500		Yes
Advantech	EPC-B5587	RTX A6000	Yes	
Advantech	MIC-770V2	RTX A2000		Yes
Advantech	MIC-770V3	L4, RTX 4000 SFF Ada		Yes
Advantech	SKY-640V2	A30	Yes	
Advantech	USM-501	RTX A6000		Yes
Aetina	AEX-2UA1	RTX PRO 6000 Blackwell Server Edition	Yes	
Aetina	AIP-FQ47-B1	RTX A4500		Yes
Aetina	AIP-FR68-A1	RTX 6000 Ada		Yes
Aetina	AIP-KQ67-A1	A2	Yes	
Aetina	AIS-D422-A1	L4, A2, T4		Yes
Aewin	SCB-1932c	A30		Yes
Altos Computing	BrainSphere R380 F6	L40S	Yes	

Partner	Server / Workstation	Supported NVIDIA GPUs	Enterprise Edge Server	Industrial Edge Workstation
Altos Computing	BrainSphere R380 F7	RTX 6000 Ada	Yes	
Altos Computing	BrainSphere R385 F6	RTX 6000 Ada	Yes	
Axiomtek	IPC962A	L4		Yes
Axiomtek	IPC-962-525	A2	Yes	Yes
BOXX	APEXX P4i.06	RTX PRO 6000 Blackwell Server Edition	Yes	
Cisco	UCS C220 M7	L4	Yes	
Cisco	UCS C220 M8 SFF Rack Server	L4	Yes	
Cisco	UCS C225 M8 SFF Rack Server	L4	Yes	
Cisco	UCS C240 M6	L4	Yes	
Cisco	UCS C240 M7	H100 NVL, H100, L40S, L40, L4	Yes	
Cisco	UCS C240 M8 SFF Rack Server	RTX PRO 6000 Blackwell Server Edition ¹ , RTX PRO 4500 Blackwell Server Edition, H200 NVL ¹ , H100 NVL, L40S, L4	Yes	
Cisco	UCS C245 M8 SFF Rack Server	RTX PRO 4500 Blackwell Server Edition, H100 NVL, L40S, L40, L4	Yes	
Cisco	UCS C845A M8 AI Server	RTX PRO 6000 Blackwell Server Edition, RTX PRO 4500 Blackwell Server Edition, H200 NVL, H100 NVL, L40S	Yes	
Cisco	UCS C885A M8 Rack Server	HGX H100 8-GPU	Yes	
Cisco	UCS X210c M6	A40	Yes	
Cisco	UCS X210c M7	RTX PRO 6000 Blackwell Server Edition, RTX PRO 4500 Blackwell Server Edition, H200 NVL, H100 NVL, H100, L40S, L40, L4, A100	Yes	
Cisco	UCS X210c M8	RTX PRO 6000 Blackwell Server Edition, RTX PRO 4500 Blackwell Server Edition, H200 NVL, H100 NVL, L40S, L4	Yes	
Cisco	UCS X215c M8	H200 NVL, H100 NVL, L40S, L40, L4	Yes	
Cisco	UCS XE130c M8	L4	Yes	
DataON	AZS-6208G	A40, A30, A2	Yes	Yes
DataON	AZS-7208G	A40	Yes	

Partner	Server / Workstation	Supported NVIDIA GPUs	Enterprise Edge Server	Industrial Edge Workstation
Dell Technologies	PowerEdge C6220 Server Node	A2	Yes	
Dell Technologies	PowerEdge R360 Rack Server	A2	Yes	
Dell Technologies	PowerEdge R640	A2	Yes	
Dell Technologies	PowerEdge R650 Rack Server	L4, A2, T4	Yes	
Dell Technologies	PowerEdge R660 Rack Server	L4, A2	Yes	
Dell Technologies	PowerEdge R740 / PowerEdge R740xd	A100, A40, A30, A2, T4	Yes	
Dell Technologies	PowerEdge R750 Rack Server	L40, L4, A100, A40, A30, A2, T4	Yes	
Dell Technologies	PowerEdge R750xa Rack Server	L40S, L40, L4, A2	Yes	
Dell Technologies	PowerEdge R760 Rack Server	H100, L40S, L40, L4, A100, A40, A30, A2	Yes	
Dell Technologies	PowerEdge R760xa Rack Server	H100, L40S, L40, L4, A100, A40, A30, A2	Yes	
Dell Technologies	PowerEdge R760xd2 Rack Server	L4	Yes	
Dell Technologies	PowerEdge R760xs Rack Server	A2	Yes	
Dell Technologies	PowerEdge R960 Rack Server	A100	Yes	
Dell Technologies	PowerEdge R6515	A2	Yes	
Dell Technologies	PowerEdge R6615 Rack Server	L4, A2	Yes	
Dell Technologies	PowerEdge R6625 Rack Server	L4	Yes	
Dell Technologies	PowerEdge R7515 Rack Server	L4	Yes	
Dell Technologies	PowerEdge R7525 Rack Server	L40, L4, A100, A40, A30, A2, T4	Yes	
Dell Technologies	PowerEdge R7615 Rack Server	H100, L40S, L40, L4, A100, A40, A30, A2	Yes	

Partner	Server / Workstation	Supported NVIDIA GPUs	Enterprise Edge Server	Industrial Edge Workstation
Dell Technologies	PowerEdge R7625 Rack Server	H100, L40S, L40, L4, A100, A40, A30	Yes	
Dell Technologies	PowerEdge R7715 Rack Server	RTX PRO 6000 Blackwell Server Edition	Yes	
Dell Technologies	PowerEdge XR11 Rack Server	L4	Yes	
Dell Technologies	PowerEdge XR12 Rack Server	L4	Yes	
Dell Technologies	PowerEdge XR4520C	L4, A30, A2	Yes	Yes
Dell Technologies	PowerEdge XR5610 Rack Server	L4, A2	Yes	
Dell Technologies	PowerEdge XR7620 Rack Server	L4, A100, A30, A2	Yes	
Dell Technologies	PowerEdge XR8620t Compute Sled	L4	Yes	
Eurotech	DynaCOR-44-11	A2		Yes
Fujitsu	PRIMERGY RX2540 M6	L4, A100, A40, A30, A2, T4	Yes	
Fujitsu	PRIMERGY TX1330 M5	L4, A2	Yes	
GIGABYTE	E152-ZE0	A2	Yes	
GIGABYTE	E162-220	A2	Yes	
GIGABYTE	G242-P33	A100	Yes	
Hitachi	HA8000V/DL360 Gen10 Plus	A2, T4	Yes	
Hitachi	HA8000V/DL380 Gen10 Plus	A100, A40, A30, T4	Yes	
Hitachi Vantara	Hitachi Advanced Server DS220 G2	A2	Yes	
HPE	Compute Edge Server e930t	RTX PRO 6000 Blackwell Server Edition ¹ , RTX PRO 4500 Blackwell Server Edition	Yes	
HPE	ProLiant Compute DL345 Gen12	RTX PRO 6000 Blackwell Server Edition ¹ , RTX PRO 4500 Blackwell Server Edition	Yes	
HPE	ProLiant DL110 Gen10 Plus	A2		Yes
HPE	ProLiant DL145 Gen11	RTX PRO 4500 Blackwell Server Edition, L40S	Yes	

Partner	Server / Workstation	Supported NVIDIA GPUs	Enterprise Edge Server	Industrial Edge Workstation
HPE	ProLiant DL360 Gen10	A2	Yes	
HPE	ProLiant DL360 Gen10 Plus	A2, T4	Yes	
HPE	ProLiant DL380 Gen10	A100, A2, T4	Yes	
HPE	ProLiant DL380 Gen10 Plus	A100, A40, A30, T4	Yes	
HPE	ProLiant DL385 Gen10 Plus V2	A100, A40, A2, T4	Yes	
HPE	ProLiant ML350 Gen12	RTX PRO 4500 Blackwell Server Edition	Yes	
Inspur Electronic Information	NF5280M6	A2	Yes	
Jabil	J322-S	L4	Yes	
Jabil	J422-G	H200 NVL	Yes	
Kontron	CG2400	L4, A30		Yes
Kontron	ME1310	L4		Yes
Lanner Electronics	EAI-I730	L4, RTX 6000 Ada, RTX 5000 Ada, RTX 4000 Ada, A10, A2		Yes
Lanner Electronics	EAI-I731	L4, RTX 4000 SFF Ada, A2		Yes
Lanner Electronics	ECA-4035	L40S		Yes
Lanner Electronics	ECA-5540	L40S, L4		Yes
Lanner Electronics	ECA-5555	L40S		Yes
Lanner Electronics	ECA-6040	L40S		Yes
Lanner Electronics	ECA-6051	RTX PRO 6000 Blackwell Server Edition, L40S		Yes
Lanner Electronics	FX-3420	A30	Yes	
Lanner Electronics	LEC-2290E	A2		Yes
Lanner Electronics	LEC-2290L	L4		Yes

Partner	Server / Workstation	Supported NVIDIA GPUs	Enterprise Edge Server	Industrial Edge Workstation
Lanner Electronics	NCA-5330	L4		Yes
Lanner Electronics	NCA-6530	L40S		Yes
Leadtek	WinFast GS2055 ST	L40S, RTX 6000 Ada		Yes
Lenovo	Lenovo ThinkEdge SE455 V3 Server	L40S, L40, L4, A2	Yes	Yes
Lenovo	ThinkAgile VX630 V3	A2	Yes	
Lenovo	ThinkAgile VX650 V3	A2	Yes	
Lenovo	ThinkAgile VX655 V3	A2	Yes	
Lenovo	ThinkAgile VX3530-G	RTX A6000, A100, A40, A30	Yes	
Lenovo	ThinkAgile VX3575-G	A100, A40, A30	Yes	
Lenovo	ThinkAgile VX7531	RTX A6000, A100, A40, A30	Yes	
Lenovo	ThinkAgile VX7576	A100, A40, A30	Yes	
Lenovo	ThinkEdge SE360 V2	L4, A2	Yes	Yes
Lenovo	ThinkEdge SE450 Edge Server	L40, L4, A30, A2	Yes	
Lenovo	ThinkSystem SE350 Edge Server	L4, A2	Yes	Yes
Lenovo	ThinkSystem SR630 V3 Rack Server	A2	Yes	
Lenovo	ThinkSystem SR630 V3 Server	H100 NVL	Yes	
Lenovo	ThinkSystem SR650 V2 Rack Server	RTX A6000, A100, A40, A30	Yes	
Lenovo	ThinkSystem SR650 V3	RTX 6000 Ada, A2	Yes	
Lenovo	ThinkSystem SR650 V3 Server	H100 NVL, L40	Yes	
Lenovo	ThinkSystem SR655 V3 Server	H100 NVL, RTX 6000 Ada, A2	Yes	
Lenovo	ThinkSystem SR665 Rack Server	A100, A40, A30	Yes	
Lenovo	ThinkSystem SR665 V3 Server	H100 NVL, RTX 6000 Ada	Yes	

Partner	Server / Workstation	Supported NVIDIA GPUs	Enterprise Edge Server	Industrial Edge Workstation
Mercury	RESX07-2U22R	A100		Yes
MSI	S3063G290RAU4	RTX PRO 4500 Blackwell Server Edition	Yes	
Neousys	Nuvo-7166GC	A2		Yes
Netweb	SSA200A2A-28	RTX 6000 Ada		Yes



[Privacy Policy](#) | [Your Privacy Choices](#) | [Terms of Service](#) | [Accessibility](#) | [Corporate Policies](#) | [Product Security](#) | [Contact](#)

Copyright © 2024-2026, NVIDIA Corporation.

Last updated on Oct 04, 2026.