

## KLONOWSKI,JAMES

DOB: 06/07/1988  
Sex: M  
Phone: (630) 864-0965  
Patient ID: 89865297

Age: 37  
Fasting: Y

Specimen: ZW900468U  
Requisition: 0003457  
Lab Reference ID: 3254231  
Report Status: FINAL / SEE REPORT

Collected: 04/04/2026 10:51  
Received: 04/04/2026 10:52  
Reported: 04/08/2026 18:15

Client #: 73943516  
SOERRIES,SCOTT  
WHOOOP-CIT  
10101 RENNER BLVD  
LENEXA, KS 66219-9752  
Phone: (844) 738-3787

FASTING: YES

## COMPREHENSIVE METABOLIC PANEL

| Analyte                                                                                     | Value            |                                          |
|---------------------------------------------------------------------------------------------|------------------|------------------------------------------|
| <b>GLUCOSE</b><br>Fasting reference interval                                                | <b>88</b>        | Reference Range: 65-99 mg/dL             |
| <b>UREA NITROGEN (BUN)</b>                                                                  | <b>14</b>        | Reference Range: 7-25 mg/dL              |
| <b>CREATININE</b>                                                                           | <b>1.19</b>      | Reference Range: 0.60-1.26 mg/dL         |
| <b>EGFR</b>                                                                                 | <b>81</b>        | Reference Range: > OR = 60 mL/min/1.73m2 |
| <b>BUN/CREATININE RATIO</b><br>Not Reported: BUN and Creatinine are within reference range. | <b>SEE NOTE:</b> | Reference Range: 6-22 (calc)             |
| <b>SODIUM</b>                                                                               | <b>139</b>       | Reference Range: 135-146 mmol/L          |
| <b>POTASSIUM</b>                                                                            | <b>4.2</b>       | Reference Range: 3.5-5.3 mmol/L          |
| <b>CHLORIDE</b>                                                                             | <b>105</b>       | Reference Range: 98-110 mmol/L           |
| <b>CARBON DIOXIDE</b>                                                                       | <b>27</b>        | Reference Range: 20-32 mmol/L            |
| <b>CALCIUM</b>                                                                              | <b>9.2</b>       | Reference Range: 8.6-10.3 mg/dL          |
| <b>PROTEIN, TOTAL</b>                                                                       | <b>6.6</b>       | Reference Range: 6.1-8.1 g/dL            |
| <b>ALBUMIN</b>                                                                              | <b>4.3</b>       | Reference Range: 3.6-5.1 g/dL            |
| <b>GLOBULIN</b>                                                                             | <b>2.3</b>       | Reference Range: 1.9-3.7 g/dL (calc)     |
| <b>ALBUMIN/GLOBULIN RATIO</b>                                                               | <b>1.9</b>       | Reference Range: 1.0-2.5 (calc)          |
| <b>BILIRUBIN, TOTAL</b>                                                                     | <b>0.7</b>       | Reference Range: 0.2-1.2 mg/dL           |
| <b>ALKALINE PHOSPHATASE</b>                                                                 | <b>50</b>        | Reference Range: 36-130 U/L              |
| <b>AST</b>                                                                                  | <b>15</b>        | Reference Range: 10-40 U/L               |
| <b>ALT</b>                                                                                  | <b>14</b>        | Reference Range: 9-46 U/L                |

## VITAMIN D,25-OH,TOTAL,IA

| Analyte                                                                                   | Value     |                               |
|-------------------------------------------------------------------------------------------|-----------|-------------------------------|
| <b>VITAMIN D,25-OH,TOTAL,IA</b><br>Vitamin D Status                      25-OH Vitamin D: | <b>33</b> | Reference Range: 30-100 ng/mL |
| Deficiency:                                      <20 ng/mL                                |           |                               |
| Insufficiency:                                      20 - 29 ng/mL                         |           |                               |
| Optimal:                                              > or = 30 ng/mL                     |           |                               |

For 25-OH Vitamin D testing on patients on D2-supplementation and patients for whom quantitation of D2 and D3 fractions is required, the QuestAssureD(TM) 25-OH VIT D, (D2,D3), LC/MS/MS is recommended: order code 92888 (patients >2yrs).

## COMMENT

See Note 1

Note 1

For additional information, please refer to <http://education.QuestDiagnostics.com/faq/FAQ199> (This link is being provided for informational/ educational purposes only.)

## IRON, TIBC AND FERRITIN PANEL

| Analyte               | Value |                                        |
|-----------------------|-------|----------------------------------------|
| IRON, TOTAL           | 94    | Reference Range: 50-180 mcg/dL         |
| IRON BINDING CAPACITY | 281   | Reference Range: 250-425 mcg/dL (calc) |
| % SATURATION          | 33    | Reference Range: 20-48 % (calc)        |
| FERRITIN              | 58    | Reference Range: 38-380 ng/mL          |

## TESTOSTERONE, FREE (DIALYSIS), TOTAL (MS) AND SEX HORMONE BINDING GLOBULIN

| Analyte                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Value |                                   |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-----------------------------------|
| TESTOSTERONE, TOTAL, MS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 476   | Reference Range: 250-1100 ng/dL   |
| For additional information, please refer to <a href="https://education.questdiagnostics.com/faq/FAQ165">https://education.questdiagnostics.com/faq/FAQ165</a><br>(This link is being provided for informational/educational purposes only.)<br>(Note)<br><br>This test was developed and its analytical performance characteristics have been determined by medfusion. It has not been cleared or approved by the FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes. |       |                                   |
| TESTOSTERONE, FREE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 62.4  | Reference Range: 35.0-155.0 pg/mL |
| (Note)<br>This test was developed and its analytical performance characteristics have been determined by medfusion. It has not been cleared or approved by the FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.<br><br>MDF<br>med fusion<br>2501 South State Highway 121,Suite 1100<br>Lewisville TX 75067<br>972-966-7300<br>Ithiel James L. Frame, MD, PhD                                                                                                       |       |                                   |
| SEX HORMONE BINDING GLOBULIN                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 49    | Reference Range: 10-50 nmol/L     |

## LIPID PANEL, STANDARD

| Analyte            | Value |                                  |
|--------------------|-------|----------------------------------|
| CHOLESTEROL, TOTAL | 113   | Reference Range: <200 mg/dL      |
| HDL CHOLESTEROL    | 47    | Reference Range: > OR = 40 mg/dL |
| TRIGLYCERIDES      | 82    | Reference Range: <150 mg/dL      |

**LDL-CHOLESTEROL****50** mg/dL (calc)

Reference range: &lt;100

Desirable range <100 mg/dL for primary prevention;  
<70 mg/dL for patients with CHD or diabetic patients  
with > or = 2 CHD risk factors.

LDL-C is now calculated using the Martin-Hopkins  
calculation, which is a validated novel method providing  
better accuracy than the Friedewald equation in the  
estimation of LDL-C.

Martin SS et al. JAMA. 2013;310(19): 2061-2068  
(<http://education.QuestDiagnostics.com/faq/FAQ164>)

**CHOL/HDL-C RATIO****2.4** Reference Range: <5.0 (calc)**NON HDL CHOLESTEROL****66** Reference Range: <130 mg/dL (calc)

For patients with diabetes plus 1 major ASCVD risk  
factor, treating to a non-HDL-C goal of <100 mg/dL  
(LDL-C of <70 mg/dL) is considered a therapeutic  
option.

**LIPOPROTEIN (a)****Analyte****Value****LIPOPROTEIN (a)****<10** nmol/L

Reference Range &lt;75

## Risk:

Optimal <75  
Moderate 75-125  
High >125

Cardiovascular event risk category  
cut points (optimal, moderate, high)  
are based on Tsimika S. JACC  
2017;69:692-711.

**CBC (INCLUDES DIFF/PLT)****Analyte****Value****WHITE BLOOD CELL COUNT****5.8** Reference Range: 3.8-10.8 Thousand/uL**RED BLOOD CELL COUNT****4.53** Reference Range: 4.20-5.80 Million/uL**HEMOGLOBIN****13.8** Reference Range: 13.2-17.1 g/dL**HEMATOCRIT****42.5** Reference Range: 39.4-51.1 %**MCV****93.8** Reference Range: 81.4-101.7 fL**MCH****30.5** Reference Range: 27.0-33.0 pg**MCHC****32.5** Reference Range: 31.6-35.4 g/dL**RDW****12.3** Reference Range: 11.0-15.0 %**PLATELET COUNT****273** Reference Range: 140-400 Thousand/uL**MPV****9.6** Reference Range: 7.5-12.5 fL**ABSOLUTE NEUTROPHILS****3306** Reference Range: 1500-7800 cells/uL**ABSOLUTE LYMPHOCYTES****1833** Reference Range: 850-3900 cells/uL**ABSOLUTE MONOCYTES****516** Reference Range: 200-950 cells/uL**ABSOLUTE EOSINOPHILS****128** Reference Range: 15-500 cells/uL**ABSOLUTE BASOPHILS****17** Reference Range: 0-200 cells/uL**NEUTROPHILS****57** %**LYMPHOCYTES****31.6** %

|                    |            |   |
|--------------------|------------|---|
| <b>MONOCYTES</b>   | <b>8.9</b> | % |
| <b>EOSINOPHILS</b> | <b>2.2</b> | % |
| <b>BASOPHILS</b>   | <b>0.3</b> | % |

## HS CRP

| Analyte                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Value           |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|
| <b>HS CRP</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | <b>0.7</b> mg/L |
| Reference Range<br>Optimal <1.0<br>Jellinger PS et al. Endocr Pract.2017;23(Suppl 2):1-87.<br>For ages >17 Years:<br>hs-CRP mg/L Risk According to AHA/CDC Guidelines<br><1.0 Lower relative cardiovascular risk.<br>1.0-3.0 Average relative cardiovascular risk.<br>3.1-10.0 Higher relative cardiovascular risk.<br>Consider retesting in 1 to 2 weeks to<br>exclude a benign transient elevation<br>in the baseline CRP value secondary<br>to infection or inflammation.<br>>10.0 Persistent elevation, upon retesting,<br>may be associated with infection and<br>inflammation.<br><br>Pearson TA, Mensah GA, Alexander RW, et al. Markers<br>of inflammation and cardiovascular disease:<br>application to clinical and public health practice:<br>A statement for healthcare professionals from the<br>Centers for Disease Control and Prevention and the<br>American Heart Association. Circulation 2003; 107(3):<br>499-511. |                 |

## HOMOCYSTEINE

| Analyte                                                                                                                                                                                                                                                                                                                                                                           | Value                                           |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------|
| <b>HOMOCYSTEINE</b>                                                                                                                                                                                                                                                                                                                                                               | <b>11.4</b> Reference Range: < or = 13.5 umol/L |
| Homocysteine is increased by functional deficiency of<br>folate or vitamin B12. Testing for methylmalonic acid<br>differentiates between these deficiencies. Other causes<br>of increased homocysteine include renal failure, folate<br>antagonists such as methotrexate and phenytoin, and<br>exposure to nitrous oxide.<br>Selhub J, et al., Ann Intern Med. 1999;131(5):331-9. |                                                 |

## CORTISOL, TOTAL

| Analyte                                                                                                                                                                | Value              |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|
| <b>CORTISOL, TOTAL</b>                                                                                                                                                 | <b>12.1</b> mcg/dL |
| Reference Range: For 8 a.m.(7-9 a.m.) Specimen: 4.0-22.0<br>Reference Range: For 4 p.m.(3-5 p.m.) Specimen: 3.0-17.0<br>* Please interpret above results accordingly * |                    |

## DHEA SULFATE

| Analyte             | Value                                     |
|---------------------|-------------------------------------------|
| <b>DHEA SULFATE</b> | <b>162</b> Reference Range: 93-415 mcg/dL |

## INSULIN

| Analyte | Value |
|---------|-------|
|---------|-------|

## INSULIN

3.5 uIU/mL

Reference Range < or = 18.4

### Risk:

Optimal < or = 18.4  
Moderate NA  
High >18.4

Adult cardiovascular event risk category cut points (optimal, moderate, high) are based on Insulin Reference Interval studies performed at Quest Diagnostics in 2022.

## TSH

### Analyte

### Value

TSH

0.79 Reference Range: 0.40-4.50 mIU/L

## ESTRADIOL

### Analyte

### Value

ESTRADIOL

<30 Reference Range: < OR = 39 pg/mL

Reference range established on post-pubertal patient population. No pre-pubertal reference range established using this assay. For any patients for whom low Estradiol levels are anticipated (e.g. males, pre-pubertal children and hypogonadal/post-menopausal females), the Quest Diagnostics Nichols Institute Estradiol, Ultrasensitive, LCMSMS assay is recommended (order code 30289).

Please note: patients being treated with the drug fulvestrant (Faslodex(R)) have demonstrated significant interference in immunoassay methods for estradiol measurement. The cross reactivity could lead to falsely elevated estradiol test results leading to an inappropriate clinical assessment of estrogen status. Quest Diagnostics order code 30289-Estradiol, Ultrasensitive LC/MS/MS demonstrates negligible cross reactivity with fulvestrant.

## FSH AND LH

### Analyte

### Value

FSH

4.7 Reference Range: 1.4-12.8 mIU/mL

LH

2.5 Reference Range: 1.5-9.3 mIU/mL

## HEMOGLOBIN A1c

### Analyte

### Value

## HEMOGLOBIN A1c

5.5 Reference Range: <5.7 %

For the purpose of screening for the presence of diabetes:

<5.7% Consistent with the absence of diabetes  
5.7-6.4% Consistent with increased risk for diabetes (prediabetes)  
> or =6.5% Consistent with diabetes

This assay result is consistent with a decreased risk of diabetes.

Currently, no consensus exists regarding use of hemoglobin A1c for diagnosis of diabetes in children.

According to American Diabetes Association (ADA) guidelines, hemoglobin A1c <7.0% represents optimal control in non-pregnant diabetic patients. Different metrics may apply to specific patient populations. Standards of Medical Care in Diabetes(ADA).

## APOLIPOPROTEIN B

| Analyte                 | Value           |
|-------------------------|-----------------|
| <b>APOLIPOPROTEIN B</b> | <b>49</b> mg/dL |
| Reference Range         | <90             |
| Risk Category:          |                 |
| Optimal                 | <90             |
| Moderate                | 90-129          |
| High                    | > or = 130      |

A desirable treatment target may be <80 mg/dL or lower depending on the risk category of the patient including patients on lipid lowering therapies, patients with ASCVD, diabetes with >1 risk factors, Stage 3 or greater CKD with albuminuria, or heterozygous familial hypercholesterolemia. ApoB relative risk category cut points are based on AACE/ACE and ACC/AHA recommendations (Grundy SM, et al. 2019. doi:10.1016/j.jacc.2018.11.002; Handelsman Y, et al. 2020. doi:10.4158/CS-2020-0490).

### Performing Sites

CB Quest Diagnostics-Wood Dale, 1355 Mittel Blvd, Wood Dale, IL 60191-1024 Laboratory Director: Kristie L White

Z3E MedFusion-MedFusion, 2501 South State Highway 121, Suite 1100, Lewisville, TX 75067-8065 Laboratory Director: Ithiel James L Frame MD, PhD

### Key

 Priority Out of Range  Out of Range

These results have been sent to the person who ordered the tests. Your receipt of these results should not be viewed as medical advice and is not meant to replace discussion with your doctor or other healthcare professional.

Quest, Quest Diagnostics, the associated logo, Nichols Institute, Interactive Insights and all associated Quest Diagnostics marks are the registered trademarks of Quest Diagnostics. All third party marks - ® and ™ - are the property of their respective owners. Privacy policy can be found at: <http://questdiagnostics.com/home/privacy-policy/online-privacy.html>. © 2022 Quest Diagnostics Incorporated. All rights reserved.

