

R&Dtv 2026 Test Cheat Sheet

Generated: 2026-05-31 12:52 UTC

Use this as a safe smoke-test guide for the R&Dtv media platform. It intentionally lists credential handover paths but never includes secret values.

Access points

â€ Jellyfin: `http://192.168.1.206:8096`
â€ Jellyfin HTTPS port mapping: 8920 (TLS still needs explicit setup before use)
â€ Prowlarr: `http://192.168.1.206:9696`
â€ Sonarr: `http://192.168.1.206:8989`
â€ Radarr: `http://192.168.1.206:7878`
â€ rdt-client: `http://192.168.1.206:6500`
â€ qBittorrent Web UI: `http://192.168.1.206:8091`
â€ Credential handover file on floor2: `/datapool/preserved/badtv-arr/jellyfin/rdtv-admin.json`

Credential handover rules

â€ Do not paste credential contents into chat, shell history, Git, screenshots, or issue trackers.
â€ Retrieve Jellyfin credentials only over a trusted SSH session or password manager workflow.
â€ Expected credential file mode: `600 floor2 floor2`.
â€ If the file is exposed, rotate the Jellyfin admin password and API key immediately.

Floor2 stack health

Run from a trusted machine with SSH access:

```
ssh floor2@192.168.1.206 'cd /datapool/preserved/badtv-arr && docker compose ps'
ssh floor2@192.168.1.206 'cd /datapool/preserved/badtv-arr && docker ps --filter name=badtv-jellyfin --format "{{.Names}} {{.Status}} {{.Ports}}"'
ssh floor2@192.168.1.206 'stat -c "%a %U %G %n" /datapool/preserved/badtv-arr/jellyfin/rdtv-admin.json'
```

Pass criteria:

â€ Jellyfin is Up and healthy.
â€ Credential file reports `600 floor2 floor2`.
â€ Existing arr/download services remain running.

Jellyfin smoke test

1. Open `http://192.168.1.206:8096`.
2. Sign in using the handover credentials from floor2.
3. Confirm libraries exist:
 - Movies
 - Shows
4. Open one known movie or episode detail page.
5. Confirm metadata/art loads.
6. Start playback on LAN.
7. Confirm no write access is needed from Jellyfin: media is mounted read-only as `/media:ro`.

Jellyfin API/library check

Use this only after loading credentials into local environment variables or a password manager-backed shell. Do not inline secrets.

Example placeholders only. Do not commit real values.

```
export JELLYFIN_URL='http://192.168.1.206:8096'
export JELLYFIN_API_KEY='<from password manager>'
curl -fsS -H "X-Emby-Token: $JELLYFIN_API_KEY" "$JELLYFIN_URL/Library/VirtualFolders"
```

Pass criteria:

â€ Response includes Movies and Shows.

Prowlarr / Byparr check

```
ssh floor2@192.168.1.206 'docker ps --format "{{.Names}} {{.Status}}" | grep -E
"badtv-(prowlarr|byparr|flaresolverr)" || true'
```

Pass criteria:

â€ Prowlarr is running.

â€ Byparr is preferred for the 2026 path.

â€ If badtv-flaresolverr is still present, it is legacy and should be replaced by the Byparr

â€ compose path when the bootstrap cleanup runs.

Sonarr/Radarr sanity

Open the UIs:

â€ Sonarr: <http://192.168.1.206:8989>

â€ Radarr: <http://192.168.1.206:7878>

Check:

â€ Root folders point under /media/tv and /media/movies.

â€ Download clients are present.

â€ Remote path mapping exists for rdt-client where needed.

â€ Prowlarr sync is enabled.

Download clients

Check containers:

```
ssh floor2@192.168.1.206 'docker ps --format "{{.Names}} {{.Status}}" | grep -E
"badtv-(rdtclient|qbittorrent|gluetun|sabnzbd)" || true'
```

Expected:

â€ badtv-rdtclient is healthy/running.

â€ badtv-gluetun is healthy before using qBittorrent.

â€ badtv-qbittorrent is routed through Gluetun.

â€ badtv-sabnzbd is present after Usenet setup.

IPTV / Kodi checks

Local repo validation:

```
make -C '/app/warp/R&Dtv' check
```

Kodi client checks:

â€ R&Dtv Wizard is installed under Program add-ons.

â€ PVR IPTV Simple Client is enabled.

â€ TV guide populates.

â€ R&Dtv skin color override appears for supported skins.

â€ Jellyfin for Kodi can point at <http://192.168.1.206:8096>.

Repo/package checks

```
make -C '/app/warp/R&Dtv' repo
make -C '/app/warp/R&Dtv' check
python3 /app/warp/R&Dtv/tools/lint-zips.py
```

Pass criteria:

- â€¢ XML parse succeeds.
- â€¢ Wizard imports succeed.
- â€¢ script.radtv.wizard-2.0.0.zip lints clean.
- â€¢ repository.radtv-2.0.1.zip lints clean.

Troubleshooting quick hits

- â€¢ Jellyfin not reachable: ssh floor2@192.168.1.206 'cd /datapool/preserved/badt-arr && docker
- â€¢ compose logs --tail=200 jellyfin'
- â€¢ Credential rejected: retrieve the handover file again, verify no stale copied password, then
- â€¢ rotate if needed.
- â€¢ Movies/Shows empty: verify /datapool/media/movies and /datapool/media/tv contain media and
- â€¢ run a Jellyfin library scan.
- â€¢ qBittorrent cannot reach network: check Gluetun health first.
- â€¢ IPTV fetch flaky: rerun; remote EPG providers sometimes truncate large responses.

Done criteria

- â€¢ Jellyfin opens from LAN.
- â€¢ Handover admin login works.
- â€¢ Movies and Shows libraries exist.
- â€¢ At least one media item can be browsed or played.
- â€¢ floor2 compose stack is healthy.
- â€¢ make -C '/app/warp/R&Dtv' check exits 0.