

BNR Challenge API Documentation

This document provides a brief overview of the BNR Challenge REST API. It includes authentication, user management, institution creation, and application workflows.

General Overview

The system is designed to manage users, institutions, and applications with role-based workflows. Users can register, login, create institutions, and submit applications for review and approval.

Endpoints

Selecting all users

Method: GET

URL: `http://localhost:8080/users`

Description: Retrieves a list of all registered users in the system.

Create User Account

Method: POST

URL: `http://localhost:8080/create-account`

Description: Registers a new user in the system.

Sample Payload:

```
{
  "firstName": "Mukiza",
  "lastName": "james",
  "telephone": "0784675904",
  "nationalId": "1200070018670225",
  "email": "admin@bk.rw",
  "password": "12345678"
}
```

Login

Method: POST

URL: `http://localhost:8080/login`

Description: Authenticates a user and returns access credentials.

Sample Payload:

```
{
  "username": "admin@bnr.rw",
  "password": "12345678"
}
```

Create Institution

Method: POST

URL: <http://localhost:8080/applications/create-institution>

Description: Creates a new financial institution record in the system.

Sample Payload:

```
{
  "name": "Bank of Kigali",
  "tin": "123456899",
  "abbreviation": "BoK",
  "province": "Kigali",
  "district": "Gasabo",
  "sector": "Kacyiru",
  "username": "admin@bk.rw"
}
```

Approve User

Method: PUT

URL: <http://localhost:8080/approve-user>

Description: Approves a newly registered user account.

Sample Payload:

```
{
  "username": "admin@bk.rw"
}
```

Create Application

Method: POST

URL: <http://localhost:8080/applications/create-application>

Description: Creates a new application linked to an institution.

Sample Payload:

```
{
  "applicationName": "app name5",
  "applicationType": "type",
  "description": "description",
  "institutionId": "2",
  "contactEmail": "admin@bk.rw",
  "contactPhone": "0784670500",
  "attachments": "attachments list",
  "username": "admin@bnr.rw"
}
```

Submit Application

Method: PUT

URL: <http://localhost:8080/applications/submit-application>

Description: Submits an application for review and processing.

Sample Payload:

```
{
  "username": "admin@bk.rw",
  "applicationId": 6,
  "newState": "SUBMIT",
  "comment": "We request this to be approved"
}
```

Listing Applications

Method: GET

URL: <http://localhost:8080/applications/applications>

Description: Retrieves all submitted applications.

Review Application

Method: GET

URL: <http://localhost:8080/applications/review>

Description: Fetches applications pending review.

Create Application V2

Method: POST

URL: <http://localhost:8080/applications/create-application-v2>

Description: Alternative endpoint for creating applications with extended features.

Applications by role

Method: GET

URL: <http://localhost:8080/applications/by-role>

Description: Retrieves applications filtered by user role.

Get application by Id

Method: GET

URL: <http://localhost:8080/applications/{id}>

Description: Fetches a specific application using its ID.