

Drug Withdrawal Period — Quick Reference Chart (Draft)

औषधि प्रतीक्षा अवधि— संदर्भ तालिका (प्रारूप)

DRAFT — Model format for field use. Not an official GOI / State AHD form. Verify with your State Animal Husbandry Department before official use. / प्रारूप — केवल क्षेत्रीय उपयोग हेतु नमूना। आधिकारिक उपयोग से पूर्व राज्य पशुपालन विभाग से सत्यापित करें।

READ FIRST: values below are conservative field guidance. The product LABEL is final. Never send milk/meat of treated animals to market during withdrawal. / लेबल ही अंतिमि है।

Drug (common field use)	Milk	Meat	Remarks
Oxytetracycline LA	4 days	28 days	Most common residue violator — observe strictly
Enrofloxacin	4 days	10 days	Poultry meat 10 days
Amoxicillin	3 days (72 h)	14 days	Verify label of combination products
Procaine penicillin G	3 days	10 days	Allergic keep-out for milk
Ceftiofur	Nil (most labels)	0-4 days	Confirm nil-milk on YOUR label
Gentamicin	5 days	60+ days	Long tissue persistence — avoid in dairy
Ivermectin (cattle)	Do NOT use in lactating dairy	35-49 days	Check label; long withdrawal
Albendazole	3 days	14 days	Verify label
Meloxicam	5 days	15 days	Verify label
Dexamethasone	3 days (72 h)	21 days	Also: abortion risk in late pregnancy
Xylazine	3 days	3 days	Verify label

Examined / Certified by (Veterinarian / पशु चिकित्सक): _____

Registration No. / पंजीकरण सं.: _____ Seal / मुहर: _____

Signature / हस्ताक्षर: _____ Date / दिनांक: _____ Place: _____

Source / basis: Indicative chart only. Always follow the product label. FSSAI (Contaminants, Toxins and Residues) Regulations, 2011 as amended 2018 fix tolerance limits for 100+ veterinary drugs (e.g. milk limits as low as 0.01 mg/kg). BANNED in food animals: Chloramphenicol, Nitrofurans, Metronidazole, Clenbuterol, DES, Glycopeptides. Ref: fssai.gov.in; vetworld 2021 review of FSSAI MRLs.

Generated by VetAcademia as a DRAFT model format.