



CALIFORNIA
PREMIER
PAIN CLINICS

PERSONAL INJURY SPECIALISTS

PATIENT GUIDE TO **PRP & STEROID INJECTIONS**

PAIN RELIEF. HEALING. RESTORING LIFE.



UNDERSTAND YOUR PROCEDURE

Learn how your treatment works.



WHAT TO EXPECT

Step-by-step from check-in
to recovery.



RECOVER & HEAL

Follow aftercare instructions
for the best results.



COMPASSIONATE CARE.
ADVANCED TREATMENTS.
BETTER OUTCOMES.



EXPERIENCED
PROVIDERS



EVIDENCE-BASED
CARE



FOCUSED ON
YOU

RELIEVE PAIN.

RESTORE FUNCTION.

RECLAIM LIFE.

2

UNDERSTANDING YOUR TREATMENT

WE ARE HERE TO HELP YOU HEAL.

Your provider has recommended an injection treatment to help reduce your pain, improve your function, and support your body's natural healing process.



PRP (PLATELET-RICH PLASMA) Your Body. Your Healing.

PRP uses a concentrated portion of your own blood that is rich in platelets and growth factors. These natural proteins help stimulate cell repair, reduce inflammation, and promote healing in tendons, ligaments, joints, and muscles.



BEST FOR:

Chronic injuries, soft tissue damage, arthritis, and conditions that benefit from natural healing.



STEROID INJECTIONS Reduce Inflammation. Relieve Pain.

Steroid injections deliver anti-inflammatory medication directly to the source of pain. This helps reduce swelling, calm irritated nerves, and provide significant pain relief so you can move and heal.



BEST FOR:

Acute inflammation, nerve irritation, radiculopathy, and conditions needing fast pain relief.



CALIFORNIA
PREMIER
PAIN CLINICS

PERSONAL INJURY SPECIALISTS



YOUR CARE IS PERSONALIZED

Every patient is unique. Your provider will recommend the treatment that is right for you based on your:



INJURY

Type, location, and severity



SYMPTOMS

Pain level and functional limitations



IMAGING & EXAM FINDINGS

MRI, X-ray, and physical exam



GOALS

Pain relief, mobility, and quality of life



OUR GOAL IS SIMPLE:

Relieve your pain, restore your function, and help you get back to the life you love.



If you have any questions about your treatment, please ask. We are here for you every step of the way.



Different Solutions. Same Goal – Your Recovery.

Your provider will recommend the **best treatment** for your condition based on your injury, symptoms, and imaging or exam findings.

PRP (PLATELET-RICH PLASMA)		VS.		STEROID INJECTIONS	
 PRP uses your own blood components to promote healing and tissue repair.				 Steroid injections use anti-inflammatory medication to quickly reduce pain and inflammation.	
 HOW IT WORKS	Uses growth factors in your blood to stimulate cell repair, reduce inflammation, and promote natural healing.				Delivers medication directly to the source of pain to reduce inflammation and swelling around nerves and joints.
 ONSET OF RELIEF	Gradual improvement. Most patients feel better over several weeks.				Often provides faster relief, sometimes within a few days.
 DURATION OF RELIEF	Long-lasting relief. Results can continue to improve for several months.				Temporary relief. May last from several weeks to a few months.
 PURPOSE	Heals and restores damaged tissue over time.				Reduces pain and inflammation to improve comfort and function.
 BEST FOR	Chronic injuries, tendon and ligament injuries, arthritis, and patients seeking long-term healing.				Acute inflammation, nerve irritation, severe pain, and flare-ups.
 COMMON USES	• Degenerative joint disease • Tendon & ligament injuries • Muscle injuries • Chronic pain conditions				• Nerve irritation (radiculopathy) • Bursitis • Arthritis flare-ups • Severe inflammation
 SIDE EFFECTS	Minimal. Since it uses your own blood, risk of side effects is very low.				Possible temporary side effects include increased blood sugar, flushing, or mood changes.

IMPORTANT

Both treatments are safe and effective when performed by experienced providers. Your provider will help you choose the best option for your recovery.

OUR GOAL IS THE SAME:

Relieve your pain, restore your function, and help you heal.



Relieve Pain.



Restore Function.



Reclaim Life.

4

WHY MORE THAN ONE INJECTION?

Each condition is unique. Your provider may recommend more than one injection to treat all areas of pain.



ONE LEVEL = ONE INJECTION

Pain from a single disc or joint level may only need one injection.



TWO LEVELS = TWO INJECTIONS

If pain is coming from two levels, two injections may be needed.



THREE LEVELS = THREE INJECTIONS

If pain involves three levels, three injections may be recommended.



YOU MAY NEED MORE THAN ONE INJECTION IF...



MULTIPLE SPINAL LEVELS

Your MRI shows more than one injured disc or joint level.



MULTIPLE JOINTS

Pain may be coming from more than one joint (e.g., shoulder and hip).



DIFFERENT AREAS OF PAIN

Pain in different areas may require treatment in multiple locations.



BEST OUTCOME

Treating all painful areas can improve your chances for long-term relief.

WHY YOUR PROVIDER MAY RECOMMEND MULTIPLE INJECTIONS

REASON	WHAT IT MEANS	EXAMPLE
 Multiple Levels	More than one injured disc or joint level in your spine.	L4-L5 and L5-S1 both need treatment.
 Multiple Joints	Pain from more than one joint or area.	Shoulder pain and hip pain.
 Different Pain Areas	Pain in different parts of your body.	Neck pain and low back pain.
 Best Results	Treating all problem areas can lead to better relief.	More complete healing and improved function.



QUICK TAKEAWAY

Your provider will create a personalized treatment plan based on your MRI, symptoms, and physical exam.



More injections do not mean your injury is worse — it means we are treating all the areas that are causing you pain.



Our goal is to reduce your pain, improve your function, and help you get back to the life you love.



Compassionate Care.
Advanced Treatments.
Better Outcomes.



Experienced
Providers



Evidence-Based
Care



Focused On
You

RELIEVE PAIN.

RESTORE FUNCTION.

RECLAIM LIFE.

5

WHAT HAPPENS DURING YOUR PROCEDURE?



CALIFORNIA
PREMIER
PAIN CLINICS

PERSONAL INJURY SPECIALISTS

Here's what you can expect on the day of your injection.
Most procedures take 15–30 minutes.

1



CHECK-IN

We'll confirm your information, review your procedure, and answer any last questions.

2



PREPARE

The treatment area is cleaned thoroughly with an antiseptic solution to help prevent infection.

3



BLOOD DRAW (PRP ONLY)

A small amount of your blood is drawn from your arm and prepared in a centrifuge to isolate the healing components.

4



IMAGING GUIDANCE

Using live X-ray (fluoroscopy) or ultrasound, your doctor precisely guides the needle to the correct location.

5



INJECTION

The medication (PRP or steroid) is carefully injected into the targeted area.

6



RECOVERY

You'll rest briefly after your procedure and then be able to go home.



1



CHECK-IN

2



PREPARE

3



BLOOD DRAW
(PRP ONLY)

4



IMAGING GUIDANCE

5



INJECTION

6



RECOVERY



YOU ARE IN GOOD HANDS

Your safety and comfort are our top priorities. Our experienced team uses advanced imaging technology and sterile techniques to ensure the highest standard of care.



OUR GOAL IS SIMPLE:

Relieve your pain, restore your function, and help you get back to the life you love.



QUICK, SAFE & EFFECTIVE

Most procedures take 15–30 minutes. You'll be on your way the same day!

RELIEVE PAIN.

RESTORE FUNCTION.

RECLAIM LIFE.



Targeted treatments. Better relief.

Your provider will recommend the best procedure for your condition.
All procedures are **image-guided** for accuracy and safety.

1 FACET JOINT INJECTION



Targets the small joints in the spine that can cause pain.

Common for:

- Neck pain
- Mid back pain
- Low back pain

2 EPIDURAL INJECTION



Medication is delivered into the epidural space to reduce inflammation and nerve irritation.

Common for:

- Radiating pain
- Sciatica
- Bulging or herniated discs
- Spinal stenosis

3 TRIGGER POINT INJECTION



Relieves tight, painful muscle knots that can cause pain in other areas.

Common for:

- Muscle spasms
- Myofascial pain
- Neck and shoulder pain
- Headaches

4 SHOULDER INJECTION



Reduces inflammation and relieves pain in the shoulder joint or surrounding tissues.

Common for:

- Rotator cuff injuries
- Bursitis
- Tendonitis
- Arthritis

5 HIP INJECTION



Targets the hip joint to reduce pain and improve mobility.

Common for:

- Osteoarthritis
- Labral tears
- Bursitis
- Hip impingement

6 KNEE INJECTION



Helps reduce pain, inflammation, and swelling in the knee joint.

Common for:

- Osteoarthritis
- Meniscal tears
- Tendonitis
- Knee pain and swelling

7 WRIST / ELBOW INJECTION



Relieves pain and inflammation in the wrist or elbow.

Common for:

- Tendonitis
- Carpal tunnel syndrome
- Golfer's or tennis elbow
- Arthritis

8 ANKLE INJECTION



Reduces pain and inflammation in the ankle joint.

Common for:

- Arthritis
- Tendonitis
- Sprains
- Chronic ankle pain



ALL PROCEDURES ARE PERFORMED WITH:

- ✓ Advanced imaging guidance
- ✓ Strict sterile technique
- ✓ Experienced, caring providers



OUR GOAL IS YOU

To relieve your pain, restore your function, and help you return to the life you love.

We're here for you every step of the way.



Relieve Pain.



Restore Function.



Reclaim Life.

7 RECOVERY & WHAT TO EXPECT

Healing takes time. Your body is working to repair and restore.

Most patients feel better in stages. Results improve over several weeks as healing continues.



HEALING TIMELINE



1-3 DAYS

Mild soreness or tenderness at the injection site. Rest and take it easy.



1-2 WEEKS

Inflammation begins to reduce. You may notice small improvements.



2-6 WEEKS

Healing continues. Pain relief and function improve gradually.



6-12 WEEKS

Maximum benefits are usually reached. You may feel stronger, move better, and have less pain.



EVERY PATIENT IS DIFFERENT

Healing times vary. Your provider will monitor your progress and adjust your care as needed.



WHAT YOU MAY EXPERIENCE



MILD SORENESS

Some soreness, swelling, or stiffness is normal for a few days.



LOCALIZED DISCOMFORT

You may feel tenderness at the injection site. This usually improves within a few days.



GRADUAL IMPROVEMENT

Relief is not always immediate. Healing happens in stages.



BETTER FUNCTION

You may notice improved movement, less pain, and better quality of life.

DID YOU KNOW?

Your body uses the natural healing properties from your injection to repair damaged tissue and reduce inflammation.

OUR GOAL

To help you achieve long-term relief, restore function, and get back to the life you love.



FACTORS THAT AFFECT HEALING



Follow aftercare instructions



Avoid smoking and nicotine



Stay hydrated



Get quality sleep



Eat a healthy, balanced diet



Attend follow-up appointments



BE PATIENT WITH YOUR HEALING. Consistent care and healthy habits lead to the best results.



Evidence-Based Treatments



Experienced Providers



Compassionate Care



Focused on You

RELIEVE PAIN.

RESTORE FUNCTION.

RECLAIM LIFE.

8

AFTERCARE INSTRUCTIONS

Following these instructions helps you heal faster and get the best results.

✓

DO – THESE THINGS HELP YOUR HEALING



REST & TAKE IT EASY
Take it easy for the first 24–48 hours. Gentle rest helps your body recover.



GRADUALLY RETURN TO ACTIVITY
You can slowly return to normal activities as tolerated. Listen to your body.



MOVE GENTLY
Light movement is good. Short walks help improve circulation and reduce stiffness.



STAY HYDRATED
Drink plenty of water to support healing and reduce inflammation.



USE ICE IF NEEDED (FIRST 24–48 HOURS)
Apply ice for 15–20 minutes at a time if you have soreness. Do not put ice directly on skin.



FOLLOW YOUR CARE PLAN
Attend physical therapy, do your exercises, and keep all follow-up appointments.



KEEP US INFORMED
Let us know how you're feeling and if you have any concerns.



✗

AVOID – THESE CAN SLOW HEALING



HEAVY LIFTING
Avoid heavy lifting, bending, or twisting for at least 48–72 hours or as advised.



HIGH IMPACT ACTIVITIES
Avoid running, jumping, or intense workouts until your provider approves.



HEAT & HOT TUBS
Avoid heat therapy, hot tubs, saunas, and prolonged hot showers for 48 hours.



ALCOHOL
Avoid alcohol for 24–48 hours. It can increase swelling and slow healing.



SMOKING / NICOTINE
Smoking and nicotine slow tissue repair and reduce injection effectiveness.



MEDICATION GUIDELINES



OK TO TAKE (AS NEEDED)
Acetaminophen (Tylenol®) is safe for pain relief. Always follow the dose on the label.



AVOID (UNLESS APPROVED)
NSAIDs (ibuprofen, Advil®, Motrin®, Aleve®, naproxen, aspirin, and similar medications) can interfere with the healing process. Avoid for the time recommended by your provider (usually 4–6 weeks for PRP).



OTHER MEDICATIONS
Continue other prescribed medications unless your provider tells you otherwise. If you are unsure about any medication, please call our office.



YOUR ROLE IS IMPORTANT
Following these instructions helps protect your results and supports long-term relief.



KEEP YOUR FOLLOW-UP APPOINTMENT
Follow-up visits help us monitor your progress and adjust your care if needed.



WE'RE HERE FOR YOU
If you have any questions or concerns, please call our office. Your recovery matters.



EXPERIENCED
PROVIDERS



ADVANCED
TREATMENTS



COMPASSIONATE
CARE

9

WHEN TO CALL OUR OFFICE

Your safety is our priority.
Please contact us if you experience any
of the following.



WE'RE HERE FOR YOU

If you're unsure
about a symptom,
it's always best
to call.



CALL RIGHT AWAY

These could be signs of a problem.



FEVER OR CHILLS

A temperature over 100.4°F (38°C)
or chills.



INCREASED REDNESS, WARMTH, OR SWELLING

Especially if it gets worse over time.



DRAINAGE OR BLEEDING

At the injection site that doesn't stop
or looks concerning.



SEVERE OR WORSENING PAIN

Pain that is severe, does not improve
with rest or medication, or gets worse.



NUMBNESS, TINGLING, OR WEAKNESS

New or worsening numbness, tingling,
or weakness in your arms or legs.



LOSS OF BLADDER OR BOWEL CONTROL

Or difficulty urinating.



SHORTNESS OF BREATH OR CHEST PAIN

Seek emergency care immediately.



NORMAL RECOVERY SIGNS

These are common and usually not a cause for concern.



MILD SORENESS

At the injection site for 1–3 days.



BRUISING

Small bruises can occur and fade
within a few days.



STIFFNESS

Temporary stiffness or tightness
in the treated area.



FATIGUE

Mild tiredness as your body heals.



GRADUAL IMPROVEMENT

Pain relief may take several days
to weeks as healing continues.



DON'T HESITATE TO CALL

We would rather talk with you
and give you peace of mind.



EARLY COMMUNICATION LEADS TO BETTER OUTCOMES

Quick treatment helps prevent
complications and supports your recovery.



MEDICAL EMERGENCY?

Call 911 or go to the nearest emergency room.

This includes chest pain,
trouble breathing, severe weakness,
or loss of consciousness.



CALL US

877-271-0203



OFFICE HOURS

Monday – Friday
8:00 AM – 5:00 PM



VISIT US

www.californiapremierpainclinics.com

THANK YOU

for Trusting Us with Your Care



Your health and recovery are our top priority.

We appreciate the opportunity to participate in your care and are committed to helping you regain function, reduce pain, and improve your quality of life.



REMEMBER



Follow your provider's instructions.



Attend your follow-up appointments.



Complete any recommended physical therapy or home exercises.



Contact our office if you have any questions or concerns.



Your recovery is a team effort. We're here to support you.



OUR COMMITMENT

At California Premier Pain Clinics, we use evidence-informed treatments and image-guided procedures to provide safe, effective, and personalized care for every patient.

Whether your treatment includes PRP, steroid injections, or other interventional procedures, our goal is to help you return to the activities you enjoy.



You are more than just a patient to us.

We're honored to be part of your healing journey.

CONTACT US



PHONE
877-271-0203
We're here to help.



WEBSITE
www.californiapremierpainclinics.com
Visit us online.



MULTIPLE LOCATIONS
Throughout California to better serve you.



RELIEVE PAIN.



RESTORE FUNCTION.



RECLAIM LIFE.



**CALIFORNIA
PREMIER
PAIN CLINICS**

PERSONAL INJURY SPECIALISTS

11 LONG-TERM SUCCESS IS A TEAM EFFORT



CALIFORNIA
PREMIER
PAIN CLINICS

PERSONAL INJURY SPECIALISTS

Your recovery doesn't end after treatment.
Your daily choices help you stay pain-free
and live life to the fullest.



WE'RE YOUR PARTNERS IN HEALING

We provide the care.
You play an important role.
Together, we help you heal, restore,
and reclaim your life.



MOVEMENT IS MEDICINE

Staying active helps reduce pain, improve strength
and prevent future injuries.



WALK



Start slow.
Build up daily.



STRETCH



Improve flexibility
and reduce tightness.



STRENGTHEN



Build strong muscles
to support your body.



CORE STABILITY



A strong core =
a strong foundation.



LOW IMPACT ACTIVITIES



Great options:
swimming, cycling,
yoga, and more.



LISTEN TO YOUR BODY



Pain is a signal.
Rest and recover
when needed.



LIFESTYLE CHOICES THAT SUPPORT HEALING



MAINTAIN A HEALTHY WEIGHT

Less strain on your
joints and spine.



STAY HYDRATED

Water supports
healing and
reduces stiffness.



SLEEP WELL

Restful sleep helps
your body repair
and recover.



EAT NUTRITIOUS FOODS

Fuel your body with
whole, healthy foods.



MANAGE STRESS

Stress can increase
pain and tension.



AVOID SMOKING

Smoking slows
healing and increases
inflammation.



Stay *Motivated!*

- ✓ Celebrate small wins
- ✓ Track your progress
- ✓ Keep showing up for yourself
- ✓ Remember your "why"



YOUR LONG-TERM GOALS

- ✓ Less pain and more function
- ✓ More energy and confidence
- ✓ Return to the activities you love
- ✓ A stronger, healthier you



*You've got
this!*



WE'RE WITH YOU **EVERY STEP** OF THE WAY.

We're honored to be part of your journey.

Thank you for trusting us with your care. ♥



RELIEVE PAIN.



RESTORE FUNCTION.



RECLAIM LIFE.



Healing takes time. Here's a general guide to what you can expect after your treatment.



TYPICAL RECOVERY MILESTONES*



**DAYS
1-3**

EARLY HEALING

Mild soreness, swelling, or stiffness may occur. This is normal. Take it easy and follow your aftercare instructions.



**WEEKS
1-4**

IMPROVEMENT BEGINS

Pain and inflammation start to decrease. You may notice improved mobility and function.



**WEEKS
4-12**

STRENGTH & HEALING

Tissue healing continues. Strength, flexibility, and endurance improve. Stay consistent with exercises and activity.



**3+
MONTHS**

LONG-TERM RELIEF

Full benefits may continue to develop. Many patients experience long-lasting pain relief and better quality of life.

*Recovery times vary based on the individual and type of treatment.



WHAT TO EXPECT



GRADUAL PROGRESS

Healing is not always linear. Some days will be better than others.



STAY CONSISTENT

Following your treatment plan, doing exercises, and making healthy choices all support your recovery.



FOLLOW-UP CARE

Regular follow-up visits allow us to monitor your progress and make any needed adjustments.



COMMUNICATION IS KEY

Let us know how you're feeling. We're here to support you every step of the way.



HEALING IS A JOURNEY, NOT A RACE

Every step forward is progress. Be patient with yourself—you're building a stronger, healthier you.

We believe in you!

Together, we can achieve your pain relief goals.



TIPS FOR A SMOOTHER RECOVERY

- ✓ Follow all aftercare instructions
- ✓ Attend all follow-up appointments
- ✓ Stay hydrated and eat healthy
- ✓ Get quality sleep
- ✓ Avoid tobacco and limit alcohol
- ✓ Stay positive and celebrate small wins!



YOUR PARTNERS IN RECOVERY

Our team is committed to helping you heal, get stronger, and get back to the life you love.



WE'RE HERE TO HELP

If you have any questions or concerns at any point in your recovery, please don't hesitate to reach out.

Your recovery is our priority.



CALL US
877-271-0203



OFFICE HOURS
Monday – Friday
8:00 AM – 5:00 PM



VISIT US
www.californiapremierpainclinics.com



RELIEVE PAIN.
Reduce pain and inflammation.



RESTORE FUNCTION.
Improve strength and mobility.



RECLAIM LIFE.
Live life with less pain.



THANK YOU FOR TRUSTING CALIFORNIA PREMIER PAIN CLINICS.
WE'RE HONORED TO BE A PART OF YOUR HEALING JOURNEY.