

Client:

# LABORATORY REPORT

NATIONAL LABS 3948 TRUST WAY

HAYWARD, CA 94545 Ph.: (800) 800-6060

**Report Status: Final** 

Patient Name: Mock, Carlos
Patient ID: 04141978CM
DOB, Age, Sex: 4/14/1978 38 Male

(1028) Lags Spine and Sportscare

Requested By: Andrew Tang (1346656055)

Medications: Robaxin, Celebrex, Lidocaine, Lyrica, Norco

Accession: 1703200071
Collect Date: 03/16/2017
Receive Date: 03/20/2017
Tested Date: 03/24/2017

**Release Date:** 03/24/2017

## **REPORT SUMMARY**

| UNEXPECTED: Inconsistent Results Based on Patient's Declared Medications |            |            |  |  |  |  |
|--|------------|------------|--|--|--|--|
| Specimen ID  | 1703200071 | 1504150032 |  |  |  |  |
| Collection Date  | 3/16/2017  | 4/13/2015  |  |  |  |  |
| 11 Carboxy THC   | 16.5       | 2894       |  |  |  |  |
| Benzoylecgonine: Metabolite of Cocaine                                   | >200       |            |  |  |  |  |
| ETHYL GLUCURONIDE (EIA)  | 922        |            |  |  |  |  |
| Noroxycodone   | >2000      |            |  |  |  |  |
| Oxycodone  | 1622.8     |            |  |  |  |  |
| Oxymorphone  | 74.1       |            |  |  |  |  |
| THC-COOH Glucuronide   | >400       |            |  |  |  |  |
| Tramadol HCL   | >400       |            |  |  |  |  |

| <b>EXPECTED: Consistent R</b> | ECTED: Consistent Results of Declared Medications & Metabolites |            |  |  |  |
|-------------------------------|---|------------|--|--|--|
| Specimen ID                   | 1703200071  | 1504150032 |  |  |  |
| Collection Date               | 3/16/2017   | 4/13/2015  |  |  |  |
| Norhydrocodone                | 20.4  |            |  |  |  |

| SPECIMEN VALIDITY RESULTS      |       |          |             |
|--------------------------------|-------|----------|-------------|
| Urine - Creatinine (mg/dL)     | 250   | Abnormal | 80-200      |
| Urine - Oxidants (ug/mL)       | 0     | Normal   | 0-200       |
| Urine - PH Level               | 5.3   | Normal   | 4.7-7.8     |
| Urine - Specific Gravity Level | 1.029 | Normal   | 1.003-1.035 |

### **REPORT DETAILS**

| Test Name          | Result (ng/ml) | Positive/Negative | Cutoff | Outcome    |  |  |
|--------------------|----------------|-------------------|--------|------------|--|--|
| Amphetamine        |                |                   |        |            |  |  |
| Amphetamine        |                | Negative          | <20    | Consistent |  |  |
| Methylphenidate    |                | Negative          | <50    | Consistent |  |  |
| Norpseudoephedrine |                | Negative          | <10    | Consistent |  |  |
| Ritalinic Acid     |                | Negative          | <50    | Consistent |  |  |
| Benzodiazepines    |                |                   |        |            |  |  |
| 7-Aminoclonazepam  |                | Negative          | <4     | Consistent |  |  |



# LABORATORY REPORT

NATIONAL LABS 3948 TRUST WAY

HAYWARD, CA 94545 Ph.: (800) 800-6060

**Report Status: Final** 

 Patient Name:
 Mock, Carlos
 Accession:
 1703200071

 Patient ID:
 04141978CM
 Collect Date:
 03/16/2017

 DOB, Age, Sex:
 4/14/1978 38 Male
 Receive Date:
 03/20/2017

 Client:
 (1028) Lags Spine and Sportscare
 Tested Date:
 03/24/2017

 Requested By:
 Andrew Tang (1346656055)
 Release Date:
 03/24/2017

Medications: Robaxin, Celebrex, Lidocaine, Lyrica, Norco

#### **REPORT DETAILS**

| Test Name   | Result (ng/ml)         | Positive/Negative | Cutoff | Outcome      |
|---|------------------------|-------------------|--------|--------------|
| alpha-hydroxyalprazolam                           |                        | Negative          | <5     | Consistent   |
| Alprazolam  |                        | Negative          | <4     | Consistent   |
| Clonazepam  |                        | Negative          | <10    | Consistent   |
| Diazepam  |                        | Negative          | <5     | Consistent   |
| Flurazepam  |                        | Negative          | <0.5   | Consistent   |
| Lorazepam   |                        | Negative          | <10    | Consistent   |
| Meprobamate                                       |                        | Negative          | <50    | Consistent   |
| Nordiazepam                                       |                        | Negative          | <5     | Consistent   |
| Oxazepam  |                        | Negative          | <5     | Consistent   |
| Temazepam   |                        | Negative          | <5     | Consistent   |
| Neuromodulatory                                   |                        |                   |        | •            |
| Carisoprodol                                      |                        | Negative          | <20    | Consistent   |
| Gabapentin  |                        | Negative          | <50    | Consistent   |
| Opiates and Semisynthetic Opioids                 |                        | -                 |        | •            |
| Codeine   |                        | Negative          | <50    | Consistent   |
| Hydrocodone                                       |                        | Negative          | <50    | Consistent   |
| This drug metabolizes into Norhydrocodone.        | 1                      |                   |        | -            |
| Hydromorphone                                     |                        | Negative          | <50    | Consistent   |
| Morphine  |                        | Negative          | <50    | Consistent   |
| Norhydrocodone                                    | 20.4                   | Positive          | <10    | Consistent   |
| Consistent because Norhydrocodone is a metabolite | of Norco               | •                 |        | •            |
| Noroxycodone                                      | >2000                  | Positive          | <10    | INCONSISTENT |
| Noroxycodone is a metabolite of Oxycodone.        | -                      | •                 |        | •            |
| Oxycodone   | 1622.8                 | Positive          | <10    | INCONSISTENT |
| Oxymorphone                                       | 74.1                   | Positive          | <25    | INCONSISTENT |
| Oxymorphone positive can be Oxymorphone or as a   | metabolite of Oxycodon | ne.               |        | •            |
| Synthetic Opioids                                 |                        |                   |        |              |
| Buprenorphine Glucuronide                         |                        | Negative          | <10    | Consistent   |
| Buprenorphine                                     |                        | Negative          | <10    | Consistent   |
| EDDP Percholate: Methadone Metabolite             |                        | Negative          | <25    | Consistent   |
| Fentanyl  |                        | Negative          | <2     | Consistent   |
| Meperidine  |                        | Negative          | <10    | Consistent   |
| Methadone   |                        | Negative          | <25    | Consistent   |
| Naloxone  |                        | Negative          | <10    | Consistent   |
| Naltrexone  |                        | Negative          | <20    | Consistent   |
| Norbuprenorphine                                  |                        | Negative          | <30    | Consistent   |
| Normeperidine                                     |                        | Negative          | <10    | Consistent   |



## LABORATORY REPORT

NATIONAL LABS 3948 TRUST WAY

HAYWARD, CA 94545 Ph.: (800) 800-6060

**Report Status: Final** 

 Patient Name:
 Mock, Carlos
 Accession:
 1703200071

 Patient ID:
 04141978CM
 Collect Date:
 03/16/2017

 DOB, Age, Sex:
 4/14/1978 38 Male
 Receive Date:
 03/20/2017

 Client:
 (1028) Lags Spine and Sportscare
 Tested Date:
 03/24/2017

 Requested By:
 Andrew Tang (1346656055)
 Release Date:
 03/24/2017

Medications: Robaxin, Celebrex, Lidocaine, Lyrica, Norco

#### REPORT DETAILS

| Test Name  | Result (ng/ml) | Positive/Negative | Cutoff      | Outcome      |
|--|----------------|-------------------|-------------|--------------|
| Norbuprenorphine Glucuronide                       |                | Negative          | <4          | Consistent   |
| Norfentanyl oxalate                                |                | Negative          | <5          | Consistent   |
| Propoxyphene                                       |                | Negative          | <62.5       | Consistent   |
| Tapentadol   |                | Negative          | <20         | Consistent   |
| Tramadol HCL                                       | >400           | Positive          | <20         | INCONSISTENT |
| Substances of Abuse                                |                | •                 |             |              |
| 6-MAM: Heroin Metabolite                           |                | Negative          | <10         | Consistent   |
| Benzoylecgonine: Metabolite of Cocaine             | >200           | Positive          | <50         | INCONSISTENT |
| Benzoylecgonine is the main metabolite of Cocaine. |                | •                 |             | •            |
| ETHYL GLUCURONIDE (EIA)                            | 922            | Positive          | <500        | INCONSISTENT |
| JWH-018 pentanoic                                  |                | Negative          | <5          | Consistent   |
| JWH-073 Butanoic                                   |                | Negative          | <5          | Consistent   |
| JWH-073 hydroxybutyl                               |                | Negative          | <5          | Consistent   |
| Methylenedioxyamphetamine (MDA)                    |                | Negative          | <100        | Consistent   |
| Methylenedioxyethylamphetamine (MDEA)              |                | Negative          | <100        | Consistent   |
| Methylenedioxymethamphetamine (MDMA)               |                | Negative          | <100        | Consistent   |
| Mephedrone   |                | Negative          | <10         | Consistent   |
| Methamphetamine                                    |                | Negative          | <100        | Consistent   |
| PCP (Phencyclidine) (EIA)                          |                | Negative          | <25         | Consistent   |
| THC-COOH Glucuronide                               | >400           | Positive          | <20         | INCONSISTENT |
| THC COOH Glucuronide is a metabolite of THC.       |                | •                 |             | •            |
| 11 Carboxy THC                                     | 16.5           | Positive          | <10         | INCONSISTENT |
| THC COOH is a metabolite of THC.                   |                | •                 |             | •            |
| /alidity Tests EIA                                 |                |                   |             |              |
| Urine - Creatinine (mg/dL)                         | 250            | Abnormal          | 80-200      |              |
| Urine - Oxidants (ug/mL)                           | 0              | Normal            | 0-200       |              |
| Urine - PH Level                                   | 5.3            | Normal            | 4.7-7.8     |              |
| Urine - Specific Gravity Level                     | 1.029          | Normal            | 1.003-1.035 |              |

<sup>\*\*\*</sup> Comments: Specimens received more than 3 days post collection may be compromised and not reflect actual concentration. This may limit detection of low levels. This test is not approved by the FDA for the treatment, diagnosis, or prevention, of any medical condition. It is performed for information and is intended for educational and research purposes only. Only a physician familiar with a Patient() 's individual medical history can make medical judgments and give that patient specific medical advice. results are not intended to be a substitute for consultation with a licensed health care provider.

False positive and false negative test results do occur. A licensed health care provider must provide any interpretation or recommendation for treatment based upon test results. The results are not for use as evidence in civil or criminal cases. Specimens are not obtained under the guidelines required for secure collection and, therefore, cannot be used for employment purposes. The results are based upon the method used for testing and the sensitivity of that method. A negative result indicates that the drugs tested for were not detected at the sensitivity level used. Positive results may be possible with the same or subsequent specimens if testing is performed using a greater degree of sensitivity. Other factors that may affect the results include the type of drug; the amount, duration and time of last drug use; the body type and weight of the individual being testing; and, in the case of urine drug screens, the concentration, acidity, or alkalinity of the urine.