

Patient Name:	Rodriguez, Laurie	Accession:	1703200059
Patient ID:	10161968LR	Collect Date:	03/14/2017
DOB, Age, Sex:	10/16/1968 48 Female	Receive Date:	03/20/2017
Client:	(1028) Lags Spine and Sportscare	Tested Date:	03/24/2017
Requested By:	Sam Safaee (1609172030)	Release Date:	03/24/2017
Medications:	Lidocaine, Oxycodone, Soma, Naloxone, Lexapro - Escitalopram		

REPORT SUMMARY

UNEXPECTED: Inconsistent Results Based on Patient's Declared Medications

Specimen ID	1703200059	1601200029
Collection Date	3/14/2017	12/11/2015
EDDP Percholate: Methadone Metabolite	>200	
Hydrocodone	>2000	>2000
Hydromorphone	67.3	468
Methadone	>400	
Naloxone	Negative	
Norhydrocodone	>2000	>2000
Oxycodone	Negative	Negative
THC-COOH Glucuronide	24.6	

EXPECTED: Consistent Results of Declared Medications & Metabolites

Specimen ID	1703200059	1601200029
Collection Date	3/14/2017	12/11/2015
11 Carboxy THC		23
Carisoprodol	1538.6	
Meprobamate	>4000	

SPECIMEN VALIDITY RESULTS

Urine - Creatinine (mg/dL)	38	Below Normal	80-200
Urine - Oxidants (ug/mL)	0	Normal	0-200
Urine - PH Level	6.0	Normal	4.7-7.8
Urine - Specific Gravity Level	1.007	Normal	1.003-1.035

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Amphetamine				
Amphetamine		Negative	<20	Consistent
Methylphenidate		Negative	<50	Consistent

Patient Name:	Rodriguez, Laurie	Accession:	1703200059
Patient ID:	10161968LR	Collect Date:	03/14/2017
DOB, Age, Sex:	10/16/1968 48 Female	Receive Date:	03/20/2017
Client:	(1028) Lags Spine and Sportscare	Tested Date:	03/24/2017
Requested By:	Sam Safaee (1609172030)	Release Date:	03/24/2017
Medications:	Lidocaine, Oxycodone, Soma, Naloxone, Lexapro - Escitalopram		

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Norpseudoephedrine		Negative	<10	Consistent
Ritalinic Acid		Negative	<50	Consistent
Benzodiazepines				
7-Aminoclonazepam		Negative	<4	Consistent
alpha-hydroxyalprazolam		Negative	<5	Consistent
Alprazolam		Negative	<4	Consistent
Clonazepam		Negative	<10	Consistent
Diazepam		Negative	<5	Consistent
Flurazepam		Negative	<0.5	Consistent
Lorazepam		Negative	<10	Consistent
Meprobamate	>4000	Positive	<50	Consistent
Consistent because Meprobamate is a metabolite of Soma				
Nordiazepam		Negative	<5	Consistent
Oxazepam		Negative	<5	Consistent
Temazepam		Negative	<5	Consistent
Neuromodulatory				
Carisoprodol	1538.6	Positive	<20	Consistent
Gabapentin		Negative	<50	Consistent
Opiates and Semisynthetic Opioids				
Codeine		Negative	<50	Consistent
Hydrocodone	>2000	Positive	<50	INCONSISTENT
Hydrocodone is also a metabolite of Codeine.				
Hydromorphone	67.3	Positive	<50	INCONSISTENT
Hydromorphone is also a metabolite of Morphine, Hydrocodone, Heroin, or Codeine.				
Morphine		Negative	<50	Consistent
Norhydrocodone	>2000	Positive	<10	INCONSISTENT
Norhydrocodone is a metabolite of Hydrocodone and Codeine.				
Noroxycodone		Negative	<10	Consistent
Oxycodone		Negative	<10	INCONSISTENT
Inconsistent with declared drug Oxycodone				
Oxymorphone		Negative	<25	Consistent
Synthetic Opioids				
Buprenorphine Glucuronide		Negative	<10	Consistent
Buprenorphine		Negative	<10	Consistent

Patient Name:	Rodriguez, Laurie	Accession:	1703200059
Patient ID:	10161968LR	Collect Date:	03/14/2017
DOB, Age, Sex:	10/16/1968 48 Female	Receive Date:	03/20/2017
Client:	(1028) Lags Spine and Sportscore	Tested Date:	03/24/2017
Requested By:	Sam Safaee (1609172030)	Release Date:	03/24/2017
Medications:	Lidocaine, Oxycodone, Soma, Naloxone, Lexapro - Escitalopram		

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
EDDP Percholate: Methadone Metabolite	>200	Positive	<25	INCONSISTENT
EDDP is a metabolite of Methadone.				
Fentanyl		Negative	<2	Consistent
Meperidine		Negative	<10	Consistent
Methadone	>400	Positive	<25	INCONSISTENT
Naloxone		Negative	<10	INCONSISTENT
Inconsistent with declared drug Naloxone				
Naltrexone		Negative	<20	Consistent
Norbuprenorphine		Negative	<30	Consistent
Normeperidine		Negative	<10	Consistent
Norbuprenorphine Glucuronide		Negative	<4	Consistent
Norfentanyl oxalate		Negative	<5	Consistent
Propoxyphene		Negative	<62.5	Consistent
Tapentadol		Negative	<20	Consistent
Tramadol HCL		Negative	<20	Consistent
Substances of Abuse				
6-MAM: Heroin Metabolite		Negative	<10	Consistent
Benzoylcegonine: Metabolite of Cocaine		Negative	<50	Consistent
ETHYL GLUCURONIDE (EIA)		Negative	<500	Consistent
JWH-018 pentanoic		Negative	<5	Consistent
JWH-073 Butanoic		Negative	<5	Consistent
JWH-073 hydroxybutyl		Negative	<5	Consistent
Methylenedioxyamphetamine (MDA)		Negative	<100	Consistent
Methylenedioxyethylamphetamine (MDEA)		Negative	<100	Consistent
Methylenedioxymethamphetamine (MDMA)		Negative	<100	Consistent
Mephedrone		Negative	<10	Consistent
Methamphetamine		Negative	<100	Consistent
PCP (Phencyclidine) (EIA)		Negative	<25	Consistent
THC-COOH Glucuronide	24.6	Positive	<20	INCONSISTENT
THC COOH Glucuronide is a metabolite of THC.				
11 Carboxy THC		Negative	<10	Consistent
Validity Tests EIA				
Urine - Creatinine (mg/dL)	38	Below Normal	80-200	
Urine - Oxidants (ug/mL)	0	Normal	0-200	
Urine - PH Level	6.0	Normal	4.7-7.8	

Patient Name:	Rodriguez, Laurie	Accession:	1703200059
Patient ID:	10161968LR	Collect Date:	03/14/2017
DOB, Age, Sex:	10/16/1968 48 Female	Receive Date:	03/20/2017
Client:	(1028) Lags Spine and Sportscare	Tested Date:	03/24/2017
Requested By:	Sam Safaee (1609172030)	Release Date:	03/24/2017
Medications:	Lidocaine, Oxycodone, Soma, Naloxone, Lexapro - Escitalopram		

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Urine - Specific Gravity Level	1.007	Normal	1.003-1.035	

*** Comments: Specimens received more than 3 days post collection may be compromised and not reflect actual concentration. This may limit detection of low levels. This test is not approved by the FDA for the treatment, diagnosis, or prevention, of any medical condition. It is performed for information and is intended for educational and research purposes only. Only a physician familiar with a Patient()'s individual medical history can make medical judgments and give that patient specific medical advice. results are not intended to be a substitute for consultation with a licensed health care provider.

False positive and false negative test results do occur. A licensed health care provider must provide any interpretation or recommendation for treatment based upon test results. The results are not for use as evidence in civil or criminal cases. Specimens are not obtained under the guidelines required for secure collection and, therefore, cannot be used for employment purposes. The results are based upon the method used for testing and the sensitivity of that method. A negative result indicates that the drugs tested for were not detected at the sensitivity level used. Positive results may be possible with the same or subsequent specimens if testing is performed using a greater degree of sensitivity. Other factors that may affect the results include the type of drug; the amount, duration and time of last drug use; the body type and weight of the individual being testing; and, in the case of urine drug screens, the concentration, acidity, or alkalinity of the urine.

LAGS MEDICAL CENTERS

Muhammad A. Molani, MD

Francis P. Lagattuta, MD

***This sheet provided at request of
client for patient identification
verification purposes only.
Not a National Labs report.***

CLIA Number: 05D1058036

801 East Chapel Street

Santa Maria, CA 93454

Tel: (805) 928-7361

Fax: (805) 928-5742

Urine Drug Testing Report

Name:	RODRIGUEZ, LAURIE	Date Collected:	3/14/2017
Sample ID:	STATF2118	Date Tested:	3/17/2017
Date of Birth:	10/16/1968	Time Tested:	7:25:03 AM
Sex:	Female	Physician:	SAFAEE, S-PA

TEST	RESULT	CUTOFF CONC.
6-AcetylMorphine	RESULT NEGATIVE	10 ng/mL
Amphetamines	RESULT NEGATIVE	1000 ng/mL
Benzodiazepine	RESULT NEGATIVE	200 ng/mL
Buprenorphine	RESULT NEGATIVE	5 ng/mL
Cocaine Metabolite	RESULT NEGATIVE	300 ng/mL
Methadone	RESULT POSITIVE	300 ng/mL
Opiate	RESULT POSITIVE	300 ng/mL
Oxycodone	RESULT NEGATIVE	300 ng/mL
THC	RESULT POSITIVE	50 ng/mL
Tramadol	RESULT NEGATIVE	200 ng/mL

Tests are performed by Enzyme Immunoassay Technique on Siemens VIVA-E (#1) analyzer.

Clinical Scientist: _____