

LABORATORY REPORT

NATIONAL LABS

3948 TRUST WAY HAYWARD, CA 94545 Ph.: (800) 800-6060

Report Status: Final

Patient Name: NORMAN, SANDIE Accession: 1708290021 Patient ID: 03241957SN **Collect Date:** 08/22/2017 DOB, Age, Sex: 3/24/1957 60 Female **Receive Date:** 08/29/2017 Client: (1028) Lags Spine and Sportscare Tested Date: 09/01/2017 Requested By: Beth Brown (1184958837) **Release Date:** 09/01/2017

Gabapentin, Percocet, Tramadol, Trazodone, Xanax, Acyclovir, Ibuprofen, Levothyroxine, Lisinopril, Naloxone Medications:

REPORT SUMMARY

UNEXPECTED: Inconsistent Results Based on Patient's Declared Medications				
Specimen ID	1708290021	1705040035		
Collection Date	8/22/2017	4/26/2017		
Alprazolam		Negative		
Hydrocodone		551.7		
Hydromorphone		66.7		
Naloxone	Negative			
Norhydrocodone		653.0		
PCP (Phencyclidine) (EIA)		>25.0		

EXPECTED: Consistent Results of Declared Medications & Metabolites					
Specimen ID	1708290021	1705040035			
Collection Date	8/22/2017	4/26/2017			
alpha-hydroxyalprazolam	68.09				
Alprazolam	4.19				
Gabapentin	>2000				
Noroxycodone	1480.9	323.7			
Oxycodone	151.4	40.3			
Tramadol HCL	>400	>400			

SPECIMEN VALIDITY RESULTS				
Urine - Creatinine (mg/dL)	81	Normal	80-200	
Urine - Oxidants (ug/mL)	0	Normal	0-200	
Urine - PH Level	6.3	Normal	4.7-7.8	
Urine - Specific Gravity Level	1.025	Normal	1.003-1.035	

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Amphetamine				
Amphetamine		Negative	<20	Consistent
Methylphenidate		Negative	<50	Consistent



LABORATORY REPORT

NATIONAL LABS

3948 TRUST WAY HAYWARD, CA 94545 Ph.: (800) 800-6060

Report Status: Final

Patient Name: NORMAN, SANDIE Accession: 1708290021 **Collect Date:** 08/22/2017 Patient ID: 03241957SN DOB, Age, Sex: 3/24/1957 60 Female **Receive Date:** 08/29/2017 Client: (1028) Lags Spine and Sportscare Tested Date: 09/01/2017 Requested By: Beth Brown (1184958837) Release Date: 09/01/2017

Gabapentin, Percocet, Tramadol, Trazodone, Xanax, Acyclovir, Ibuprofen, Levothyroxine, Lisinopril, Naloxone Medications:

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Norpseudoephedrine		Negative	<10	Consistent
Ritalinic Acid		Negative	<50	Consistent
Benzodiazepines		·		
7-Aminoclonazepam		Negative	<4	Consistent
alpha-hydroxyalprazolam	68.09	Positive	<5	Consistent
Consistent because alpha-hydroxyalprazolam is a me	tabolite of Xanax	•		
Alprazolam	4.19	Positive	<4	Consistent
Clonazepam		Negative	<10	Consistent
Diazepam		Negative	<5	Consistent
Flurazepam		Negative	<0.5	Consistent
Lorazepam		Negative	<10	Consistent
Meprobamate		Negative	<50	Consistent
Nordiazepam		Negative	<5	Consistent
Oxazepam		Negative	<5	Consistent
Temazepam		Negative	<20	Consistent
Neuromodulatory				
Carisoprodol		Negative	<20	Consistent
Gabapentin	>2000	Positive	<50	Consistent
Opiates and Semisynthetic Opioids				
Codeine		Negative	<50	Consistent
Hydrocodone		Negative	<50	Consistent
Hydromorphone		Negative	<50	Consistent
Morphine		Negative	<50	Consistent
Norhydrocodone		Negative	<10	Consistent
Noroxycodone	1480.9	Positive	<10	Consistent
Consistent because Noroxycodone is a metabolite of	Percocet			
Oxycodone	151.4	Positive	<10	Consistent
Oxymorphone		Negative	<25	Consistent
Synthetic Opioids				
Buprenorphine Glucuronide		Negative	<10	Consistent
Buprenorphine		Negative	<10	Consistent
EDDP Percholate: Methadone Metabolite		Negative	<25	Consistent
Fentanyl		Negative	<2	Consistent
Meperidine		Negative	<10	Consistent
Methadone		Negative	<25	Consistent
Naloxone		Negative	<10	INCONSISTENT



LABORATORY REPORT

NATIONAL LABS 3948 TRUST WAY

HAYWARD, CA 94545 Ph.: (800) 800-6060

Report Status: Final

Patient Name: NORMAN, SANDIE Accession: 1708290021 Patient ID: 03241957SN Collect Date: 08/22/2017 DOB, Age, Sex: 3/24/1957 60 Female Receive Date: 08/29/2017 Client: (1028) Lags Spine and Sportscare **Tested Date:** 09/01/2017 Requested By: Beth Brown (1184958837) Release Date: 09/01/2017

Gabapentin, Percocet, Tramadol, Trazodone, Xanax, Acyclovir, Ibuprofen, Levothyroxine, Lisinopril, Naloxone Medications:

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Naltrexone		Negative	<20	Consistent
Norbuprenorphine		Negative	<30	Consistent
Normeperidine		Negative	<10	Consistent
Norbuprenorphine Glucuronide		Negative	<4	Consistent
Norfentanyl oxalate		Negative	<5	Consistent
Propoxyphene		Negative	<62.5	Consistent
Tapentadol		Negative	<20	Consistent
Tramadol HCL	>400	Positive	<20	Consistent
Substances of Abuse				
6-MAM: Heroin Metabolite		Negative	<10	Consistent
Benzoylecgonine: Metabolite of Cocaine		Negative	<50	Consistent
ETHYL GLUCURONIDE (EIA)		Negative	<500	Consistent
JWH-018 pentanoic		Negative	<5	Consistent
JWH-073 Butanoic		Negative	<5	Consistent
JWH-073 hydroxybutyl		Negative	<5	Consistent
Methylenedioxyamphetamine (MDA)		Negative	<100	Consistent
Methylenedioxyethylamphetamine (MDEA)		Negative	<100	Consistent
Methylenedioxymethamphetamine (MDMA)		Negative	<100	Consistent
Mephedrone		Negative	<10	Consistent
Methamphetamine		Negative	<100	Consistent
PCP (Phencyclidine) (EIA)		Negative	<25	Consistent
THC-COOH Glucuronide		Negative	<20	Consistent
11 Carboxy THC		Negative	<10	Consistent
Validity Tests EIA				
Urine - Creatinine (mg/dL)	81	Normal	80-200	
Urine - Oxidants (ug/mL)	0	Normal	0-200	
Urine - PH Level	6.3	Normal	4.7-7.8	
Urine - Specific Gravity Level	1.025	Normal	1.003-1.035	

^{***} Comments: Specimens received more than 3 days post collection may be compromised and not reflect actual concentration. This may limit detection of low levels. This test is not approved by the FDA for the treatment, diagnosis, or prevention, of any medical condition. It is performed for information and is intended for educational and research purposes only. Only a physician familiar with a Patient() is individual medical history can make medical judgments and give that patient specific medical advice. results are not intended to be a substitute for consultation with a licensed health care

Those analytes' test results, reported as detected by LC/MS, have not been approved by the FDA. The performance characteristics of the assays have been determined by National Labs in accordance with Clinical Laboratory Improvement Act of 1988 (CLIA '88) guidelines.

False positive and false negative test results do occur. A licensed health care provider must provide any interpretation or recommendation for treatment based upon test results. The results are not for use as evidence in civil or criminal cases. Specimens are not obtained under the guidelines required for secure collection and, therefore, cannot be used for employment purposes. The results are based upon the method used for testing and the sensitivity of that method. A negative result indicates that the drugs tested for were not detected at the sensitivity level used. Positive results may be possible with the same or subsequent specimens if testing is performed using a greater degree of sensitivity. Other factors that may affect the results include the type of drug; the amount, duration and time of last drug use; the body type and weight of the individual being testing; and, in the case of urine drug screens, the concentration, acidity, or alkalinity of the urine.

LAGS MEDICAL CENTERS

This sheet provided at request of client for patient identification verification purposes only. Not a National Labs report.

Muhammad A. Molani, MD Francis P. Lagattuta, MD

CLIA Number: 05D1058036 801 East Chapel Street Santa Maria, CA 93454

Tel: (805) 928-7361

Fax: (805) 928-5742

Urine Drug Testing Report

Name:

NORMAN, SANDIE

Date Collected: 8/22/2017

Sample ID:

H68

Date Tested:

8/24/2017

Date of Birth:

3/24/1957

Time Tested:

8:34:31 PM

Sex:

Female

Physician:

BROWN, BETH-PA-C

TEST	RESULT	CUTOFF CONC.
6-AcetylMorphine	RESULT NEGATIVE	10 ng/mL
Amphetamines	RESULT NEGATIVE	1000 ng/mL
Benzodiazepine	RESULT POSITIVE	200 ng/mL
Buprenorphine	RESULT NEGATIVE	5 ng/mL
Cocaine Metabolite	RESULT NEGATIVE	300 ng/mL
Methadone	RESULT NEGATIVE	300 ng/mL
Opiate	RESULT NEGATIVE	300 ng/mL
Oxycodone	RESULT POSITIVE	300 ng/mL
THC	RESULT NEGATIVE	50 ng/mL
Tramadol	RESULT POSITIVE	200 ng/mL
		~

Tests are performed by Enzyme Immunoassay Technique on Siemens VIVA-E (#1) analyzer.

