

Patient Name: Chavez, Laura
Patient ID: 08201964LC
DOB, Age, Sex: 8/20/1964 52 Female
Client: (1028) Lags Spine and Sportscare
Requested By: Latavia Esters (1619157831)

Medications: Gabapentin, Percocet, Metoprolol Tartrate

Accession: 1703070044
Collect Date: 03/02/2017
Receive Date: 03/07/2017
Tested Date: 03/13/2017
Prelim Date: 03/13/2017
Release Date: 03/21/2017

REPORT SUMMARY

UNEXPECTED: Inconsistent Results Based on Patient's Declared Medications

Specimen ID	1703070044
Collection Date	3/2/2017
Amphetamine	21.4
EDDP Percholate: Methadone Metabolite	152.9
Hydrocodone	>2000
Hydromorphone	169.0
Methadone	133.4
Methamphetamine	147.9
Norhydrocodone	>2000

EXPECTED: Consistent Results of Declared Medications & Metabolites

Specimen ID	1703070044
Collection Date	3/2/2017
Gabapentin	105.6
Noroxycodone	23.4

SPECIMEN VALIDITY RESULTS

Urine - Creatinine (mg/dL)	146	Normal	80-200
Urine - Oxidants (ug/mL)	0	Normal	0-200
Urine - PH Level	5.4	Normal	4.7-7.8
Urine - Specific Gravity Level	1.014	Normal	1.003-1.035

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Amphetamine				
Amphetamine	21.4	Positive	<20	INCONSISTENT
Methylphenidate		Negative	<50	Consistent
Norpseudoephedrine		Negative	<10	Consistent
Ritalinic Acid		Negative	<50	Consistent
Benzodiazepines				
7-Aminoclonazepam		Negative	<4	Consistent

Patient Name: Chavez, Laura
Patient ID: 08201964LC
DOB, Age, Sex: 8/20/1964 52 Female
Client: (1028) Lags Spine and Sportscore
Requested By: Latavia Esters (1619157831)

Accession: 1703070044
Collect Date: 03/02/2017
Receive Date: 03/07/2017
Tested Date: 03/13/2017
Prelim Date: 03/13/2017
Release Date: 03/21/2017

Medications: Gabapentin, Percocet, Metoprolol Tartrate

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
alpha-hydroxyalprazolam		Negative	<5	Consistent
Alprazolam		Negative	<4	Consistent
Clonazepam		Negative	<10	Consistent
Diazepam		Negative	<5	Consistent
Flurazepam		Negative	<0.5	Consistent
Lorazepam		Negative	<10	Consistent
Meprobamate		Negative	<50	Consistent
Nordiazepam		Negative	<5	Consistent
Oxazepam		Negative	<5	Consistent
Temazepam		Negative	<5	Consistent
Neuromodulatory				
Carisoprodol		Negative	<20	Consistent
Gabapentin	105.6	Positive	<50	Consistent
Opiates and Semisynthetic Opioids				
Codeine		Negative	<50	Consistent
Hydrocodone	>2000	Positive	<50	INCONSISTENT
Hydrocodone is also a metabolite of Codeine.				
Hydromorphone	169.0	Positive	<50	INCONSISTENT
Hydromorphone is also a metabolite of Morphine, Hydrocodone, Heroin, or Codeine.				
Morphine		Negative	<50	Consistent
Norhydrocodone	>2000	Positive	<10	INCONSISTENT
Norhydrocodone is a metabolite of Hydrocodone and Codeine.				
Noroxycodone	23.4	Positive	<10	Consistent
Consistent because Noroxycodone is a metabolite of Percocet				
Oxycodone		Negative	<10	Consistent
This drug metabolizes into Noroxycodone.				
Oxymorphone		Negative	<25	Consistent
Synthetic Opioids				
Buprenorphine Glucuronide		Negative	<10	Consistent
Buprenorphine		Negative	<10	Consistent
EDDP Percholate: Methadone Metabolite	152.9	Positive	<25	INCONSISTENT
EDDP is a metabolite of Methadone.				
Fentanyl		Negative	<2	Consistent
Meperidine		Negative	<10	Consistent
Methadone	133.4	Positive	<25	INCONSISTENT

Patient Name: Chavez, Laura
Patient ID: 08201964LC
DOB, Age, Sex: 8/20/1964 52 Female
Client: (1028) Lags Spine and Sportscore
Requested By: Latavia Esters (1619157831)

Accession: 1703070044
Collect Date: 03/02/2017
Receive Date: 03/07/2017
Tested Date: 03/13/2017
Prelim Date: 03/13/2017
Release Date: 03/21/2017

Medications: Gabapentin, Percocet, Metoprolol Tartrate

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Naloxone		Negative	<10	Consistent
Naltrexone		Negative	<20	Consistent
Norbuprenorphine		Negative	<30	Consistent
Normeperidine		Negative	<10	Consistent
Norbuprenorphine Glucuronide		Negative	<4	Consistent
Norfentanyl oxalate		Negative	<5	Consistent
Propoxyphene		Negative	<62.5	Consistent
Tapentadol		Negative	<20	Consistent
Tramadol HCL		Negative	<20	Consistent
Substances of Abuse				
6-MAM: Heroin Metabolite		Negative	<10	Consistent
Benzoylcegonine: Metabolite of Cocaine		Negative	<50	Consistent
ETHYL GLUCURONIDE (EIA)		Negative	<500	Consistent
JWH-018 pentanoic		Negative	<5	Consistent
JWH-073 Butanoic		Negative	<5	Consistent
JWH-073 hydroxybutyl		Negative	<5	Consistent
Methylenedioxyamphetamine (MDA)		Negative	<100	Consistent
Methylenedioxyethylamphetamine (MDEA)		Negative	<100	Consistent
Methylenedioxymethamphetamine (MDMA)		Negative	<100	Consistent
Mephedrone		Negative	<10	Consistent
Methamphetamine	147.9	Positive	<100	INCONSISTENT
See Attached Report.				
PCP (Phencyclidine) (EIA)		Negative	<25	Consistent
THC-COOH Glucuronide		Negative	<20	Consistent
11 Carboxy THC		Negative	<10	Consistent
Validity Tests EIA				
Urine - Creatinine (mg/dL)	146	Normal	80-200	
Urine - Oxidants (ug/mL)	0	Normal	0-200	
Urine - PH Level	5.4	Normal	4.7-7.8	
Urine - Specific Gravity Level	1.014	Normal	1.003-1.035	

*** Comments: Specimens received more than 3 days post collection may be compromised and not reflect actual concentration. This may limit detection of low levels. This test is not approved by the FDA for the treatment, diagnosis, or prevention, of any medical condition. It is performed for information and is intended for educational and research purposes only. Only a physician familiar with a Patient()'s individual medical history can make medical judgments and give that patient specific medical advice. results are not intended to be a substitute for consultation with a licensed health care provider.

False positive and false negative test results do occur. A licensed health care provider must provide any interpretation or recommendation for treatment based upon test results. The results are not for use as evidence in civil or criminal cases. Specimens are not obtained under the guidelines required for secure collection and, therefore, cannot be used for employment purposes. The results are based upon the method used for testing and the sensitivity of that method. A negative result indicates that the drugs tested for were not detected at the sensitivity level used. Positive results may be possible with the same or subsequent specimens if testing is performed using a greater degree of sensitivity. Other factors that may affect the results include the type of drug; the amount, duration and time of last drug use; the body type and weight of the individual being testing; and, in the case of urine drug screens, the concentration, acidity, or alkalinity of the urine.

16-Mar-2017

Clinical Reference Laboratory
CLIA #17D2005163, SAMHSA #0007, CAP #30211-03

12:03

NATIONAL LABS INC	NAME: CHAVEZ, LAURA	SAMPLE ID: 90723515
NATIONAL LABS INC	DOB: N/S	COLLECTED: 03/13/17
3948 TRUST WAY	SSN/ID: 008-20-1964	RECEIVED: 03/14/17
HAYWARD, CA 94545	GENDER: N/S	REPORTED: 03/16/17
	SLIP ID: 2038941502	FAX: (510) 266-0591
PH: (800) 800-6060	REF ID: 1703070044	
COLL. SITE ID: N/S	REFERENCE 1: NONDOT DEFAULT	
	REFERENCE 2:	

REASON FOR TESTING: OTHER
SAMPLE TYPE: GC/MS CONFIRMATION TESTS

CONFIRMATION	RESULT / STATUS	CUTOFF VALUE
-----	-----	-----
MS D-METHAMPHETAMINE %	100.0	
TEST CERTIFIED BY PAMELA D. PERKINS		
MS METHAMPHETAMINE (LOD)	234 POSITIVE	40 ng/mL
TEST CERTIFIED BY R. DUNCAN JENKINS		
MS AMPHETAMINE (LOD) NEGATIVE	40 ng/mL
TEST CERTIFIED BY R. DUNCAN JENKINS		

LAB DIRECTOR: DR. DAVID KUNTZ, PHD, DABFT

REPORT CERTIFIED BY PAMELA D. PERKINS

LAGS MEDICAL CENTERS

Muhammad A. Molani, MD

Francis P. Lagattuta, MD

***This sheet provided at request of
client for patient identification
verification purposes only.
Not a National Labs report.***

CLIA Number: 05D1058036

801 East Chapel Street

Santa Maria, CA 93454

Tel: (805) 928-7361

Fax: (805) 928-5742

Urine Drug Testing Report

Name: CHAVEZ, LAURA

Date Collected: 3/2/2017

Sample ID: STATF724

Date Tested: 3/5/2017

Date of Birth: 8/20/1964

Time Tested: 3:23:05 PM

Sex: Female

Physician: ESTERS, L-PA

TEST	RESULT	CUTOFF CONC.
6-AcetylMorphine	RESULT NEGATIVE	10 ng/mL
Amphetamines	RESULT NEGATIVE	1000 ng/mL
Benzodiazepine	RESULT NEGATIVE	200 ng/mL
Buprenorphine	RESULT NEGATIVE	5 ng/mL
Cocaine Metabolite	RESULT NEGATIVE	300 ng/mL
Methadone	RESULT NEGATIVE	300 ng/mL
Opiate	RESULT POSITIVE	300 ng/mL
Oxycodone	RESULT NEGATIVE	300 ng/mL
THC	RESULT NEGATIVE	50 ng/mL
Tramadol	RESULT NEGATIVE	200 ng/mL

Tests are performed by Enzyme Immunoassay Technique on Siemens VIVA-E (#1) analyzer.

Clinical Scientist: _____

