

LABORATORY REPORT

NATIONAL LABS 3948 TRUST WAY

HAYWARD, CA 94545 Ph.: (800) 800-6060

Report Status: Final

Patient Name:ORTIVEROS, DORAAccession:1708170052Patient ID:248EMRCollect Date:08/07/2017DOB, Age, Sex:12/29/1963 53 FemaleReceive Date:08/17/2017Client:(1028) Lags Spine and SportscareTested Date:08/21/2017Requested By:Dr Winchell Elbo (18414694361)Release Date:08/21/2017

Medications: Gabapentin, Norco, Lisinopril, Metoprolol Tartrate, Buspirone, Clonazepam, Fluticasone

REPORT SUMMARY

UNEXPECTED: Inconsistent Results Based on Patient's Declared Medications			
Specimen ID	1708170052		
Collection Date	8/7/2017		
Clonazepam	Negative		
Nordiazepam	10.5		
Oxazepam	80.1		

EXPECTED: Consistent Results of Declared Medications & Metabolites					
Specimen ID	1708170052				
Collection Date	8/7/2017				
Gabapentin	>2000				
Hydrocodone	503.6				
Hydromorphone	90.9				
Norhydrocodone	393.9				

SPECIMEN VALIDITY RESULTS			
Urine - Creatinine (mg/dL)	16	Below Normal	80-200
Urine - Oxidants (ug/mL)	1	Normal	0-200
Urine - PH Level	7.3	Normal	4.7-7.8
Urine - Specific Gravity Level	1.005	Normal	1.003-1.035

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Amphetamine				
Amphetamine		Negative	<20	Consistent
Methylphenidate		Negative	<50	Consistent
Norpseudoephedrine		Negative	<10	Consistent
Ritalinic Acid		Negative	<50	Consistent
Benzodiazepines				
7-Aminoclonazepam		Negative	<4	Consistent
alpha-hydroxyalprazolam		Negative	<5	Consistent



LABORATORY REPORT

NATIONAL LABS 3948 TRUST WAY

HAYWARD, CA 94545 Ph.: (800) 800-6060

Report Status: Final

 Patient Name:
 ORTIVEROS, DORA
 Accession:
 1708170052

 Patient ID:
 248EMR
 Collect Date:
 08/07/2017

 DOB, Age, Sex:
 12/29/1963 53 Female
 Receive Date:
 08/17/2017

 Client:
 (1028) Lags Spine and Sportscare
 Tested Date:
 08/21/2017

 Requested By:
 Dr Winchell Elbo (18414694361)
 Release Date:
 08/21/2017

Medications: Gabapentin, Norco, Lisinopril, Metoprolol Tartrate, Buspirone, Clonazepam, Fluticasone

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Alprazolam		Negative	<4	Consistent
Clonazepam		Negative	<10	INCONSISTENT
Inconsistent with declared drug Clonazepam		•		
Diazepam		Negative	<5	Consistent
Flurazepam		Negative	<0.5	Consistent
Lorazepam		Negative	<10	Consistent
Meprobamate		Negative	<50	Consistent
Nordiazepam	10.5	Positive	<5	INCONSISTENT
Nordiazepam positive can be from Nordiazepam or as	a metabolite of Diazep	am.		
Oxazepam	80.1	Positive	<5	INCONSISTENT
Oxazepam positive can be Oxazepam or as a metabo	ite of Temazepam, Nore	diazepam, or Diazepam.		
Temazepam		Negative	<20	Consistent
Neuromodulatory		·		
Carisoprodol		Negative	<20	Consistent
Gabapentin	>2000	Positive	<50	Consistent
Opiates and Semisynthetic Opioids		•		
Codeine		Negative	<50	Consistent
Hydrocodone	503.6	Positive	<50	Consistent
Hydromorphone	90.9	Positive	<50	Consistent
Consistent because Hydromorphone is a metabolite	of Norco			
Morphine		Negative	<50	Consistent
Norhydrocodone	393.9	Positive	<10	Consistent
Consistent because Norhydrocodone is a metabolite	of Norco			
Noroxycodone		Negative	<10	Consistent
Oxycodone		Negative	<10	Consistent
Oxymorphone		Negative	<25	Consistent
Synthetic Opioids		·		
Buprenorphine Glucuronide		Negative	<10	Consistent
Buprenorphine		Negative	<10	Consistent
EDDP Percholate: Methadone Metabolite		Negative	<25	Consistent
Fentanyl		Negative	<2	Consistent
Meperidine		Negative	<10	Consistent
Methadone		Negative	<25	Consistent
Naloxone		Negative	<10	Consistent



LABORATORY REPORT

NATIONAL LABS 3948 TRUST WAY

HAYWARD, CA 94545 Ph.: (800) 800-6060

Report Status: Final

 Patient Name:
 ORTIVEROS, DORA
 Accession:
 1708170052

 Patient ID:
 248EMR
 Collect Date:
 08/07/2017

 DOB, Age, Sex:
 12/29/1963 53 Female
 Receive Date:
 08/17/2017

 Client:
 (1028) Lags Spine and Sportscare
 Tested Date:
 08/21/2017

 Requested By:
 Dr Winchell Elbo (18414694361)
 Release Date:
 08/21/2017

Medications: Gabapentin, Norco, Lisinopril, Metoprolol Tartrate, Buspirone, Clonazepam, Fluticasone

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Naltrexone		Negative	<20	Consistent
Norbuprenorphine		Negative	<30	Consistent
Normeperidine		Negative	<10	Consistent
Norbuprenorphine Glucuronide		Negative	<4	Consistent
Norfentanyl oxalate		Negative	<5	Consistent
Propoxyphene		Negative	<62.5	Consistent
Tapentadol		Negative	<20	Consistent
Tramadol HCL		Negative	<20	Consistent
Substances of Abuse				·
6-MAM: Heroin Metabolite		Negative	<10	Consistent
Benzoylecgonine: Metabolite of Cocaine		Negative	<50	Consistent
ETHYL GLUCURONIDE (EIA)		Negative	<500	Consistent
JWH-018 pentanoic		Negative	<5	Consistent
JWH-073 Butanoic		Negative	<5	Consistent
JWH-073 hydroxybutyl		Negative	<5	Consistent
Methylenedioxyamphetamine (MDA)		Negative	<100	Consistent
Methylenedioxyethylamphetamine (MDEA)		Negative	<100	Consistent
Methylenedioxymethamphetamine (MDMA)		Negative	<100	Consistent
Mephedrone		Negative	<10	Consistent
Methamphetamine		Negative	<100	Consistent
PCP (Phencyclidine) (EIA)		Negative	<25	Consistent
THC-COOH Glucuronide		Negative	<20	Consistent
11 Carboxy THC		Negative	<10	Consistent
Validity Tests EIA				
Urine - Creatinine (mg/dL)	16	Below Normal	80-200	
Urine - Oxidants (ug/mL)	1	Normal	0-200	
Urine - PH Level	7.3	Normal	4.7-7.8	
Urine - Specific Gravity Level	1.005	Normal	1.003-1.035	

^{***} Comments: Specimens received more than 3 days post collection may be compromised and not reflect actual concentration. This may limit detection of low levels. This test is not approved by the FDA for the treatment, diagnosis, or prevention, of any medical condition. It is performed for information and is intended for educational and research purposes only. Only a physician familiar with a Patient() 's individual medical history can make medical judgments and give that patient specific medical advice. results are not intended to be a substitute for consultation with a licensed health care provider.

Those analytes' test results, reported as detected by LC/MS, have not been approved by the FDA. The performance characteristics of the assays have been determined by National Labs in accordance with Clinical Laboratory Improvement Act of 1988 (CLIA '88) guidelines.

False positive and false negative test results do occur. A licensed health care provider must provide any interpretation or recommendation for treatment based upon test results. The results are not for use as evidence in civil or criminal cases. Specimens are not obtained under the guidelines required for secure collection and, therefore, cannot be used for employment purposes. The results are based upon the method used for testing and the sensitivity of that method. A negative result indicates that the drugs tested for were not detected at the sensitivity level used. Positive results may be possible with the same or subsequent specimens if testing is performed using a greater degree of sensitivity. Other factors that may affect the results include the type of drug; the amount, duration and time of last drug use; the body type and weight of the individual being testing; and, in the case of urine drug screens, the concentration, acidity, or alkalinity of the urine.

LAGS MEDICAL CENTERS

This sheet provided at request of client for patient identification verification purposes only. Not a National Labs report,

Muhammad A. Molani, MD Francis P. Lagattuta, MD

CLIA Number: 05D1058036 801 East Chapel Street Santa Maria, CA 93454

Tel: (805) 928-7361

Fax: (805) 928-5742

Urine Drug Testing Report

Name:

ORTIVEROS, DORA

Date Collected: 8/7/2017

Sample ID:

NATLG8453

Date Tested: 8/10/2017

Date of Birth:

12/29/1963

Time Tested:

3:35:35 PM

Sex:

Female

Physician:

ELBO, W-NP

TEST	RESULT		CUTOFFCONG
	ļā,		
6-AcetylMorphine	RESULT NEGATIVE		10 ng/mL
Amphetamines	RESULT NEGATIVE		1000 ng/m
Benzodiazepine	RESULT NEGATIVE		200 ng/m
Buprenorphine	RESULT NEGATIVE		5 ng/n]
Cocaine Metabolite	RESULT NEGATIVE	,	300,0
Methadone	RESULT NEGATIVE		300 50/61
Opiate	RESULT POSITIVE	: ,	300 ng/mL
Oxycodone	RESULT NEGATIVE	;	300 ng/mL / / / / / / / / / / / / / / / / / /
THC	RESULT NEGATIVE		50 ng/mL
Tramadol	RESULT NEGATIVE		200 ng/mL

Tests are performed by Enzyme Immunoassay Technique on Siemens VIVA-E (#1) analyze

Clinical Scientist:	Y
Cililical Scientist.	 اريال