

Patient Name:	HAMBRICK, RENEE	Accession:	1708310026
Patient ID:	03081969RH	Collect Date:	08/24/2017
DOB, Age, Sex:	3/8/1969 48 Female	Receive Date:	08/31/2017
Client:	(1028) Lags Spine and Sportscare	Tested Date:	09/04/2017
Requested By:	Jenny Tran NPI (1568889723)	Release Date:	09/04/2017
Medications:	Acetaminophen, Methadone, Norco, Voltaren, Methadone		

REPORT SUMMARY

UNEXPECTED: Inconsistent Results Based on Patient's Declared Medications

Specimen ID	1708310026	1601060013
Collection Date	8/24/2017	1/5/2016
11 Carboxy THC	18.7	46
ETHYL GLUCURONIDE (EIA)	>2000	
Hydrocodone		Negative
Lorazepam		Negative
Morphine		113
THC-COOH Glucuronide	175.1	>400

EXPECTED: Consistent Results of Declared Medications & Metabolites

Specimen ID	1708310026	1601060013
Collection Date	8/24/2017	1/5/2016
EDDP Percholate: Methadone Metabolite	>200	>200
Hydrocodone	1421.2	
Hydromorphone	54.3	
Methadone	>400	>400
Norhydrocodone	1064.6	

SPECIMEN VALIDITY RESULTS

Urine - Creatinine (mg/dL)	208	Abnormal	80-200
Urine - Oxidants (ug/mL)	0	Normal	0-200
Urine - PH Level	5.5	Normal	4.7-7.8
Urine - Specific Gravity Level	1.029	Normal	1.003-1.035

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Amphetamine				
Amphetamine		Negative	<20	Consistent
Methylphenidate		Negative	<50	Consistent

Patient Name:	HAMBRICK, RENEE	Accession:	1708310026
Patient ID:	03081969RH	Collect Date:	08/24/2017
DOB, Age, Sex:	3/8/1969 48 Female	Receive Date:	08/31/2017
Client:	(1028) Lags Spine and Sportscare	Tested Date:	09/04/2017
Requested By:	Jenny Tran NPI (1568889723)	Release Date:	09/04/2017
Medications:	Acetaminophen, Methadone, Norco, Voltaren, Methadone		

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Norpseudoephedrine		Negative	<10	Consistent
Ritalinic Acid		Negative	<50	Consistent
Benzodiazepines				
7-Aminoclonazepam		Negative	<4	Consistent
alpha-hydroxyalprazolam		Negative	<5	Consistent
Alprazolam		Negative	<4	Consistent
Clonazepam		Negative	<10	Consistent
Diazepam		Negative	<5	Consistent
Flurazepam		Negative	<0.5	Consistent
Lorazepam		Negative	<10	Consistent
Meprobamate		Negative	<50	Consistent
Nordiazepam		Negative	<5	Consistent
Oxazepam		Negative	<5	Consistent
Temazepam		Negative	<20	Consistent
Neuromodulatory				
Carisoprodol		Negative	<20	Consistent
Gabapentin		Negative	<50	Consistent
Opiates and Semisynthetic Opioids				
Codeine		Negative	<50	Consistent
Hydrocodone	1421.2	Positive	<50	Consistent
Hydromorphone	54.3	Positive	<50	Consistent
Consistent because Hydromorphone is a metabolite of Norco				
Morphine		Negative	<50	Consistent
Norhydrocodone	1064.6	Positive	<10	Consistent
Consistent because Norhydrocodone is a metabolite of Norco				
Noroxycodone		Negative	<10	Consistent
Oxycodone		Negative	<10	Consistent
Oxymorphone		Negative	<25	Consistent
Synthetic Opioids				
Buprenorphine Glucuronide		Negative	<10	Consistent
Buprenorphine		Negative	<10	Consistent
EDDP Perchlorate: Methadone Metabolite	>200	Positive	<25	Consistent
Consistent because EDDP Perchlorate: Methadone Metabolite is a metabolite of Methadone				
Fentanyl		Negative	<2	Consistent
Meperidine		Negative	<10	Consistent
Methadone	>400	Positive	<25	Consistent

Patient Name:	HAMBRICK, RENEE	Accession:	1708310026
Patient ID:	03081969RH	Collect Date:	08/24/2017
DOB, Age, Sex:	3/8/1969 48 Female	Receive Date:	08/31/2017
Client:	(1028) Lags Spine and Sportscare	Tested Date:	09/04/2017
Requested By:	Jenny Tran NPI (1568889723)	Release Date:	09/04/2017
Medications:	Acetaminophen, Methadone, Norco, Voltaren, Methadone		

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Naloxone		Negative	<10	Consistent
Naltrexone		Negative	<20	Consistent
Norbuprenorphine		Negative	<30	Consistent
Normeperidine		Negative	<10	Consistent
Norbuprenorphine Glucuronide		Negative	<4	Consistent
Norfentanyl oxalate		Negative	<5	Consistent
Propoxyphene		Negative	<62.5	Consistent
Tapentadol		Negative	<20	Consistent
Tramadol HCL		Negative	<20	Consistent
Substances of Abuse				
6-MAM: Heroin Metabolite		Negative	<10	Consistent
Benzoylcegonine: Metabolite of Cocaine		Negative	<50	Consistent
ETHYL GLUCURONIDE (EIA)	>2000	Positive	<500	INCONSISTENT
JWH-018 pentanoic		Negative	<5	Consistent
JWH-073 Butanoic		Negative	<5	Consistent
JWH-073 hydroxybutyl		Negative	<5	Consistent
Methylenedioxyamphetamine (MDA)		Negative	<100	Consistent
Methylenedioxyethylamphetamine (MDEA)		Negative	<100	Consistent
Methylenedioxymethamphetamine (MDMA)		Negative	<100	Consistent
Mephedrone		Negative	<10	Consistent
Methamphetamine		Negative	<100	Consistent
PCP (Phencyclidine) (EIA)		Negative	<25	Consistent
THC-COOH Glucuronide	175.1	Positive	<20	INCONSISTENT
THC COOH Glucuronide is a metabolite of THC.				
11 Carboxy THC	18.7	Positive	<10	INCONSISTENT
THC COOH is a metabolite of THC.				
Validity Tests EIA				
Urine - Creatinine (mg/dL)	208	Abnormal	80-200	
Urine - Oxidants (ug/mL)	0	Normal	0-200	
Urine - PH Level	5.5	Normal	4.7-7.8	
Urine - Specific Gravity Level	1.029	Normal	1.003-1.035	

Patient Name: HAMBRICK, RENEE**Patient ID:** 03081969RH**DOB, Age, Sex:** 3/8/1969 48 Female**Client:** (1028) Lags Spine and Sportscare**Requested By:** Jenny Tran NPI (1568889723)**Medications:** Acetaminophen, Methadone, Norco, Voltaren, Methadone**Accession:** 1708310026**Collect Date:** 08/24/2017**Receive Date:** 08/31/2017**Tested Date:** 09/04/2017**Release Date:** 09/04/2017

*** Comments: Specimens received more than 3 days post collection may be compromised and not reflect actual concentration. This may limit detection of low levels. This test is not approved by the FDA for the treatment, diagnosis, or prevention, of any medical condition. It is performed for information and is intended for educational and research purposes only. Only a physician familiar with a Patient()'s individual medical history can make medical judgments and give that patient specific medical advice. results are not intended to be a substitute for consultation with a licensed health care provider.

Those analytes' test results, reported as detected by LC/MS, have not been approved by the FDA. The performance characteristics of the assays have been determined by National Labs in accordance with Clinical Laboratory Improvement Act of 1988 (CLIA '88) guidelines.

False positive and false negative test results do occur. A licensed health care provider must provide any interpretation or recommendation for treatment based upon test results. The results are not for use as evidence in civil or criminal cases. Specimens are not obtained under the guidelines required for secure collection and, therefore, cannot be used for employment purposes. The results are based upon the method used for testing and the sensitivity of that method. A negative result indicates that the drugs tested for were not detected at the sensitivity level used. Positive results may be possible with the same or subsequent specimens if testing is performed using a greater degree of sensitivity. Other factors that may affect the results include the type of drug; the amount, duration and time of last drug use; the body type and weight of the individual being testing; and, in the case of urine drug screens, the concentration, acidity, or alkalinity of the urine.

LAGS MEDICAL CENTERS

Muhammad A. Molani, MD

Francis P. Lagattuta, MD

***This sheet provided at request of
client for patient identification
verification purposes only.
Not a National Labs report.***

CLIA Number: 05D1058036

801 East Chapel Street

Santa Maria, CA 93454

Tel: (805) 928-7361

Fax: (805) 928-5742

Urine Drug Testing Report

Name: HAMBRICK, RENEE

Date Collected: 8/24/2017

Sample ID: H550

Date Tested: 8/28/2017

Date of Birth: 3/8/1969

Time Tested: 1:21:09 PM

Sex: Female

Physician: TRAN, J-NP

TEST	RESULT	CUTOFF CONC.
6-AcetylMorphine	RESULT NEGATIVE	10 ng/mL
Amphetamines	RESULT NEGATIVE	1000 ng/mL
Benzodiazepine	RESULT NEGATIVE	200 ng/mL
Buprenorphine	RESULT NEGATIVE	5 ng/mL
Cocaine Metabolite	RESULT NEGATIVE	300 ng/mL
Methadone	RESULT POSITIVE	300 ng/mL
Opiate	RESULT POSITIVE	300 ng/mL
Oxycodone	RESULT NEGATIVE	300 ng/mL
THC	RESULT POSITIVE	50 ng/mL
Tramadol	RESULT NEGATIVE	200 ng/mL

Tests are performed by Enzyme Immunoassay Technique on Siemens VIVA-E (#2) analyzer.

Clinical Scientist: _____

