

LABORATORY REPORT

NATIONAL LABS 3948 TRUST WAY

HAYWARD, CA 94545 Ph.: (800) 800-6060

Report Status: Final

Patient Name:CARRILLO BAMONTE, FELISAAccession:1709200051Patient ID:1010EMRCollect Date:09/06/2017DOB, Age, Sex:12/19/1969 47 FemaleReceive Date:09/20/2017Client:(1028) Lags Spine and SportscareTested Date:09/25/2017Requested By:Jason Williford (1174875793)Release Date:09/25/2017

Medications: Gabapentin, Oxycodone, Tizanidine, Trazodone, Fioricet

REPORT SUMMARY

UNEXPECTED: Inconsistent Results Based on Patient's Declared Medications			
Specimen ID	1709200051		
Collection Date	9/6/2017		
Gabapentin	Negative		
Oxycodone	Negative		

EXPECTED: Consistent Results of Declared Medications & Metabolites				
Specimen ID	1709200051			
Collection Date	9/6/2017			
NONE				

SPECIMEN VALIDITY RESULTS			
Urine - Creatinine (mg/dL)	73	Below Normal	80-200
Urine - Oxidants (ug/mL)	0	Normal	0-200
Urine - PH Level	5.6	Normal	4.7-7.8
Urine - Specific Gravity Level	1.020	Normal	1.003-1.035

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome		
Amphetamine						
Amphetamine		Negative	<20	Consistent		
Methylphenidate		Negative	<50	Consistent		
Norpseudoephedrine		Negative	<10	Consistent		
Ritalinic Acid		Negative	<50	Consistent		
Benzodiazepines						
7-Aminoclonazepam		Negative	<4	Consistent		
alpha-hydroxyalprazolam		Negative	<5	Consistent		
Alprazolam		Negative	<4	Consistent		
Clonazepam		Negative	<10	Consistent		
Diazepam		Negative	<5	Consistent		
Flurazepam		Negative	<0.5	Consistent		



LABORATORY REPORT

NATIONAL LABS

3948 TRUST WAY HAYWARD, CA 94545 Ph.: (800) 800-6060

Report Status: Final

Patient Name:CARRILLO BAMONTE, FELISAAccession:1709200051Patient ID:1010EMRCollect Date:09/06/2017DOB, Age, Sex:12/19/1969 47 FemaleReceive Date:09/20/2017Client:(1028) Lags Spine and SportscareTested Date:09/25/2017Requested By:Jason Williford (1174875793)Release Date:09/25/2017

Medications: Gabapentin, Oxycodone, Tizanidine, Trazodone, Fioricet

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Lorazepam		Negative	<10	Consistent
Meprobamate		Negative	<50	Consistent
Nordiazepam		Negative	<5	Consistent
Oxazepam		Negative	<5	Consistent
Temazepam		Negative	<20	Consistent
Neuromodulatory				
Carisoprodol		Negative	<20	Consistent
Gabapentin		Negative	<50	INCONSISTENT
Inconsistent with declared drug Gabapentin				•
Opiates and Semisynthetic Opioids				
Codeine		Negative	<50	Consistent
Hydrocodone		Negative	<50	Consistent
Hydromorphone		Negative	<50	Consistent
Morphine		Negative	<50	Consistent
Norhydrocodone		Negative	<10	Consistent
Noroxycodone		Negative	<10	Consistent
Oxycodone		Negative	<10	INCONSISTENT
Inconsistent with declared drug Oxycodone				•
Oxymorphone		Negative	<25	Consistent
Synthetic Opioids				
Buprenorphine Glucuronide		Negative	<10	Consistent
Buprenorphine		Negative	<10	Consistent
EDDP Percholate: Methadone Metabolite		Negative	<25	Consistent
Fentanyl		Negative	<2	Consistent
Meperidine		Negative	<10	Consistent
Methadone		Negative	<25	Consistent
Naloxone		Negative	<10	Consistent
Naltrexone		Negative	<20	Consistent
Norbuprenorphine		Negative	<30	Consistent
Normeperidine		Negative	<10	Consistent
Norbuprenorphine Glucuronide		Negative	<4	Consistent
Norfentanyl oxalate		Negative	<5	Consistent
Propoxyphene		Negative	<62.5	Consistent
Tapentadol		Negative	<20	Consistent
Tramadol HCL		Negative	<20	Consistent
Substances of Abuse				•
6-MAM: Heroin Metabolite		Negative	<10	Consistent



LABORATORY REPORT

NATIONAL LABS 3948 TRUST WAY

HAYWARD, CA 94545 Ph.: (800) 800-6060

Report Status: Final

 Patient Name:
 CARRILLO BAMONTE, FELISA
 Accession:
 1709200051

 Patient ID:
 1010EMR
 Collect Date:
 09/06/2017

 DOB, Age, Sex:
 12/19/1969 47 Female
 Receive Date:
 09/20/2017

 Client:
 (1028) Lags Spine and Sportscare
 Tested Date:
 09/25/2017

 Requested By:
 Jason Williford (1174875793)
 Release Date:
 09/25/2017

Medications: Gabapentin, Oxycodone, Tizanidine, Trazodone, Fioricet

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Benzoylecgonine: Metabolite of Cocaine		Negative	<50	Consistent
ETHYL GLUCURONIDE (EIA)		Negative	<500	Consistent
JWH-018 pentanoic		Negative	<5	Consistent
JWH-073 Butanoic		Negative	<5	Consistent
JWH-073 hydroxybutyl		Negative	<5	Consistent
Methylenedioxyamphetamine (MDA)		Negative	<100	Consistent
Methylenedioxyethylamphetamine (MDEA)		Negative	<100	Consistent
Methylenedioxymethamphetamine (MDMA)		Negative	<100	Consistent
Mephedrone		Negative	<10	Consistent
Methamphetamine		Negative	<100	Consistent
PCP (Phencyclidine) (EIA)		Negative	<25	Consistent
THC-COOH Glucuronide		Negative	<20	Consistent
11 Carboxy THC		Negative	<10	Consistent
/alidity Tests EIA		·		
Urine - Creatinine (mg/dL)	73	Below Normal	80-200	
Urine - Oxidants (ug/mL)	0	Normal	0-200	
Urine - PH Level	5.6	Normal	4.7-7.8	
Urine - Specific Gravity Level	1.020	Normal	1.003-1.035	

^{***} Comments: Specimens received more than 3 days post collection may be compromised and not reflect actual concentration. This may limit detection of low levels. This test is not approved by the FDA for the treatment, diagnosis, or prevention, of any medical condition. It is performed for information and is intended for educational and research purposes only. Only a physician familiar with a Patient() 's individual medical history can make medical judgments and give that patient specific medical advice. results are not intended to be a substitute for consultation with a licensed health care provider.

Those analytes' test results, reported as detected by LC/MS, have not been approved by the FDA. The performance characteristics of the assays have been determined by National Labs in accordance with Clinical Laboratory Improvement Act of 1988 (CLIA '88) quidelines.

False positive and false negative test results do occur. A licensed health care provider must provide any interpretation or recommendation for treatment based upon test results. The results are not for use as evidence in civil or criminal cases. Specimens are not obtained under the guidelines required for secure collection and, therefore, cannot be used for employment purposes. The results are based upon the method used for testing and the sensitivity of that method. A negative result indicates that the drugs tested for were not detected at the sensitivity level used. Positive results may be possible with the same or subsequent specimens if testing is performed using a greater degree of sensitivity. Other factors that may affect the results include the type of drug; the amount, duration and time of last drug use; the body type and weight of the individual being testing; and, in the case of urine drug screens, the concentration, acidity, or alkalinity of the urine.

LAGS MEDICAL CENTERS

Muhammad A. Molani, MD Francis P. Lagattuta, MD

CLIA Number: 05D1058036 801 East Chapel Street Santa Maria, CA 93454

This sheet provided at request of client for patient identification verification purposes only. Not a National Labs report.

Tel: (805) 928-7361

Fax: (805) 928-5742

Urine Drug Testing Report

Name:

CARILLO-BAMONTE, FELISA

Date Collected: 9/6/2017

Sample ID:

NATL H2012

Date Tested:

9/12/2017

Date of Birth:

12/19/1969

Time Tested:

12:22:25 AM

Sex:

Female

Physician:

WILLIFORD, J-PA-C

TEST RESULT NEGATIVE 10 ng/mL Amphetamines RESULT NEGATIVE 1000 ng/mL Benzodiazepine RESULT NEGATIVE 200 ng/mL Buprenorphine RESULT NEGATIVE 5 ng/mL Cocaine Metabolite RESULT NEGATIVE 300 ng/mL Methadone RESULT NEGATIVE 300 ng/mL Opiate RESULT NEGATIVE 300 ng/mL Oxycodone RESULT NEGATIVE 300 ng/mL THC RESULT NEGATIVE 50 ng/mL Tramadol RESULT NEGATIVE 50 ng/mL			
Amphetamines RESULT NEGATIVE 1000 ng/mL Benzodiazepine RESULT NEGATIVE 200 ng/mL Buprenorphine RESULT NEGATIVE 5 ng/mL Cocaine Metabolite RESULT NEGATIVE 300 ng/mL Methadone RESULT NEGATIVE 300 ng/mL Opiate RESULT NEGATIVE 300 ng/mL Oxycodone RESULT NEGATIVE 300 ng/mL THC RESULT NEGATIVE 50 ng/mL	TEST	RESULT	CUTOFF CONC.
Tramadol PESULT NEGATIVE	Amphetamines Benzodiazepine Buprenorphine Cocaine Metabolite Methadone Opiate Oxycodone	RESULT NEGATIVE	10 ng/mL 1000 ng/mL 200 ng/mL 5 ng/mL 300 ng/mL 300 ng/mL 300 ng/mL
	Tramadol	RESULT NEGATIVE	_

Tests are performed by Enzyme Immunoassay Technique on Siemens VIVA-E (#2) analyzer.

		
Clinical Scientist:		