

Medications:

LABORATORY REPORT

NATIONAL LABS 3948 TRUST WAY

HAYWARD, CA 94545 Ph.: (800) 800-6060

Report Status: Final

Patient Name: Hart, Karin Patient ID: 09201959 DOB, Age, Sex: 9/20/1959 57 Female Client: (1028) Lags Spine and Sportscare

Requested By: Dr. Francis P. Lagattuta (1992799704) Oxycodone, Baclofen, Hydrochlorothiazide Accession: 1706050111 **Collect Date:** 05/18/2017 **Receive Date:** 06/05/2017 **Tested Date:** 06/08/2017 **Release Date:** 06/08/2017

REPORT SUMMARY

UNEXPECTED: Inconsistent Results Based on Patient's Declared Medications					
Specimen ID	1706050111	1701240003	1410080001		
Collection Date	5/18/2017	12/20/2016	10/6/2014		
11 Carboxy THC	322.6	28.5			
7-Aminoclonazepam	164.54				
Carisoprodol			Negative		
ETHYL GLUCURONIDE (EIA)	>2000	511			
Hydrocodone			510		
Hydromorphone			271		
Lorazepam		Negative			
Nordiazepam		26.7			
Norhydrocodone	34.8	15.8			
Oxazepam		7.2			
THC-COOH Glucuronide		93.0			

EXPECTED: Consistent Results of Declared Medications & Metabolites					
Specimen ID	1706050111	1701240003	1410080001		
Collection Date	5/18/2017	12/20/2016	10/6/2014		
Lorazepam			>1000		
Noroxycodone	>2000	>2000	>1000		
Oxycodone	>2000	>2000	>1000		
Oxymorphone	120.8		>1000		

SPECIMEN VALIDITY RESULTS					
Urine - Creatinine (mg/dL)	161	Normal	80-200		
Urine - Oxidants (ug/mL)	0	Normal	0-200		
Urine - PH Level	7.3	Normal	4.7-7.8		
Urine - Specific Gravity Level	1.032	Normal	1.003-1.035		

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Amphetamine				
Amphetamine		Negative	<20	Consistent



LABORATORY REPORT

NATIONAL LABS 3948 TRUST WAY HAYWARD, CA 94545 Ph.: (800) 800-6060

Report Status: Final

 Patient Name:
 Hart, Karin
 Accession:
 1706050111

 Patient ID:
 09201959
 Collect Date:
 05/18/2017

 DOB, Age, Sex:
 9/20/1959 57 Female
 Receive Date:
 06/05/2017

 Client:
 (1028) Lags Spine and Sportscare
 Tested Date:
 06/08/2017

 Requested By:
 Dr. Francis P. Lagattuta (1992799704)
 Release Date:
 06/08/2017

Medications: Oxycodone, Baclofen, Hydrochlorothiazide

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Methylphenidate		Negative	<50	Consistent
Norpseudoephedrine		Negative	<10	Consistent
Ritalinic Acid		Negative	<50	Consistent
Benzodiazepines				•
7-Aminoclonazepam	164.54	Positive	<4	INCONSISTENT
7-aminoclonazepam is a metabolite of Clonazepam				·
alpha-hydroxyalprazolam		Negative	<5	Consistent
Alprazolam		Negative	<4	Consistent
Clonazepam		Negative	<10	Consistent
Diazepam		Negative	<5	Consistent
Flurazepam		Negative	<0.5	Consistent
Lorazepam		Negative	<10	Consistent
Meprobamate		Negative	<50	Consistent
Nordiazepam		Negative	<5	Consistent
Oxazepam		Negative	<5	Consistent
Temazepam		Negative	<20	Consistent
Neuromodulatory				
Carisoprodol		Negative	<20	Consistent
Gabapentin		Negative	<50	Consistent
Opiates and Semisynthetic Opioids				
Codeine		Negative	<50	Consistent
Hydrocodone		Negative	<50	Consistent
Hydromorphone		Negative	<50	Consistent
Morphine		Negative	<50	Consistent
Norhydrocodone	34.8	Positive	<10	INCONSISTENT
Norhydrocodone is a metabolite of Hydrocodone and	l Codeine.			•
Noroxycodone	>2000	Positive	<10	Consistent
Consistent because Noroxycodone is a metabolite of	Oxycodone	,		·
Oxycodone	>2000	Positive	<10	Consistent
Oxymorphone	120.8	Positive	<25	Consistent
Consistent because Oxymorphone is a metabolite of	Oxycodone	,		·
Synthetic Opioids				
Buprenorphine Glucuronide		Negative	<10	Consistent
Buprenorphine		Negative	<10	Consistent
EDDP Percholate: Methadone Metabolite		Negative	<25	Consistent
Fentanyl		Negative	<2	Consistent
Meperidine		Negative	<10	Consistent



LABORATORY REPORT

NATIONAL LABS 3948 TRUST WAY

HAYWARD, CA 94545 Ph.: (800) 800-6060

Report Status: Final

 Patient Name:
 Hart, Karin
 Accession:
 1706050111

 Patient ID:
 09201959
 Collect Date:
 05/18/2017

 DOB, Age, Sex:
 9/20/1959 57 Female
 Receive Date:
 06/05/2017

 Client:
 (1028) Lags Spine and Sportscare
 Tested Date:
 06/08/2017

 Requested By:
 Dr. Francis P. Lagattuta (1992799704)
 Release Date:
 06/08/2017

Medications: Oxycodone, Baclofen, Hydrochlorothiazide

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Methadone		Negative	<25	Consistent
Naloxone		Negative	<10	Consistent
Naltrexone		Negative	<20	Consistent
Norbuprenorphine		Negative	<30	Consistent
Normeperidine		Negative	<10	Consistent
Norbuprenorphine Glucuronide		Negative	<4	Consistent
Norfentanyl oxalate		Negative	<5	Consistent
Propoxyphene		Negative	<62.5	Consistent
Tapentadol		Negative	<20	Consistent
Tramadol HCL		Negative	<20	Consistent
Substances of Abuse				•
6-MAM: Heroin Metabolite		Negative	<10	Consistent
Benzoylecgonine: Metabolite of Cocaine		Negative	<50	Consistent
ETHYL GLUCURONIDE (EIA)	>2000	Positive	<500	INCONSISTENT
JWH-018 pentanoic		Negative	<5	Consistent
JWH-073 Butanoic		Negative	<5	Consistent
JWH-073 hydroxybutyl		Negative	<5	Consistent
Methylenedioxyamphetamine (MDA)		Negative	<100	Consistent
Methylenedioxyethylamphetamine (MDEA)		Negative	<100	Consistent
Methylenedioxymethamphetamine (MDMA)		Negative	<100	Consistent
Mephedrone		Negative	<10	Consistent
Methamphetamine		Negative	<100	Consistent
PCP (Phencyclidine) (EIA)		Negative	<25	Consistent
THC-COOH Glucuronide		Negative	<20	Consistent
11 Carboxy THC	322.6	Positive	<10	INCONSISTENT
THC COOH is a metabolite of THC.				
Validity Tests EIA				
Urine - Creatinine (mg/dL)	161	Normal	80-200	
Urine - Oxidants (ug/mL)	0	Normal	0-200	
Urine - PH Level	7.3	Normal	4.7-7.8	
Urine - Specific Gravity Level	1.032	Normal	1.003-1.035	

^{***} Comments: Specimens received more than 3 days post collection may be compromised and not reflect actual concentration. This may limit detection of low levels. This test is not approved by the FDA for the treatment, diagnosis, or prevention, of any medical condition. It is performed for information and is intended for educational and research purposes only. Only a physician familiar with a Patient() 's individual medical history can make medical judgments and give that patient specific medical advice. results are not intended to be a substitute for consultation with a licensed health care provider.

False positive and false negative test results do occur. A licensed health care provider must provide any interpretation or recommendation for treatment based upon test results. The results are not for use as evidence in civil or criminal cases. Specimens are not obtained under the guidelines required for secure collection and, therefore, cannot be used for employment purposes. The results are based upon the method used for testing and the sensitivity of that method. A negative result indicates that the drugs tested for were not detected at the sensitivity level used. Positive results may be possible with the same or subsequent specimens if testing is performed using a greater degree of sensitivity. Other factors that may affect the results include the type of drug; the amount, duration and time of last drug use; the body type and weight of the individual being testing; and, in the case of urine drug screens, the concentration, acidity, or alkalinity of the urine.

LAGS MEDICAL CENTERS

Muhammad A. Molani, MD Francis P. Lagattuta, MD

CLIA Number: 05D1058036 801 East Chapel Street Santa Maria, CA 93454 ***This sheet provided at request of client for patient identification verification purposes only. Not a National Labs report.***

Tel: (805) 928-7361

Fax: (805) 928-5742

Urine Drug Testing Report

Name:

HART, KARIN

Date Collected: 5/18/2017

Sample ID:

F9117

Date Tested:

5/23/2017

Date of Birth:

9/20/1959

Time Tested:

3:01:02 PM

Sex:

Female

Physician:

LAGATTUTA, F-MD

			1
TEST	RESULT		CUTOFF CONC.
6-AcetylMorphine	RESULT NEGATIVE		10 ng/mL
Amphetamines	RESULT NEGATIVE	e e e e e e e e e e e e e e e e e e e	1000 ng/mL
Benzodiazepine	RESULT NEGATIVE		200 ng/mL
Buprenorphine	RESULT NEGATIVE	•	5 ng/mL
Cocaine Metabolite	RESULT NEGATIVE		300 ng/mL
Methadone	RESULT NEGATIVE		300 ng/mL
Opiate	RESULT POSITIVE		300 ng/mL
Oxycodone	RESULT POSITIVE		300 ng/mL
THC	RESULT POSITIVE		50 ng/mL
Tramadol	RESULT NEGATIVE		200 ng/mL

Tests are performed by Enzyme Immunoassay Technique on Siemens VIVA-E (#1) analyzer.

Clinical Scientist:

