

# LABORATORY REPORT

NATIONAL LABS 3948 TRUST WAY

HAYWARD, CA 94545 Ph.: (800) 800-6060

**Report Status: Final** 

Patient Name:Costa, ManuelAccession:1702160033Patient ID:11021963McCollect Date:01/18/2017DOB, Age, Sex:11/2/1963 53 MaleReceive Date:02/16/2017Client:(1028) Lags Spine and SportscareTested Date:02/19/2017Requested By:Andrew Tang (1346656055)Release Date:02/19/2017Medications:Lidocaine, Gabapentin, Percocet, Norco, Lidoderm Patches, Lisinopril, Metformin

## **REPORT SUMMARY**

UNEXPECTED: Inconsistent Results Based on Patient's Declared Medications					
Specimen ID	1702160033	1701170195			
Collection Date	1/18/2017	1/3/2017			
Hydrocodone	Negative	Negative			

EXPECTED: Consistent Results of Declared Medications & Metabolites					
Specimen ID	1702160033	1701170195			
Collection Date	1/18/2017	1/3/2017			
Gabapentin	>2000	>2000			
Noroxycodone	681.0	>2000			
Oxycodone	160.4	>2000			
Oxymorphone		30.6			

SPECIMEN VALIDITY RESULTS					
Urine - Creatinine (mg/dL)	118	Normal	80-200		
Urine - Oxidants (ug/mL)	3	Normal	0-200		
Urine - PH Level	5.2	Normal	4.7-7.8		
Urine - Specific Gravity Level	1.019	Normal	1.003-1.035		

## **REPORT DETAILS**

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome		
Amphetamine						
Amphetamine		Negative	<20	Consistent		
Methylphenidate		Negative	<50	Consistent		
Norpseudoephedrine		Negative	<10	Consistent		
Ritalinic Acid		Negative	<50	Consistent		
Benzodiazepines						
7-Aminoclonazepam		Negative	<4	Consistent		
alpha-hydroxyalprazolam		Negative	<5	Consistent		
Alprazolam		Negative	<4	Consistent		
Clonazepam		Negative	<10	Consistent		



Page 2

## LABORATORY REPORT

**NATIONAL LABS** 3948 TRUST WAY

HAYWARD, CA 94545 Ph.: (800) 800-6060

**Report Status: Final** 

Patient Name: Costa, Manuel Accession: 1702160033 **Collect Date:** 01/18/2017 Patient ID: 11021963Mc DOB, Age, Sex: 11/2/1963 53 Male **Receive Date:** 02/16/2017 Client: (1028) Lags Spine and Sportscare **Tested Date:** 02/19/2017 **Release Date:** 02/19/2017 Requested By: Andrew Tang (1346656055) Medications: Lidocaine, Gabapentin, Percocet, Norco, Lidoderm Patches, Lisinopril, Metformin

## **REPORT DETAILS**

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Diazepam		Negative	<5	Consistent
Flurazepam		Negative	<0.5	Consistent
Lorazepam		Negative	<10	Consistent
Meprobamate		Negative	<50	Consistent
Nordiazepam		Negative	<5	Consistent
Oxazepam		Negative	<5	Consistent
Temazepam		Negative	<5	Consistent
Neuromodulatory				
Carisoprodol		Negative	<20	Consistent
Gabapentin	>2000	Positive	<50	Consistent
Opiates and Semisynthetic Opioids				•
Codeine		Negative	<50	Consistent
Hydrocodone		Negative	<50	INCONSISTENT
Inconsistent with declared drug Norco				•
Hydromorphone		Negative	<50	Consistent
Morphine		Negative	<50	Consistent
Norhydrocodone		Negative	<10	Consistent
Noroxycodone	681.0	Positive	<10	Consistent
Consistent because Noroxycodone is a metabolite of	Percocet			
Oxycodone	160.4	Positive	<10	Consistent
Oxymorphone		Negative	<25	Consistent
Synthetic Opioids				
Buprenorphine Glucuronide		Negative	<10	Consistent
Buprenorphine		Negative	<10	Consistent
EDDP Percholate: Methadone Metabolite		Negative	<25	Consistent
Fentanyl		Negative	<2	Consistent
Meperidine		Negative	<10	Consistent
Methadone		Negative	<25	Consistent
Naloxone		Negative	<10	Consistent
Naltrexone		Negative	<20	Consistent
Norbuprenorphine		Negative	<30	Consistent
Normeperidine		Negative	<10	Consistent
Norbuprenorphine Glucuronide		Negative	<4	Consistent
Norfentanyl oxalate		Negative	<5	Consistent
Propoxyphene		Negative	<62.5	Consistent
Tapentadol		Negative	<20	Consistent
Tramadol HCL		Negative	<20	Consistent



## LABORATORY REPORT

NATIONAL LABS 3948 TRUST WAY

HAYWARD, CA 94545 Ph.: (800) 800-6060

**Report Status: Final** 

Patient Name:Costa, ManuelAccession:1702160033Patient ID:11021963McCollect Date:01/18/2017DOB, Age, Sex:11/2/1963 53 MaleReceive Date:02/16/2017Client:(1028) Lags Spine and SportscareTested Date:02/19/2017Requested By:Andrew Tang (1346656055)Release Date:02/19/2017Medications:Lidocaine, Gabapentin, Percocet, Norco, Lidoderm Patches, Lisinopril, Metformin

#### REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome		
Substances of Abuse						
6-MAM: Heroin Metabolite		Negative	<10	Consistent		
Benzoylecgonine: Metabolite of Cocaine		Negative	<50	Consistent		
ETHYL GLUCURONIDE (EIA)		Negative	<500	Consistent		
JWH-018 pentanoic		Negative	<5	Consistent		
JWH-073 Butanoic		Negative	<5	Consistent		
JWH-073 hydroxybutyl		Negative	<5	Consistent		
Methylenedioxyamphetamine (MDA)		Negative	<100	Consistent		
Methylenedioxyethylamphetamine (MDEA)		Negative	<100	Consistent		
Methylenedioxymethamphetamine (MDMA)		Negative	<100	Consistent		
Mephedrone		Negative	<10	Consistent		
Methamphetamine		Negative	<100	Consistent		
PCP (Phencyclidine) (EIA)		Negative	<25	Consistent		
THC-COOH Glucuronide		Negative	<20	Consistent		
11 Carboxy THC		Negative	<10	Consistent		
Validity Tests EIA						
Urine - Creatinine (mg/dL)	118	Normal	80-200			
Urine - Oxidants (ug/mL)	3	Normal	0-200			
Urine - PH Level	5.2	Normal	4.7-7.8			
Urine - Specific Gravity Level	1.019	Normal	1.003-1.035			

<sup>\*\*\*</sup> Comments: Specimens received more than 3 days post collection may be compromised and not reflect actual concentration. This may limit detection of low levels. This test is not approved by the FDA for the treatment, diagnosis, or prevention, of any medical condition. It is performed for information and is intended for educational and research purposes only. Only a physician familiar with a Patient() 's individual medical history can make medical judgments and give that patient specific medical advice. results are not intended to be a substitute for consultation with a licensed health care provider.

False positive and false negative test results do occur. A licensed health care provider must provide any interpretation or recommendation for treatment based upon test results. The results are not for use as evidence in civil or criminal cases. Specimens are not obtained under the guidelines required for secure collection and, therefore, cannot be used for employment purposes. The results are based upon the method used for testing and the sensitivity of that method. A negative result indicates that the drugs tested for were not detected at the sensitivity level used. Positive results may be possible with the same or subsequent specimens if testing is performed using a greater degree of sensitivity. Other factors that may affect the results include the type of drug; the amount, duration and time of last drug use; the body type and weight of the individual being testing; and, in the case of urine drug screens, the concentration, acidity, or alkalinity of the urine.