

**Patient Name:** Traskin, Christina  
**Patient ID:** 09071957CT  
**DOB, Age, Sex:** 9/7/1957 59 Female  
**Client:** (1028) Lags Spine and Sportscare  
**Requested By:** Heliodoro Magana MD (1093192650)

**Accession:** 1707100096  
**Collect Date:** 06/27/2017  
**Receive Date:** 07/10/2017  
**Tested Date:** 07/21/2017  
**Prelim Date:** 07/13/2017  
**Release Date:** 07/24/2017

**Medications:** Norco, Tramadol, Ibuprofen, Levothyroxine, Lisinopril, Aspirin, Atorvastatin, Hydrochlorothiazide

## REPORT SUMMARY

### UNEXPECTED: Inconsistent Results Based on Patient's Declared Medications

<b>Specimen ID</b>	1707100096
<b>Collection Date</b>	6/27/2017
<b>11 Carboxy THC</b>	14.0
<b>Methamphetamine</b>	169.5

### EXPECTED: Consistent Results of Declared Medications & Metabolites

<b>Specimen ID</b>	1707100096
<b>Collection Date</b>	6/27/2017
<b>Hydrocodone</b>	1948.3
<b>Hydromorphone</b>	81.4
<b>Norhydrocodone</b>	>2000
<b>Tramadol HCL</b>	>400

### SPECIMEN VALIDITY RESULTS

<b>Urine - Creatinine (mg/dL)</b>	252	Abnormal	80-200
<b>Urine - Oxidants (ug/mL)</b>	24	Normal	0-200
<b>Urine - PH Level</b>	6.6	Normal	4.7-7.8
<b>Urine - Specific Gravity Level</b>	1.027	Normal	1.003-1.035

## REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
<b>Amphetamine</b>				
Amphetamine		Negative	<20	Consistent
Methylphenidate		Negative	<50	Consistent
Norpseudoephedrine		Negative	<10	Consistent
Ritalinic Acid		Negative	<50	Consistent
<b>Benzodiazepines</b>				
7-Aminoclonazepam		Negative	<4	Consistent
alpha-hydroxyalprazolam		Negative	<5	Consistent
Alprazolam		Negative	<4	Consistent

**Patient Name:** Traskin, Christina  
**Patient ID:** 09071957CT  
**DOB, Age, Sex:** 9/7/1957 59 Female  
**Client:** (1028) Lags Spine and Sportscare  
**Requested By:** Heliodoro Magana MD (1093192650)

**Accession:** 1707100096  
**Collect Date:** 06/27/2017  
**Receive Date:** 07/10/2017  
**Tested Date:** 07/21/2017  
**Prelim Date:** 07/13/2017  
**Release Date:** 07/24/2017

**Medications:** Norco, Tramadol, Ibuprofen, Levothyroxine, Lisinopril, Aspirin, Atorvastatin, Hydrochlorothiazide

**REPORT DETAILS**

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Clonazepam		Negative	<10	Consistent
Diazepam		Negative	<5	Consistent
Flurazepam		Negative	<0.5	Consistent
Lorazepam		Negative	<10	Consistent
Meprobamate		Negative	<50	Consistent
Nordiazepam		Negative	<5	Consistent
Oxazepam		Negative	<5	Consistent
Temazepam		Negative	<20	Consistent
<b>Neuromodulatory</b>				
Carisoprodol		Negative	<20	Consistent
Gabapentin		Negative	<50	Consistent
<b>Opiates and Semisynthetic Opioids</b>				
Codeine		Negative	<50	Consistent
<b>Hydrocodone</b>	1948.3	<b>Positive</b>	<b>&lt;50</b>	<b>Consistent</b>
<b>Hydromorphone</b>	81.4	<b>Positive</b>	<b>&lt;50</b>	<b>Consistent</b>
Consistent because Hydromorphone is a metabolite of Norco				
Morphine		Negative	<50	Consistent
<b>Norhydrocodone</b>	>2000	<b>Positive</b>	<b>&lt;10</b>	<b>Consistent</b>
Consistent because Norhydrocodone is a metabolite of Norco				
Noroxycodone		Negative	<10	Consistent
Oxycodone		Negative	<10	Consistent
Oxymorphone		Negative	<25	Consistent
<b>Synthetic Opioids</b>				
Buprenorphine Glucuronide		Negative	<10	Consistent
Buprenorphine		Negative	<10	Consistent
EDDP Percholate: Methadone Metabolite		Negative	<25	Consistent
Fentanyl		Negative	<2	Consistent
Meperidine		Negative	<10	Consistent
Methadone		Negative	<25	Consistent
Naloxone		Negative	<10	Consistent
Naltrexone		Negative	<20	Consistent
Norbuprenorphine		Negative	<30	Consistent
Normeperidine		Negative	<10	Consistent
Norbuprenorphine Glucuronide		Negative	<4	Consistent
Norfentanyl oxalate		Negative	<5	Consistent
Propoxyphene		Negative	<62.5	Consistent
Tapentadol		Negative	<20	Consistent

**Patient Name:** Traskin, Christina  
**Patient ID:** 09071957CT  
**DOB, Age, Sex:** 9/7/1957 59 Female  
**Client:** (1028) Lags Spine and Sportscore  
**Requested By:** Heliodoro Magana MD (1093192650)

**Accession:** 1707100096  
**Collect Date:** 06/27/2017  
**Receive Date:** 07/10/2017  
**Tested Date:** 07/21/2017  
**Prelim Date:** 07/13/2017  
**Release Date:** 07/24/2017

**Medications:** Norco, Tramadol, Ibuprofen, Levothyroxine, Lisinopril, Aspirin, Atorvastatin, Hydrochlorothiazide

**REPORT DETAILS**

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
<b>Tramadol HCL</b>	>400	<b>Positive</b>	<b>&lt;20</b>	<b>Consistent</b>
<b>Substances of Abuse</b>				
6-MAM: Heroin Metabolite		Negative	<10	Consistent
Benzoylcegonine: Metabolite of Cocaine		Negative	<50	Consistent
ETHYL GLUCURONIDE (EIA)		Negative	<500	Consistent
JWH-018 pentanoic		Negative	<5	Consistent
JWH-073 Butanoic		Negative	<5	Consistent
JWH-073 hydroxybutyl		Negative	<5	Consistent
Methylenedioxyamphetamine (MDA)		Negative	<100	Consistent
Methylenedioxyethylamphetamine (MDEA)		Negative	<100	Consistent
Methylenedioxymethamphetamine (MDMA)		Negative	<100	Consistent
Mephedrone		Negative	<10	Consistent
<b>Methamphetamine</b>	169.5	<b>Positive</b>	<b>&lt;100</b>	<b>INCONSISTENT</b>
See Attached Report.				
PCP (Phencyclidine) (EIA)		Negative	<25	Consistent
THC-COOH Glucuronide		Negative	<20	Consistent
<b>11 Carboxy THC</b>	14.0	<b>Positive</b>	<b>&lt;10</b>	<b>INCONSISTENT</b>
THC COOH is a metabolite of THC.				
<b>Validity Tests EIA</b>				
<b>Urine - Creatinine (mg/dL)</b>	<b>252</b>	<b>Abnormal</b>	<b>80-200</b>	
Urine - Oxidants (ug/mL)	24	Normal	0-200	
Urine - PH Level	6.6	Normal	4.7-7.8	
Urine - Specific Gravity Level	1.027	Normal	1.003-1.035	

\*\*\* Comments: Specimens received more than 3 days post collection may be compromised and not reflect actual concentration. This may limit detection of low levels. This test is not approved by the FDA for the treatment, diagnosis, or prevention, of any medical condition. It is performed for information and is intended for educational and research purposes only. Only a physician familiar with a Patient()'s individual medical history can make medical judgments and give that patient specific medical advice. results are not intended to be a substitute for consultation with a licensed health care provider.

Those analytes' test results, reported as detected by LC/MS, have not been approved by the FDA. The performance characteristics of the assays have been determined by National Labs in accordance with Clinical Laboratory Improvement Act of 1988 (CLIA '88) guidelines.

False positive and false negative test results do occur. A licensed health care provider must provide any interpretation or recommendation for treatment based upon test results. The results are not for use as evidence in civil or criminal cases. Specimens are not obtained under the guidelines required for secure collection and, therefore, cannot be used for employment purposes. The results are based upon the method used for testing and the sensitivity of that method. A negative result indicates that the drugs tested for were not detected at the sensitivity level used. Positive results may be possible with the same or subsequent specimens if testing is performed using a greater degree of sensitivity. Other factors that may affect the results include the type of drug; the amount, duration and time of last drug use; the body type and weight of the individual being testing; and, in the case of urine drug screens, the concentration, acidity, or alkalinity of the urine.

20-Jul-2017

Clinical Reference Laboratory  
CLIA #17D2005163, SAMHSA #0007, CAP #30211-03

18:21

NATIONAL LABS INC	NAME: TRASKIN, CHRISTINA	SAMPLE ID: N0042022
NATIONAL LABS INC	DOB: N/S	COLLECTED: 07/13/17
3948 TRUST WAY	SSN/ID: 009-07-1957	RECEIVED: 07/14/17
HAYWARD, CA 94545	GENDER: N/S	REPORTED: 07/20/17
	SLIP ID: 2040222566	FAX: (510) 266-0591
PH: (800) 800-6060	REF ID: 1707100096	
COLL. SITE ID: N/S	REFERENCE 1: NONDOT DEFAULT	
	REFERENCE 2:	

REASON FOR TESTING: OTHER  
SAMPLE TYPE: GC/MS CONFIRMATION TESTS

\*\*SPECIMEN TEMPERATURE NOT INDICATED ON CHAIN OF CUSTODY FORM\*\*

CONFIRMATION	RESULT / STATUS	CUTOFF VALUE
-----	-----	-----
MS D-METHAMPHETAMINE %	100.0	
TEST CERTIFIED BY PETE CERRA		
MS METHAMPHETAMINE (LOD)	134 POSITIVE	40 ng/mL
TEST CERTIFIED BY MARGARET J. WARREN		
MS AMPHETAMINE (LOD)	..... NEGATIVE	40 ng/mL
TEST CERTIFIED BY MARGARET J. WARREN		

LAB DIRECTOR: DR. DAVID KUNTZ, PHD, DABFT

REPORT CERTIFIED BY PETE CERRA