

Patient Name:	Hoelzel, Lynda	Accession:	1708110025
Patient ID:	05261961LH	Collect Date:	07/31/2017
DOB, Age, Sex:	5/25/1961 56 Female	Receive Date:	08/11/2017
Client:	(1028) Lags Spine and Sportscare	Tested Date:	08/16/2017
Requested By:	Christina Okonkwo (1710257829)	Release Date:	08/16/2017
Medications:	Methadone, Topamax, Prilosec, Ativan, Cymbalta, Fluticasone		

REPORT SUMMARY

UNEXPECTED: Inconsistent Results Based on Patient's Declared Medications

Specimen ID	1708110025	1707110059
Collection Date	7/31/2017	6/28/2017
7-Aminoclonazepam	13.95	
ETHYL GLUCURONIDE (EIA)		>2000
Gabapentin	>2000	>2000
Hydrocodone	>2000	>2000
Hydromorphone	154.2	205.0
Lorazepam	Negative	
Norhydrocodone	>2000	>2000
Tramadol HCL	>400	>400

EXPECTED: Consistent Results of Declared Medications & Metabolites

Specimen ID	1708110025	1707110059
Collection Date	7/31/2017	6/28/2017
EDDP Percholate: Methadone Metabolite	>200	>200
Lorazepam		45.1
Methadone	>400	>400

SPECIMEN VALIDITY RESULTS

Urine - Creatinine (mg/dL)	72	Below Normal	80-200
Urine - Oxidants (ug/mL)	16	Normal	0-200
Urine - PH Level	7.5	Normal	4.7-7.8
Urine - Specific Gravity Level	1.021	Normal	1.003-1.035

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Amphetamine				
Amphetamine		Negative	<20	Consistent
Methylphenidate		Negative	<50	Consistent

Patient Name:	Hoelzel, Lynda	Accession:	1708110025
Patient ID:	05261961LH	Collect Date:	07/31/2017
DOB, Age, Sex:	5/25/1961 56 Female	Receive Date:	08/11/2017
Client:	(1028) Lags Spine and Sportscare	Tested Date:	08/16/2017
Requested By:	Christina Okonkwo (1710257829)	Release Date:	08/16/2017
Medications:	Methadone, Topamax, Prilosec, Ativan, Cymbalta, Fluticasone		

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Norpseudoephedrine		Negative	<10	Consistent
Ritalinic Acid		Negative	<50	Consistent
Benzodiazepines				
7-Aminoclonazepam	13.95	Positive	<4	INCONSISTENT
7-aminoclonazepam is a metabolite of Clonazepam				
alpha-hydroxyalprazolam		Negative	<5	Consistent
Alprazolam		Negative	<4	Consistent
Clonazepam		Negative	<10	Consistent
Diazepam		Negative	<5	Consistent
Flurazepam		Negative	<0.5	Consistent
Lorazepam		Negative	<10	INCONSISTENT
Inconsistent with declared drug Ativan				
Meprobamate		Negative	<50	Consistent
Nordiazepam		Negative	<5	Consistent
Oxazepam		Negative	<5	Consistent
Temazepam		Negative	<20	Consistent
Neuromodulatory				
Carisoprodol		Negative	<20	Consistent
Gabapentin	>2000	Positive	<50	INCONSISTENT
Opiates and Semisynthetic Opioids				
Codeine		Negative	<50	Consistent
Hydrocodone	>2000	Positive	<50	INCONSISTENT
Hydrocodone is also a metabolite of Codeine.				
Hydromorphone	154.2	Positive	<50	INCONSISTENT
Hydromorphone is also a metabolite of Morphine, Hydrocodone, Heroin, or Codeine.				
Morphine		Negative	<50	Consistent
Norhydrocodone	>2000	Positive	<10	INCONSISTENT
Norhydrocodone is a metabolite of Hydrocodone and Codeine.				
Noroxycodone		Negative	<10	Consistent
Oxycodone		Negative	<10	Consistent
Oxymorphone		Negative	<25	Consistent
Synthetic Opioids				
Buprenorphine Glucuronide		Negative	<10	Consistent
Buprenorphine		Negative	<10	Consistent

Patient Name: Hoelzel, Lynda
Patient ID: 05261961LH
DOB, Age, Sex: 5/25/1961 56 Female
Client: (1028) Lags Spine and Sportscore
Requested By: Christina Okonkwo (1710257829)
Medications: Methadone, Topamax, Prilosec, Ativan, Cymbalta, Fluticasone

Accession: 1708110025
Collect Date: 07/31/2017
Receive Date: 08/11/2017
Tested Date: 08/16/2017
Release Date: 08/16/2017

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
EDDP Percholate: Methadone Metabolite	>200	Positive	<25	Consistent
Consistent because EDDP Percholate: Methadone Metabolite is a metabolite of Methadone				
Fentanyl		Negative	<2	Consistent
Meperidine		Negative	<10	Consistent
Methadone	>400	Positive	<25	Consistent
Naloxone		Negative	<10	Consistent
Naltrexone		Negative	<20	Consistent
Norbuprenorphine		Negative	<30	Consistent
Normeperidine		Negative	<10	Consistent
Norbuprenorphine Glucuronide		Negative	<4	Consistent
Norfentanyl oxalate		Negative	<5	Consistent
Propoxyphene		Negative	<62.5	Consistent
Tapentadol		Negative	<20	Consistent
Tramadol HCL	>400	Positive	<20	INCONSISTENT
Substances of Abuse				
6-MAM: Heroin Metabolite		Negative	<10	Consistent
Benzoylcegonine: Metabolite of Cocaine		Negative	<50	Consistent
ETHYL GLUCURONIDE (EIA)		Negative	<500	Consistent
JWH-018 pentanoic		Negative	<5	Consistent
JWH-073 Butanoic		Negative	<5	Consistent
JWH-073 hydroxybutyl		Negative	<5	Consistent
Methylenedioxyamphetamine (MDA)		Negative	<100	Consistent
Methylenedioxyethylamphetamine (MDEA)		Negative	<100	Consistent
Methylenedioxymethamphetamine (MDMA)		Negative	<100	Consistent
Mephedrone		Negative	<10	Consistent
Methamphetamine		Negative	<100	Consistent
PCP (Phencyclidine) (EIA)		Negative	<25	Consistent
THC-COOH Glucuronide		Negative	<20	Consistent
11 Carboxy THC		Negative	<10	Consistent
Validity Tests EIA				
Urine - Creatinine (mg/dL)	72	Below Normal	80-200	
Urine - Oxidants (ug/mL)	16	Normal	0-200	
Urine - PH Level	7.5	Normal	4.7-7.8	
Urine - Specific Gravity Level	1.021	Normal	1.003-1.035	

Patient Name:	Hoelzel, Lynda	Accession:	1708110025
Patient ID:	05261961LH	Collect Date:	07/31/2017
DOB, Age, Sex:	5/25/1961 56 Female	Receive Date:	08/11/2017
Client:	(1028) Lags Spine and Sportscare	Tested Date:	08/16/2017
Requested By:	Christina Okonkwo (1710257829)	Release Date:	08/16/2017
Medications:	Methadone, Topamax, Prilosec, Ativan, Cymbalta, Fluticasone		

*** Comments: Specimens received more than 3 days post collection may be compromised and not reflect actual concentration. This may limit detection of low levels. This test is not approved by the FDA for the treatment, diagnosis, or prevention, of any medical condition. It is performed for information and is intended for educational and research purposes only. Only a physician familiar with a Patient()'s individual medical history can make medical judgments and give that patient specific medical advice. results are not intended to be a substitute for consultation with a licensed health care provider.

Those analytes' test results, reported as detected by LC/MS, have not been approved by the FDA. The performance characteristics of the assays have been determined by National Labs in accordance with Clinical Laboratory Improvement Act of 1988 (CLIA '88) guidelines.

False positive and false negative test results do occur. A licensed health care provider must provide any interpretation or recommendation for treatment based upon test results. The results are not for use as evidence in civil or criminal cases. Specimens are not obtained under the guidelines required for secure collection and, therefore, cannot be used for employment purposes. The results are based upon the method used for testing and the sensitivity of that method. A negative result indicates that the drugs tested for were not detected at the sensitivity level used. Positive results may be possible with the same or subsequent specimens if testing is performed using a greater degree of sensitivity. Other factors that may affect the results include the type of drug; the amount, duration and time of last drug use; the body type and weight of the individual being testing; and, in the case of urine drug screens, the concentration, acidity, or alkalinity of the urine.

LAGS MEDICAL CENTERS

Muhammad A. Molani, MD
Francis P. Lagattuta, MD

***This sheet provided at request of
client for patient identification
verification purposes only.
Not a National Labs report.***

CLIA Number: 05D1058036

801 East Chapel Street

Santa Maria, CA 93454

Tel: (805) 928-7361

Fax: (805) 928-5742

Urine Drug Testing Report

Name: HOELZEL, LYND A

Date Collected: 7/31/2017

Sample ID: G7598

Date Tested: 8/3/2017

Date of Birth: 5/25/1961

Time Tested: 2:08:54 PM

Sex: Female

Physician: OKONKWO, C-ND

TEST

RESULT

CUTOFF CONC

6-AcetylMorphine	RESULT NEGATIVE	10 ng/mL
Amphetamines	RESULT NEGATIVE	1000 ng/mL
Benzodiazepine	RESULT NEGATIVE	200 ng/mL
Buprenorphine	RESULT NEGATIVE	5 ng/mL
Cocaine Metabolite	RESULT NEGATIVE	300 ng/mL
Methadone	RESULT POSITIVE	300 ng/mL
Opiate	RESULT POSITIVE	300 ng/mL
Oxycodone	RESULT NEGATIVE	300 ng/mL
THC	RESULT NEGATIVE	50 ng/mL
Tramadol	RESULT POSITIVE	200 ng/mL

Tests are performed by Enzyme Immunoassay Technique on Siemens VIVA-E (#1) analyzer.

Clinical Scientist: 