

Patient Name: Simon, Ronald
Patient ID: 02021956RS
DOB, Age, Sex: 2/2/1956 61 Male
Client: (1028) Lags Spine and Sportscare
Requested By: Cristina Tipei (1639547631)

Accession: 1705260031
Collect Date: 05/15/2017
Receive Date: 05/26/2017
Tested Date: 05/30/2017
Prelim Date: 05/31/2017
Release Date: 06/07/2017

Medications:

REPORT SUMMARY

UNEXPECTED: Inconsistent Results Based on Patient's Declared Medications

Specimen ID	1705260031
Collection Date	5/15/2017
11 Carboxy THC	12.6
Amphetamine	1677.3
Hydrocodone	58.0
Methamphetamine	>1000
Norhydrocodone	320.7
Norpseudoephedrine	119.2
THC-COOH Glucuronide	>400
Tramadol HCL	>400

EXPECTED: Consistent Results of Declared Medications & Metabolites

Specimen ID	1705260031
Collection Date	5/15/2017
NONE	

SPECIMEN VALIDITY RESULTS

Urine - Creatinine (mg/dL)	55	Below Normal	80-200
Urine - Oxidants (ug/mL)	0	Normal	0-200
Urine - PH Level	6.6	Normal	4.7-7.8
Urine - Specific Gravity Level	1.019	Normal	1.003-1.035

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Amphetamine				
Amphetamine	1677.3	Positive	<20	INCONSISTENT
Methylphenidate		Negative	<50	Consistent
Norpseudoephedrine	119.2	Positive	<10	INCONSISTENT
Ritalinic Acid		Negative	<50	Consistent
Benzodiazepines				
7-Aminoclonazepam		Negative	<4	Consistent

Patient Name: Simon, Ronald
Patient ID: 02021956RS
DOB, Age, Sex: 2/2/1956 61 Male
Client: (1028) Lags Spine and Sportscare
Requested By: Cristina Tipei (1639547631)

Accession: 1705260031
Collect Date: 05/15/2017
Receive Date: 05/26/2017
Tested Date: 05/30/2017
Prelim Date: 05/31/2017
Release Date: 06/07/2017

Medications:

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
alpha-hydroxyalprazolam		Negative	<5	Consistent
Alprazolam		Negative	<4	Consistent
Clonazepam		Negative	<10	Consistent
Diazepam		Negative	<5	Consistent
Flurazepam		Negative	<0.5	Consistent
Lorazepam		Negative	<10	Consistent
Meprobamate		Negative	<50	Consistent
Nordiazepam		Negative	<5	Consistent
Oxazepam		Negative	<5	Consistent
Temazepam		Negative	<20	Consistent
Neuromodulatory				
Carisoprodol		Negative	<20	Consistent
Gabapentin		Negative	<50	Consistent
Opiates and Semisynthetic Opioids				
Codeine		Negative	<50	Consistent
Hydrocodone	58.0	Positive	<50	INCONSISTENT
Hydrocodone is also a metabolite of Codeine.				
Hydromorphone		Negative	<50	Consistent
Morphine		Negative	<50	Consistent
Norhydrocodone	320.7	Positive	<10	INCONSISTENT
Norhydrocodone is a metabolite of Hydrocodone and Codeine.				
Noroxycodone		Negative	<10	Consistent
Oxycodone		Negative	<10	Consistent
Oxymorphone		Negative	<25	Consistent
Synthetic Opioids				
Buprenorphine Glucuronide		Negative	<10	Consistent
Buprenorphine		Negative	<10	Consistent
EDDP Percholate: Methadone Metabolite		Negative	<25	Consistent
Fentanyl		Negative	<2	Consistent
Meperidine		Negative	<10	Consistent
Methadone		Negative	<25	Consistent
Naloxone		Negative	<10	Consistent
Naltrexone		Negative	<20	Consistent
Norbuprenorphine		Negative	<30	Consistent
Normeperidine		Negative	<10	Consistent
Norbuprenorphine Glucuronide		Negative	<4	Consistent
Norfentanyl oxalate		Negative	<5	Consistent
Propoxyphene		Negative	<62.5	Consistent
Tapentadol		Negative	<20	Consistent

Patient Name: Simon, Ronald
Patient ID: 02021956RS
DOB, Age, Sex: 2/2/1956 61 Male
Client: (1028) Lags Spine and Sportscare
Requested By: Cristina Tipei (1639547631)

Accession: 1705260031
Collect Date: 05/15/2017
Receive Date: 05/26/2017
Tested Date: 05/30/2017
Prelim Date: 05/31/2017
Release Date: 06/07/2017

Medications:

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Tramadol HCL	>400	Positive	<20	INCONSISTENT
Substances of Abuse				
6-MAM: Heroin Metabolite		Negative	<10	Consistent
Benzoylcegonine: Metabolite of Cocaine		Negative	<50	Consistent
ETHYL GLUCURONIDE (EIA)		Negative	<500	Consistent
JWH-018 pentanoic		Negative	<5	Consistent
JWH-073 Butanoic		Negative	<5	Consistent
JWH-073 hydroxybutyl		Negative	<5	Consistent
Methylenedioxyamphetamine (MDA)		Negative	<100	Consistent
Methylenedioxyethylamphetamine (MDEA)		Negative	<100	Consistent
Methylenedioxymethamphetamine (MDMA)		Negative	<100	Consistent
Mephedrone		Negative	<10	Consistent
Methamphetamine	>1000	Positive	<100	INCONSISTENT
See Attached Report.				
PCP (Phencyclidine) (EIA)		Negative	<25	Consistent
THC-COOH Glucuronide	>400	Positive	<20	INCONSISTENT
THC COOH Glucuronide is a metabolite of THC.				
11 Carboxy THC	12.6	Positive	<10	INCONSISTENT
THC COOH is a metabolite of THC.				
Validity Tests EIA				
Urine - Creatinine (mg/dL)	55	Below Normal	80-200	
Urine - Oxidants (ug/mL)	0	Normal	0-200	
Urine - PH Level	6.6	Normal	4.7-7.8	
Urine - Specific Gravity Level	1.019	Normal	1.003-1.035	

*** Comments: Specimens received more than 3 days post collection may be compromised and not reflect actual concentration. This may limit detection of low levels. This test is not approved by the FDA for the treatment, diagnosis, or prevention, of any medical condition. It is performed for information and is intended for educational and research purposes only. Only a physician familiar with a Patient()'s individual medical history can make medical judgments and give that patient specific medical advice. results are not intended to be a substitute for consultation with a licensed health care provider.

False positive and false negative test results do occur. A licensed health care provider must provide any interpretation or recommendation for treatment based upon test results. The results are not for use as evidence in civil or criminal cases. Specimens are not obtained under the guidelines required for secure collection and, therefore, cannot be used for employment purposes. The results are based upon the method used for testing and the sensitivity of that method. A negative result indicates that the drugs tested for were not detected at the sensitivity level used. Positive results may be possible with the same or subsequent specimens if testing is performed using a greater degree of sensitivity. Other factors that may affect the results include the type of drug; the amount, duration and time of last drug use; the body type and weight of the individual being testing; and, in the case of urine drug screens, the concentration, acidity, or alkalinity of the urine.

LAGS MEDICAL CENTERS

Muhammad A. Molani, MD

Francis P. Lagattuta, MD

CLIA Number: 05D1058036

801 East Chapel Street

Santa Maria, CA 93454

Tel: (805) 928-7361

Fax: (805) 928-5742

***This sheet provided at request of
client for patient identification
verification purposes only.
Not a National Labs report.***

Urine Drug Testing Report

Name: SIMON, RONALD

Date Collected: 5/15/2017

Sample ID: F8816

Date Tested: 5/19/2017

Date of Birth: 2/2/1956


Time Tested: 4:03:33 PM

Sex: Male

Physician: TIPEI, C-PA

TEST	RESULT	CUTOFF CONC.
6-AcetylMorphine	RESULT NEGATIVE	10 ng/mL
Amphetamines	RESULT POSITIVE	1000 ng/mL
Benzodiazepine	RESULT NEGATIVE	200 ng/mL
Buprenorphine	RESULT NEGATIVE	5 ng/mL
Cocaine Metabolite	RESULT NEGATIVE	300 ng/mL
Methadone	RESULT NEGATIVE	300 ng/mL
Opiate	RESULT POSITIVE	300 ng/mL
Oxycodone	RESULT NEGATIVE	300 ng/mL
THC	RESULT POSITIVE	50 ng/mL
Tramadol	RESULT POSITIVE	200 ng/mL

Tests are performed by Enzyme Immunoassay Technique on Siemens VIVA-E (#2) analyzer.

Clinical Scientist: 

03-Jun-2017

Clinical Reference Laboratory
CLIA #17D2005163, SAMHSA #0007, CAP #30211-03

14:48

NATIONAL LABS INC	NAME: SIMON, RONALD	SAMPLE ID: N0002683
NATIONAL LABS INC	DOB: N/S	COLLECTED: 05/31/17
3948 TRUST WAY	SSN/ID: 002-02-1956	RECEIVED: 06/01/17
HAYWARD, CA 94545	GENDER: N/S	REPORTED: 06/03/17
	SLIP ID: 2039718321	FAX: (510) 266-0591
PH: (800) 800-6060	REF ID: 1705260031	
COLL. SITE ID: N/S	REFERENCE 1: NONDOT DEFAULT	
	REFERENCE 2:	

REASON FOR TESTING: OTHER
SAMPLE TYPE: GC/MS CONFIRMATION TESTS

SPECIMEN TEMPERATURE NOT INDICATED ON CHAIN OF CUSTODY FORM

CONFIRMATION	RESULT / STATUS	CUTOFF VALUE
-----	-----	-----
MS D-METHAMPHETAMINE %	100.0	
TEST CERTIFIED BY RICHARD H. SHERIFF		
MS METHAMPHETAMINE (LOD)	1851 POSITIVE	40 ng/mL
TEST CERTIFIED BY JINHUA X. WANG		
MS AMPHETAMINE (LOD)	1142 POSITIVE	40 ng/mL
TEST CERTIFIED BY JINHUA X. WANG		

LAB DIRECTOR: DR. DAVID KUNTZ, PHD, DABFT

REPORT CERTIFIED BY RICHARD H. SHERIFF