

NATIONAL LABS 3948 TRUST WAY

HAYWARD, CA 94545 Ph.: (800) 800-6060

Report Status: Final

Patient Name:BARTON, ANITAAccession:1709010017Patient ID:639EMRCollect Date:08/23/2017DOB, Age, Sex:2/9/1959 58 FemaleReceive Date:09/01/2017Client:(1028) Lags Spine and SportscareTested Date:09/06/2017Requested By:Cristina Tipei (1639547631)Release Date:09/06/2017

Medications: Buprenorphine, Neurontin, Baclofen, Citalopram

REPORT SUMMARY

| UNEXPECTED: Inconsistent Results Based on Patient's Declared Medications | | | |
|--------------------------------------------------------------------------|------------|--|--|
| Specimen ID | 1709010017 | | |
| Collection Date | 8/23/2017 | | |
| 11 Carboxy THC | 330.5 | | |
| Benzoylecgonine: Metabolite of Cocaine | >200 | | |
| Buprenorphine | Negative | | |
| ETHYL GLUCURONIDE (EIA) | 553 | | |
| Gabapentin | Negative | | |
| Hydrocodone | 81.5 | | |
| Norhydrocodone | 176.0 | | |
| THC-COOH Glucuronide | 202.8 | | |

| EXPECTED: Consistent Results of Declared Medications & Metabolites | | | |
|--------------------------------------------------------------------|------------|--|--|
| Specimen ID | 1709010017 | | |
| Collection Date | 8/23/2017 | | |
| NONE | | | |

| SPECIMEN VALIDITY RESULTS | | | | | |
|--------------------------------|-------|--------|-------------|--|--|
| Urine - Creatinine (mg/dL) | 97 | Normal | 80-200 | | |
| Urine - Oxidants (ug/mL) | 0 | Normal | 0-200 | | |
| Urine - PH Level | 7.7 | Normal | 4.7-7.8 | | |
| Urine - Specific Gravity Level | 1.020 | Normal | 1.003-1.035 | | |

REPORT DETAILS

| Test Name | Result (ng/ml) | Positive/Negative | Cutoff | Outcome |
|--------------------|----------------|-------------------|--------|------------|
| Amphetamine | | | | |
| Amphetamine | | Negative | <20 | Consistent |
| Methylphenidate | | Negative | <50 | Consistent |
| Norpseudoephedrine | | Negative | <10 | Consistent |
| Ritalinic Acid | | Negative | <50 | Consistent |



NATIONAL LABS

3948 TRUST WAY HAYWARD, CA 94545 Ph.: (800) 800-6060

Report Status: Final

Patient Name: BARTON, ANITA Accession: 1709010017 Patient ID: 639EMR **Collect Date:** 08/23/2017 DOB, Age, Sex: 2/9/1959 58 Female **Receive Date:** 09/01/2017 Client: (1028) Lags Spine and Sportscare **Tested Date:** 09/06/2017 Requested By: Cristina Tipei (1639547631) Release Date: 09/06/2017

Medications: Buprenorphine, Neurontin, Baclofen, Citalopram

REPORT DETAILS

| Test Name | Result (ng/ml) | Positive/Negative | Cutoff | Outcome |
|---------------------------------------------------|----------------|-------------------|--------|--------------|
| Benzodiazepines | | | | · |
| 7-Aminoclonazepam | | Negative | <4 | Consistent |
| alpha-hydroxyalprazolam | | Negative | <5 | Consistent |
| Alprazolam | | Negative | <4 | Consistent |
| Clonazepam | | Negative | <10 | Consistent |
| Diazepam | | Negative | <5 | Consistent |
| Flurazepam | | Negative | <0.5 | Consistent |
| Lorazepam | | Negative | <10 | Consistent |
| Meprobamate | | Negative | <50 | Consistent |
| Nordiazepam | | Negative | <5 | Consistent |
| Oxazepam | | Negative | <5 | Consistent |
| Temazepam | | Negative | <20 | Consistent |
| Neuromodulatory | | | | · |
| Carisoprodol | | Negative | <20 | Consistent |
| Gabapentin | | Negative | <50 | INCONSISTENT |
| Inconsistent with declared drug Neurontin | | | | |
| Opiates and Semisynthetic Opioids | | | | |
| Codeine | | Negative | <50 | Consistent |
| Hydrocodone | 81.5 | Positive | <50 | INCONSISTENT |
| Hydrocodone is also a metabolite of Codeine. | | | | |
| Hydromorphone | | Negative | <50 | Consistent |
| Morphine | | Negative | <50 | Consistent |
| Norhydrocodone | 176.0 | Positive | <10 | INCONSISTENT |
| Norhydrocodone is a metabolite of Hydrocodone and | Codeine. | | | |
| Noroxycodone | | Negative | <10 | Consistent |
| Oxycodone | | Negative | <10 | Consistent |
| Oxymorphone | | Negative | <25 | Consistent |
| Synthetic Opioids | | | | |
| Buprenorphine Glucuronide | | Negative | <10 | Consistent |
| Buprenorphine | | Negative | <10 | INCONSISTENT |
| Inconsistent with declared drug Buprenorphine | | | | |
| EDDP Percholate: Methadone Metabolite | | Negative | <25 | Consistent |
| Fentanyl | | Negative | <2 | Consistent |
| Meperidine | | Negative | <10 | Consistent |
| Methadone | | Negative | <25 | Consistent |



NATIONAL LABS 3948 TRUST WAY

HAYWARD, CA 94545 Ph.: (800) 800-6060

Report Status: Final

Patient Name:BARTON, ANITAAccession:1709010017Patient ID:639EMRCollect Date:08/23/2017DOB, Age, Sex:2/9/1959 58 FemaleReceive Date:09/01/2017Client:(1028) Lags Spine and SportscareTested Date:09/06/2017Requested By:Cristina Tipei (1639547631)Release Date:09/06/2017

Medications: Buprenorphine, Neurontin, Baclofen, Citalopram

REPORT DETAILS

| Test Name | Result (ng/ml) | Positive/Negative | Cutoff | Outcome |
|----------------------------------------------------|----------------|-------------------|-------------|--------------|
| Naloxone | | Negative | <10 | Consistent |
| Naltrexone | | Negative | <20 | Consistent |
| Norbuprenorphine | | Negative | <30 | Consistent |
| Normeperidine | | Negative | <10 | Consistent |
| Norbuprenorphine Glucuronide | | Negative | <4 | Consistent |
| Norfentanyl oxalate | | Negative | <5 | Consistent |
| Propoxyphene | | Negative | <62.5 | Consistent |
| Tapentadol | | Negative | <20 | Consistent |
| Tramadol HCL | | Negative | <20 | Consistent |
| Substances of Abuse | | | | |
| 6-MAM: Heroin Metabolite | | Negative | <10 | Consistent |
| Benzoylecgonine: Metabolite of Cocaine | >200 | Positive | <50 | INCONSISTENT |
| Benzoylecgonine is the main metabolite of Cocaine. | | | | |
| ETHYL GLUCURONIDE (EIA) | 553 | Positive | <500 | INCONSISTENT |
| JWH-018 pentanoic | | Negative | <5 | Consistent |
| JWH-073 Butanoic | | Negative | <5 | Consistent |
| JWH-073 hydroxybutyl | | Negative | <5 | Consistent |
| Methylenedioxyamphetamine (MDA) | | Negative | <100 | Consistent |
| Methylenedioxyethylamphetamine (MDEA) | | Negative | <100 | Consistent |
| Methylenedioxymethamphetamine (MDMA) | | Negative | <100 | Consistent |
| Mephedrone | | Negative | <10 | Consistent |
| Methamphetamine | | Negative | <100 | Consistent |
| PCP (Phencyclidine) (EIA) | | Negative | <25 | Consistent |
| THC-COOH Glucuronide | 202.8 | Positive | <20 | INCONSISTENT |
| THC COOH Glucuronide is a metabolite of THC. | | | | |
| 11 Carboxy THC | 330.5 | Positive | <10 | INCONSISTENT |
| THC COOH is a metabolite of THC. | | | | |
| /alidity Tests EIA | | | | |
| Urine - Creatinine (mg/dL) | 97 | Normal | 80-200 | |
| Urine - Oxidants (ug/mL) | 0 | Normal | 0-200 | |
| Urine - PH Level | 7.7 | Normal | 4.7-7.8 | |
| Urine - Specific Gravity Level | 1.020 | Normal | 1.003-1.035 | |



Report Status: Final

NATIONAL LABS 3948 TRUST WAY

HAYWARD, CA 94545 Ph.: (800) 800-6060

 Patient Name:
 BARTON, ANITA
 Accession:
 1709010017

 Patient ID:
 639EMR
 Collect Date:
 08/23/2017

 DOB, Age, Sex:
 2/9/1959 58 Female
 Receive Date:
 09/01/2017

 Client:
 (1028) Lags Spine and Sportscare
 Tested Date:
 09/06/2017

 Requested By:
 Cristina Tipei (1639547631)
 Release Date:
 09/06/2017

Medications: Buprenorphine, Neurontin, Baclofen, Citalopram

Those analytes' test results, reported as detected by LC/MS, have not been approved by the FDA. The performance characteristics of the assays have been determined by National Labs in accordance with Clinical Laboratory Improvement Act of 1988 (CLIA '88) guidelines.

False positive and false negative test results do occur. A licensed health care provider must provide any interpretation or recommendation for treatment based upon test results. The results are not for use as evidence in civil or criminal cases. Specimens are not obtained under the guidelines required for secure collection and, therefore, cannot be used for employment purposes. The results are based upon the method used for testing and the sensitivity of that method. A negative result indicates that the drugs tested for were not detected at the sensitivity level used. Positive results may be possible with the same or subsequent specimens if testing is performed using a greater degree of sensitivity. Other factors that may affect the results include the type of drug; the amount, duration and time of last drug use; the body type and weight of the individual being testing; and, in the case of urine drug screens, the concentration, acidity, or alkalinity of the urine.

^{***} Comments: Specimens received more than 3 days post collection may be compromised and not reflect actual concentration. This may limit detection of low levels. This test is not approved by the FDA for the treatment, diagnosis, or prevention, of any medical condition. It is performed for information and is intended for educational and research purposes only. Only a physician familiar with a Patient() 's individual medical history can make medical judgments and give that patient specific medical advice. results are not intended to be a substitute for consultation with a licensed health care provider.

LAGS MEDICAL CENTERS

Muhammad A. Molani, MD Francis P. Lagattuta, MD

CLIA Number: 05D1058036 801 East Chapel Street Santa Maria, CA 93454 ***This sheet provided at request of client for patient identification verification purposes only. Not a National Labs report.***

Tel: (805) 928-7361

Fax: (805) 928-5742

Urine Drug Testing Report

Name:

BARTON, ANITA

Date Collected: 8/23/2017

Sample ID:

NATL H646

Date Tested:

8/29/2017

Date of Birth:

2/9/1959

Time Tested:

5:45:06 PM

Sex:

Female

Physician:

TIPEI,C -NPI

| TEST | RESULT | CUTOFF CONC. |
|--------------------|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | | |
| 6-AcetylMorphine | RESULT NEGATIVE | 10 ng/mL |
| Amphetamines | RESULT NEGATIVE | 1000 ng/mL |
| Benzodiazepine | RESULT NEGATIVE | 200 ng/mL |
| Buprenorphine | RESULT NEGATIVE | 5 ng/mL |
| Cocaine Metabolite | RESULT POSITIVE | 300 ng/mL |
| Methadone | RESULT NEGATIVE | 300 ng/mL |
| Opiate | RESULT POSITIVE | 300 ng/mL |
| Oxycodone | RESULT NEGATIVE | 300 ng/mL |
| THC | RESULT POSITIVE | 50 ng/mL |
| Tramadol | RESULT NEGATIVE | 200 ng/mL |
| | | the state of the s |

Tests are performed by Enzyme Immunoassay Technique on Siemens VIVA-E (#1) analyzer.



Clinical Scientist: