

<b>Patient Name:</b> MELSON, RONALD <b>Patient ID:</b> 10051956RM <b>DOB, Age, Sex:</b> 10/5/1956 61 Male <b>Client:</b> (1028) Lags Spine and Sportscore <b>Requested By:</b> Heliodoro Magana MD (1093192650)	<b>Accession:</b> 1710020042 <b>Collect Date:</b> 09/18/2017 <b>Receive Date:</b> 10/02/2017 <b>Tested Date:</b> 10/06/2017 <b>Prelim Date:</b> 10/06/2017 <b>Release Date:</b> 10/12/2017
---	---

**Medications:** Trazodone, Valium, Simvastatin, Aspirin, Colace, Gabapentin, Lisinopril, Metoprolol Tartrate, Oxycodone

## REPORT SUMMARY

### UNEXPECTED: Inconsistent Results Based on Patient's Declared Medications

Specimen ID	1710020042	1705030057	1702010015
Collection Date	9/18/2017	4/25/2017	1/5/2017
11 Carboxy THC	195.4	73.4	175.4
Amphetamine			22.5
Methamphetamine	197.6		126.5
THC-COOH Glucuronide	>400	111.3	>400

### EXPECTED: Consistent Results of Declared Medications & Metabolites

Specimen ID	1710020042	1705030057	1702010015
Collection Date	9/18/2017	4/25/2017	1/5/2017
Diazepam	14.4	11.9	16.2
Gabapentin	>2000		
Nordiazepam	158.1	94.5	50.1
Noroxycodone	>2000	>2000	>2000
Oxazepam	78.0	23.8	13.5
Oxycodone	>2000	>2000	>2000
Oxymorphone	597.0	332.7	384.7
Temazepam	109.1	33.2	34.6

### SPECIMEN VALIDITY RESULTS

Urine - Creatinine (mg/dL)	253	Abnormal	80-200
Urine - Oxidants (ug/mL)	0	Normal	0-200
Urine - PH Level	6.1	Normal	4.7-7.8
Urine - Specific Gravity Level	1.020	Normal	1.003-1.035

## REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
<b>Amphetamine</b>				
Amphetamine		Negative	<20	Consistent
Methylphenidate		Negative	<50	Consistent

**Patient Name:** MELSON, RONALD  
**Patient ID:** 10051956RM  
**DOB, Age, Sex:** 10/5/1956 61 Male  
**Client:** (1028) Lags Spine and Sportscare  
**Requested By:** Heliodoro Magana MD (1093192650)

**Accession:** 1710020042  
**Collect Date:** 09/18/2017  
**Receive Date:** 10/02/2017  
**Tested Date:** 10/06/2017  
**Prelim Date:** 10/06/2017  
**Release Date:** 10/12/2017

**Medications:** Trazodone, Valium, Simvastatin, Aspirin, Colace, Gabapentin, Lisinopril, Metoprolol Tartrate, Oxycodone

**REPORT DETAILS**

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Norpseudoephedrine		Negative	<10	Consistent
Ritalinic Acid		Negative	<50	Consistent
<b>Benzodiazepines</b>				
7-Aminoclonazepam		Negative	<4	Consistent
alpha-hydroxyalprazolam		Negative	<5	Consistent
Alprazolam		Negative	<4	Consistent
Clonazepam		Negative	<10	Consistent
<b>Diazepam</b>	14.4	<b>Positive</b>	<b>&lt;5</b>	<b>Consistent</b>
Flurazepam		Negative	<0.5	Consistent
Lorazepam		Negative	<10	Consistent
Meprobamate		Negative	<50	Consistent
<b>Nordiazepam</b>	158.1	<b>Positive</b>	<b>&lt;5</b>	<b>Consistent</b>
Consistent because Nordiazepam is a metabolite of Valium				
<b>Oxazepam</b>	78.0	<b>Positive</b>	<b>&lt;5</b>	<b>Consistent</b>
Consistent because Oxazepam is a metabolite of Valium				
<b>Temazepam</b>	109.1	<b>Positive</b>	<b>&lt;20</b>	<b>Consistent</b>
Consistent because Temazepam is a metabolite of Valium				
<b>Neuromodulatory</b>				
Carisoprodol		Negative	<20	Consistent
<b>Gabapentin</b>	>2000	<b>Positive</b>	<b>&lt;50</b>	<b>Consistent</b>
<b>Opiates and Semisynthetic Opioids</b>				
Codeine		Negative	<50	Consistent
Hydrocodone		Negative	<50	Consistent
Hydromorphone		Negative	<50	Consistent
Morphine		Negative	<50	Consistent
Norhydrocodone		Negative	<10	Consistent
<b>Noroxycodone</b>	>2000	<b>Positive</b>	<b>&lt;10</b>	<b>Consistent</b>
Consistent because Noroxycodone is a metabolite of Oxycodone				
<b>Oxycodone</b>	>2000	<b>Positive</b>	<b>&lt;10</b>	<b>Consistent</b>
<b>Oxymorphone</b>	597.0	<b>Positive</b>	<b>&lt;25</b>	<b>Consistent</b>
Consistent because Oxymorphone is a metabolite of Oxycodone				
<b>Synthetic Opioids</b>				
Buprenorphine Glucuronide		Negative	<10	Consistent
Buprenorphine		Negative	<10	Consistent

**Patient Name:** MELSON, RONALD  
**Patient ID:** 10051956RM  
**DOB, Age, Sex:** 10/5/1956 61 Male  
**Client:** (1028) Lags Spine and Sportscore  
**Requested By:** Heliodoro Magana MD (1093192650)

**Accession:** 1710020042  
**Collect Date:** 09/18/2017  
**Receive Date:** 10/02/2017  
**Tested Date:** 10/06/2017  
**Prelim Date:** 10/06/2017  
**Release Date:** 10/12/2017

**Medications:** Trazodone, Valium, Simvastatin, Aspirin, Colace, Gabapentin, Lisinopril, Metoprolol Tartrate, Oxycodone

**REPORT DETAILS**

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
EDDP Percholate: Methadone Metabolite		Negative	<25	Consistent
Fentanyl		Negative	<2	Consistent
Meperidine		Negative	<10	Consistent
Methadone		Negative	<25	Consistent
Naloxone		Negative	<10	Consistent
Naltrexone		Negative	<20	Consistent
Norbuprenorphine		Negative	<30	Consistent
Normeperidine		Negative	<10	Consistent
Norbuprenorphine Glucuronide		Negative	<4	Consistent
Norfentanyl oxalate		Negative	<5	Consistent
Propoxyphene		Negative	<62.5	Consistent
Tapentadol		Negative	<20	Consistent
Tramadol HCL		Negative	<20	Consistent
<b>Substances of Abuse</b>				
6-MAM: Heroin Metabolite		Negative	<10	Consistent
Benzoylcegonine: Metabolite of Cocaine		Negative	<50	Consistent
ETHYL GLUCURONIDE (EIA)		Negative	<500	Consistent
JWH-018 pentanoic		Negative	<5	Consistent
JWH-073 Butanoic		Negative	<5	Consistent
JWH-073 hydroxybutyl		Negative	<5	Consistent
Methylenedioxyamphetamine (MDA)		Negative	<100	Consistent
Methylenedioxyethylamphetamine (MDEA)		Negative	<100	Consistent
Methylenedioxymethamphetamine (MDMA)		Negative	<100	Consistent
Mephedrone		Negative	<10	Consistent
<b>Methamphetamine</b>	197.6	<b>Positive</b>	<b>&lt;100</b>	<b>INCONSISTENT</b>
Test for Methamphetamine D&L Isomer Ratio to follow.				
<b>Methamphetamine D Isomer</b>	100%			
<b>Methamphetamine L Isomer</b>	0%			
Typically, when >20% Methamphetamine D Isomer is detected, the result indicates the possibility of illicit methamphetamine use.				
PCP (Phencyclidine) (EIA)		Negative	<25	Consistent
<b>THC-COOH Glucuronide</b>	>400	<b>Positive</b>	<b>&lt;20</b>	<b>INCONSISTENT</b>
THC COOH Glucuronide is a metabolite of THC.				
<b>11 Carboxy THC</b>	195.4	<b>Positive</b>	<b>&lt;10</b>	<b>INCONSISTENT</b>
THC COOH is a metabolite of THC.				
<b>Validity Tests EIA</b>				
<b>Urine - Creatinine (mg/dL)</b>	253	<b>Abnormal</b>	<b>80-200</b>	
Urine - Oxidants (ug/mL)	0	Normal	0-200	

<b>Patient Name:</b>	<b>MELSON, RONALD</b>	<b>Accession:</b>	1710020042
<b>Patient ID:</b>	10051956RM	<b>Collect Date:</b>	09/18/2017
<b>DOB, Age, Sex:</b>	<b>10/5/1956 61 Male</b>	<b>Receive Date:</b>	10/02/2017
<b>Client:</b>	(1028) Lags Spine and Sportscare	<b>Tested Date:</b>	10/06/2017
<b>Requested By:</b>	Heliodoro Magana MD (1093192650)	<b>Prelim Date:</b>	10/06/2017
		<b>Release Date:</b>	10/12/2017

**Medications:** Trazodone, Valium, Simvastatin, Aspirin, Colace, Gabapentin, Lisinopril, Metoprolol Tartrate, Oxycodone

## REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Urine - PH Level	6.1	Normal	4.7-7.8	
Urine - Specific Gravity Level	1.020	Normal	1.003-1.035	

\*\*\* Comments: Specimens received more than 3 days post collection may be compromised and not reflect actual concentration. This may limit detection of low levels. This test is not approved by the FDA for the treatment, diagnosis, or prevention, of any medical condition. It is performed for information and is intended for educational and research purposes only. Only a physician familiar with a Patient() 's individual medical history can make medical judgments and give that patient specific medical advice. results are not intended to be a substitute for consultation with a licensed health care provider.

Those analytes' test results, reported as detected by LC/MS, have not been approved by the FDA. The performance characteristics of the assays have been determined by National Labs in accordance with Clinical Laboratory Improvement Act of 1988 (CLIA '88) guidelines.

False positive and false negative test results do occur. A licensed health care provider must provide any interpretation or recommendation for treatment based upon test results. The results are not for use as evidence in civil or criminal cases. Specimens are not obtained under the guidelines required for secure collection and, therefore, cannot be used for employment purposes. The results are based upon the method used for testing and the sensitivity of that method. A negative result indicates that the drugs tested for were not detected at the sensitivity level used. Positive results may be possible with the same or subsequent specimens if testing is performed using a greater degree of sensitivity. Other factors that may affect the results include the type of drug; the amount, duration and time of last drug use; the body type and weight of the individual being testing; and, in the case of urine drug screens, the concentration, acidity, or alkalinity of the urine.

# LAGS MEDICAL CENTERS

Muhammad A. Molani, MD

Francis P. Lagattuta, MD

\*\*\*This sheet provided at request of  
client for patient identification  
verification purposes only.  
Not a National Labs report.\*\*\*

CLIA Number: 05D1058036

801 East Chapel Street

Santa Maria, CA 93454

Tel: (805) 928-7361

Fax: (805) 928-5742

## Urine Drug Testing Report

Name: MELSON, RONALD

Date Collected: 9/18/2017

Sample ID: NATLH3395

Date Tested: 9/25/2017

Date of Birth: 10/5/1956

Time Tested: 12:20:11 PM

Sex: Male

Physician: TANG, A-NP

TEST	RESULT	CUTOFF CONC.
6-AcetylMorphine	RESULT NEGATIVE	10 ng/mL
Amphetamines	RESULT NEGATIVE	1000 ng/mL
Benzodiazepine	RESULT POSITIVE	200 ng/mL
Buprenorphine	RESULT NEGATIVE	5 ng/mL
Cocaine Metabolite	RESULT NEGATIVE	300 ng/mL
Methadone	RESULT NEGATIVE	300 ng/mL
Opiate	RESULT POSITIVE	300 ng/mL
Oxycodone	RESULT POSITIVE	300 ng/mL
THC	RESULT POSITIVE	50 ng/mL
Tramadol	RESULT NEGATIVE	200 ng/mL

Tests are performed by Enzyme Immunoassay Technique on Siemens VIVA-E (#1) analyzer.

Clinical Scientist: 