

Corrected On: 2/13/2017

Patient Name: Yates, Tanesha

Patient ID: 06101977TY

DOB, Age, Sex: 6/10/1977 39 Female

Client: (1028) Lags Spine and Sportscare

Requested By: Leoncio Jun Yap (1508299942)

Medications: Baclofen, Gabapentin, Norco, Ibuprofen, Prednisone, Hydrochlorothiazide, Aspirin, Atorvastatin

Accession: 1702090004CR2

Collect Date: 01/12/2017

Receive Date: 02/09/2017

Release Date: 02/13/2017

REPORT SUMMARY

UNEXPECTED: Inconsistent Results Based on Patient's Declared Medications

Specimen ID	1702090004CR2	1412170062
Collection Date	1/12/2017	12/15/2014
Codeine		> 1000
ETHYL GLUCURONIDE (EIA)	>2000	
Hydrocodone		Negative
Meprobamate	70.4	
Morphine		> 1000
Noroxycodone	30.1	

EXPECTED: Consistent Results of Declared Medications & Metabolites

Specimen ID	1702090004CR2	1412170062
Collection Date	1/12/2017	12/15/2014
Gabapentin	>2000	
Hydrocodone	>2000	
Hydromorphone	150	
Norhydrocodone	>2000	

SPECIMEN VALIDITY RESULTS

Urine - Creatinine (mg/dL)	344	Abnormal	80-200
Urine - Oxidants (ug/mL)	0	Normal	0-200
Urine - PH Level	6.1	Normal	4.7-7.8
Urine - Specific Gravity Level	1.033	Normal	1.003-1.035

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Amphetamine				
Amphetamine		Negative	<20	Consistent
Methylphenidate		Negative	<50	Consistent
Norpseudoephedrine		Negative	<10	Consistent
Ritalinic Acid		Negative	<50	Consistent

Corrected On: 2/13/2017

Patient Name: Yates, Tanesha

Patient ID: 06101977TY

DOB, Age, Sex: 6/10/1977 39 Female

Client: (1028) Lags Spine and Sportscare

Requested By: Leoncio Jun Yap (1508299942)

Medications: Baclofen, Gabapentin, Norco, Ibuprofen, Prednisone, Hydrochlorothiazide, Aspirin, Atorvastatin

Accession: 1702090004CR2

Collect Date: 01/12/2017

Receive Date: 02/09/2017

Release Date: 02/13/2017

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Benzodiazepines				
7-Aminoclonazepam		Negative	<4	Consistent
alpha-hydroxyalprazolam		Negative	<5	Consistent
Alprazolam		Negative	<4	Consistent
Clonazepam		Negative	<10	Consistent
Diazepam		Negative	<5	Consistent
Flurazepam		Negative	<0.5	Consistent
Lorazepam		Negative	<10	Consistent
Meprobamate	70.4	Positive	<50	INCONSISTENT
Inconsistent: Meprobamate is a metabolite of Carisprodol use.				
Nordiazepam		Negative	<5	Consistent
Oxazepam		Negative	<5	Consistent
Temazepam		Negative	<5	Consistent
Neuromodulatory				
Carisoprodol		Negative	<20	Consistent
Gabapentin	>2000	Positive	<50	Consistent
Opiates and Semisynthetic Opioids				
Codeine		Negative	<50	Consistent
Hydrocodone	>2000	Positive	<50	Consistent
Hydromorphone	150	Positive	<50	Consistent
NOTE: THIS IS A CORRECTED RESULT. Consistent because Hydromorphone is a metabolite of Hydrocodone				
Morphine		Negative	<50	Consistent
Norhydrocodone	>2000	Positive	<10	Consistent
Consistent because Norhydrocodone is a metabolite of Norco				
Noroxycodone	30.1	Positive	<10	INCONSISTENT
Inconsistent: Please note Noroxycodone is a metabolite of Oxycodone.				
Oxycodone		Negative	<10	Consistent
Oxymorphone		Negative	<25	Consistent
Synthetic Opioids				
Buprenorphine Glucuronide		Negative	<10	Consistent
Buprenorphine		Negative	<10	Consistent
EDDP Percholate: Methadone Metabolite		Negative	<25	Consistent
Fentanyl		Negative	<2	Consistent
Meperidine		Negative	<10	Consistent
Methadone		Negative	<25	Consistent

Corrected On: 2/13/2017

Patient Name: Yates, Tanesha

Patient ID: 06101977TY

DOB, Age, Sex: 6/10/1977 39 Female

Client: (1028) Lags Spine and Sportscare

Requested By: Leoncio Jun Yap (1508299942)

Medications: Baclofen, Gabapentin, Norco, Ibuprofen, Prednisone, Hydrochlorothiazide, Aspirin, Atorvastatin

Accession: 1702090004CR2

Collect Date: 01/12/2017

Receive Date: 02/09/2017

Release Date: 02/13/2017

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Naloxone		Negative	<10	Consistent
Naltrexone		Negative	<20	Consistent
Norbuprenorphine		Negative	<30	Consistent
Normeperidine		Negative	<10	Consistent
Norbuprenorphine Glucuronide		Negative	<4	Consistent
Norfentanyl oxalate		Negative	<5	Consistent
Propoxyphene		Negative	<62.5	Consistent
Tapentadol		Negative	<20	Consistent
Tramadol HCL		Negative	<20	Consistent
Substances of Abuse				
6-MAM: Heroin Metabolite		Negative	<10	Consistent
Benzoylcegonine: Metabolite of Cocaine		Negative	<50	Consistent
ETHYL GLUCURONIDE (EIA)	>2000	Positive	<500	INCONSISTENT
JWH-018 pentanoic		Negative	<5	Consistent
JWH-073 Butanoic		Negative	<5	Consistent
JWH-073 hydroxybutyl		Negative	<5	Consistent
Methylenedioxyamphetamine (MDA)		Negative	<100	Consistent
Methylenedioxyethylamphetamine (MDEA)		Negative	<100	Consistent
Methylenedioxymethamphetamine (MDMA)		Negative	<100	Consistent
Mephedrone		Negative	<10	Consistent
Methamphetamine		Negative	<100	Consistent
PCP (Phencyclidine) (EIA)		Negative	<25	Consistent
THC-COOH Glucuronide		Negative	<20	Consistent
11 Carboxy THC		Negative	<10	Consistent
Validity Tests EIA				
Urine - Creatinine (mg/dL)	344	Abnormal	80-200	
Urine - Oxidants (ug/mL)	0	Normal	0-200	
Urine - PH Level	6.1	Normal	4.7-7.8	
Urine - Specific Gravity Level	1.033	Normal	1.003-1.035	

*** Comments: Specimens received more than 3 days post collection may be compromised and not reflect actual concentration. This may limit detection of low levels. This test is not approved by the FDA for the treatment, diagnosis, or prevention, of any medical condition. It is performed for information and is intended for educational and research purposes only. Only a physician familiar with a Patient()'s individual medical history can make medical judgments and give that patient specific medical advice. results are not intended to be a substitute for consultation with a licensed health care provider.

False positive and false negative test results do occur. A licensed health care provider must provide any interpretation or recommendation for treatment based upon test results. The results are not for use as evidence in civil or criminal cases. Specimens are not obtained under the guidelines required for secure collection and, therefore, cannot be used for employment purposes. The results are based upon the method used for testing and the sensitivity of that method. A negative result indicates that the drugs tested for were not detected at the sensitivity level used. Positive results may be possible with the same or subsequent specimens if testing is performed using a greater degree of sensitivity. Other factors that may affect the results include the type of drug; the amount, duration and time of last drug use; the body type and weight of the individual being testing; and, in the case of urine drug screens, the concentration, acidity, or alkalinity of the urine.

Patient Name: Yates, Tanesha	Accession: 1702090004
Patient ID: 06101977TY	Collect Date: 01/12/2017
DOB, Age, Sex: 6/10/1977 39 Female	Receive Date: 02/09/2017
Client: (1028) Lags Spine and Sportscare	Tested Date: 02/13/2017
Requested By: Leoncio Jun Yap (1508299942)	Release Date: 02/13/2017
Medications: Baclofen, Gabapentin, Norco, Ibuprofen, Prednisone, Hydrochlorothiazide, Aspirin, Atorvastatin	

REPORT SUMMARY

UNEXPECTED: Inconsistent Results Based on Patient's Declared Medications

Specimen ID	1702090004CR2	1412170062
Collection Date	1/12/2017	12/15/2014
Codeine		> 1000
ETHYL GLUCURONIDE (EIA)	>2000	
Hydrocodone		Negative
Meprobamate	70.4	
Morphine		> 1000
Noroxycodone	30.1	

EXPECTED: Consistent Results of Declared Medications & Metabolites

Specimen ID	1702090004CR2	1412170062
Collection Date	1/12/2017	12/15/2014
Gabapentin	>2000	
Hydrocodone	>2000	
Hydromorphone	150	
Norhydrocodone	>2000	

SPECIMEN VALIDITY RESULTS

Urine - Creatinine (mg/dL)	344	Abnormal	80-200
Urine - Oxidants (ug/mL)	0	Normal	0-200
Urine - PH Level	6.1	Normal	4.7-7.8
Urine - Specific Gravity Level	1.033	Normal	1.003-1.035

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Amphetamine				
Amphetamine		Negative	<20	Consistent
Methylphenidate		Negative	<50	Consistent
Norpseudoephedrine		Negative	<10	Consistent
Ritalinic Acid		Negative	<50	Consistent

Patient Name: Yates, Tanesha
Patient ID: 06101977TY
DOB, Age, Sex: 6/10/1977 39 Female
Client: (1028) Lags Spine and Sportscare
Requested By: Leoncio Jun Yap (1508299942)
Medications: Baclofen, Gabapentin, Norco, Ibuprofen, Prednisone, Hydrochlorothiazide, Aspirin, Atorvastatin

Accession: 1702090004
Collect Date: 01/12/2017
Receive Date: 02/09/2017
Tested Date: 02/13/2017
Release Date: 02/13/2017

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Benzodiazepines				
7-Aminoclonazepam		Negative	<4	Consistent
alpha-hydroxyalprazolam		Negative	<5	Consistent
Alprazolam		Negative	<4	Consistent
Clonazepam		Negative	<10	Consistent
Diazepam		Negative	<5	Consistent
Flurazepam		Negative	<0.5	Consistent
Lorazepam		Negative	<10	Consistent
Meprobamate	70.4	Positive	<50	INCONSISTENT
Inconsistent: Meprobamate is a metabolite of Carisprodal use.				
Nordiazepam		Negative	<5	Consistent
Oxazepam		Negative	<5	Consistent
Temazepam		Negative	<5	Consistent
Neuromodulatory				
Carisprodol		Negative	<20	Consistent
Gabapentin	>2000	Positive	<50	Consistent
Opiates and Semisynthetic Opioids				
Codeine		Negative	<50	Consistent
Hydrocodone	>2000	Positive	<50	Consistent
Hydromorphone		Negative	<50	Consistent
Morphine		Negative	<50	Consistent
Norhydrocodone	>2000	Positive	<10	Consistent
Consistent because Norhydrocodone is a metabolite of Norco				
Noroxycodone	30.1	Positive	<10	INCONSISTENT
Inconsistent: Please note Noroxycodone is a metabolite of Oxycodone.				
Oxycodone		Negative	<10	Consistent
Oxymorphone		Negative	<25	Consistent
Synthetic Opioids				
Buprenorphine Glucuronide		Negative	<10	Consistent
Buprenorphine		Negative	<10	Consistent
EDDP Percholate: Methadone Metabolite		Negative	<25	Consistent
Fentanyl		Negative	<2	Consistent
Meperidine		Negative	<10	Consistent
Methadone		Negative	<25	Consistent
Naloxone		Negative	<10	Consistent
Naltrexone		Negative	<20	Consistent

Patient Name: Yates, Tanesha
Patient ID: 06101977TY
DOB, Age, Sex: 6/10/1977 39 Female
Client: (1028) Lags Spine and Sportscare
Requested By: Leoncio Jun Yap (1508299942)
Medications: Baclofen, Gabapentin, Norco, Ibuprofen, Prednisone, Hydrochlorothiazide, Aspirin, Atorvastatin

Accession: 1702090004
Collect Date: 01/12/2017
Receive Date: 02/09/2017
Tested Date: 02/13/2017
Release Date: 02/13/2017

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Norbuprenorphine		Negative	<30	Consistent
Normeperidine		Negative	<10	Consistent
Norbuprenorphine Glucuronide		Negative	<4	Consistent
Norfentanyl oxalate		Negative	<5	Consistent
Propoxyphene		Negative	<62.5	Consistent
Tapentadol		Negative	<20	Consistent
Tramadol HCL		Negative	<20	Consistent
Substances of Abuse				
6-MAM: Heroin Metabolite		Negative	<10	Consistent
Benzoylcegonine: Metabolite of Cocaine		Negative	<50	Consistent
ETHYL GLUCURONIDE (EIA)	>2000	Positive	<500	INCONSISTENT
JWH-018 pentanoic		Negative	<5	Consistent
JWH-073 Butanoic		Negative	<5	Consistent
JWH-073 hydroxybutyl		Negative	<5	Consistent
Methylenedioxyamphetamine (MDA)		Negative	<100	Consistent
Methylenedioxyethylamphetamine (MDEA)		Negative	<100	Consistent
Methylenedioxymethamphetamine (MDMA)		Negative	<100	Consistent
Mephedrone		Negative	<10	Consistent
Methamphetamine		Negative	<100	Consistent
PCP (Phencyclidine) (EIA)		Negative	<25	Consistent
THC-COOH Glucuronide		Negative	<20	Consistent
11 Carboxy THC		Negative	<10	Consistent
Validity Tests EIA				
Urine - Creatinine (mg/dL)	344	Abnormal	80-200	
Urine - Oxidants (ug/mL)	0	Normal	0-200	
Urine - PH Level	6.1	Normal	4.7-7.8	
Urine - Specific Gravity Level	1.033	Normal	1.003-1.035	

*** Comments: Specimens received more than 3 days post collection may be compromised and not reflect actual concentration. This may limit detection of low levels. This test is not approved by the FDA for the treatment, diagnosis, or prevention, of any medical condition. It is performed for information and is intended for educational and research purposes only. Only a physician familiar with a Patient's individual medical history can make medical judgments and give that patient specific medical advice. Results are not intended to be a substitute for consultation with a licensed health care provider.

False positive and false negative test results do occur. A licensed health care provider must provide any interpretation or recommendation for treatment based upon test results. The results are not for use as evidence in civil or criminal cases. Specimens are not obtained under the guidelines required for secure collection and, therefore, cannot be used for employment purposes. The results are based upon the method used for testing and the sensitivity of that method. A negative result indicates that the drugs tested for were not detected at the sensitivity level used. Positive results may be possible with the same or subsequent specimens if testing is performed using a greater degree of sensitivity. Other factors that may affect the results include the type of drug; the amount, duration and time of last drug use; the body type and weight of the individual being testing; and, in the case of urine drug screens, the concentration, acidity, or alkalinity of the urine.