

<b>Patient Name:</b>	<b>Hohenstein, Phillip</b>	<b>Accession:</b>	<b>1701190017</b>
<b>Patient ID:</b>	<b>12131962PH</b>	<b>Collect Date:</b>	<b>01/10/2017</b>
<b>DOB, Age, Sex:</b>	<b>12/13/1962 54 Male</b>	<b>Receive Date:</b>	<b>01/19/2017</b>
<b>Client:</b>	<b>(1028) Lags Spine and Sportscare</b>	<b>Tested Date:</b>	<b>01/20/2017</b>
<b>Requested By:</b>	<b>Olivia Seibenick PA-C (1083036362)</b>	<b>Release Date:</b>	<b>01/20/2017</b>
<b>Medications:</b>	<b>Baclofen, Voltaren, Percocet, Omeprazole, Trazodone, Clonazepam, Gabapentin</b>		

## REPORT SUMMARY

### UNEXPECTED: Inconsistent Results Based on Patient's Declared Medications

Specimen ID	1701190017
Collection Date	1/10/2017
11 Carboxy THC	81.0
ETHYL GLUCURONIDE (EIA)	1285
THC-COOH Glucuronide	>400

### EXPECTED: Consistent Results of Declared Medications & Metabolites

Specimen ID	1701190017
Collection Date	1/10/2017
7-Aminoclonazepam	>200
Clonazepam	21.62
Gabapentin	>2000
Noroxycodone	>2000
Oxycodone	>2000
Oxymorphone	127.2

### SPECIMEN VALIDITY RESULTS

Urine - Creatinine (mg/dL)	233	Abnormal	80-200
Urine - Oxidants (ug/mL)	0	Normal	0-200
Urine - PH Level	4.9	Normal	4.7-7.8
Urine - Specific Gravity Level	1.030	Normal	1.003-1.035

## REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
<b>Amphetamine</b>				
Amphetamine		Negative	<20	Consistent
Methylphenidate		Negative	<50	Consistent
Norpseudoephedrine		Negative	<10	Consistent
Ritalinic Acid		Negative	<50	Consistent

**Patient Name:** Hohenstein, Phillip  
**Patient ID:** 12131962PH  
**DOB, Age, Sex:** 12/13/1962 54 Male  
**Client:** (1028) Lags Spine and Sportscare  
**Requested By:** Olivia Seibenick PA-C (1083036362)  
**Medications:** Baclofen, Voltaren, Percocet, Omeprazole, Trazodone, Clonazepam, Gabapentin

**Accession:** 1701190017  
**Collect Date:** 01/10/2017  
**Receive Date:** 01/19/2017  
**Tested Date:** 01/20/2017  
**Release Date:** 01/20/2017

**REPORT DETAILS**

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
<b>Benzodiazepines</b>				
<b>7-Aminoclonazepam</b>	>200	<b>Positive</b>	<b>&lt;4</b>	<b>Consistent</b>
Consistent because 7-Aminoclonazepam is a metabolite of Clonazepam				
alpha-hydroxyalprazolam		Negative	<5	Consistent
Alprazolam		Negative	<4	Consistent
<b>Clonazepam</b>	21.62	<b>Positive</b>	<b>&lt;10</b>	<b>Consistent</b>
Diazepam		Negative	<5	Consistent
Flurazepam		Negative	<0.5	Consistent
Lorazepam		Negative	<10	Consistent
Meprobamate		Negative	<50	Consistent
Nordiazepam		Negative	<5	Consistent
Oxazepam		Negative	<5	Consistent
Temazepam		Negative	<5	Consistent
<b>Neuromodulatory</b>				
Carisoprodol		Negative	<20	Consistent
<b>Gabapentin</b>	>2000	<b>Positive</b>	<b>&lt;50</b>	<b>Consistent</b>
<b>Opiates and Semisynthetic Opioids</b>				
Codeine		Negative	<50	Consistent
Hydrocodone		Negative	<50	Consistent
Hydromorphone		Negative	<50	Consistent
Morphine		Negative	<50	Consistent
Norhydrocodone		Negative	<10	Consistent
<b>Noroxycodone</b>	>2000	<b>Positive</b>	<b>&lt;10</b>	<b>Consistent</b>
Consistent because Noroxycodone is a metabolite of Percocet				
<b>Oxycodone</b>	>2000	<b>Positive</b>	<b>&lt;10</b>	<b>Consistent</b>
<b>Oxymorphone</b>	127.2	<b>Positive</b>	<b>&lt;25</b>	<b>Consistent</b>
Consistent because Oxymorphone is a metabolite of Percocet				
<b>Synthetic Opioids</b>				
Buprenorphine Glucuronide		Negative	<10	Consistent
Buprenorphine		Negative	<10	Consistent
EDDP Percholate: Methadone Metabolite		Negative	<25	Consistent
Fentanyl		Negative	<2	Consistent
Meperidine		Negative	<10	Consistent
Methadone		Negative	<25	Consistent
Naloxone		Negative	<10	Consistent
Naltrexone		Negative	<20	Consistent

**Patient Name:** Hohenstein, Phillip  
**Patient ID:** 12131962PH  
**DOB, Age, Sex:** 12/13/1962 54 Male  
**Client:** (1028) Lags Spine and Sportscare  
**Requested By:** Olivia Seibenick PA-C (1083036362)  
**Medications:** Baclofen, Voltaren, Percocet, Omeprazole, Trazodone, Clonazepam, Gabapentin

**Accession:** 1701190017  
**Collect Date:** 01/10/2017  
**Receive Date:** 01/19/2017  
**Tested Date:** 01/20/2017  
**Release Date:** 01/20/2017

**REPORT DETAILS**

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Norbuprenorphine		Negative	<30	Consistent
Normeperidine		Negative	<10	Consistent
Norbuprenorphine Glucuronide		Negative	<4	Consistent
Norfentanyl oxalate		Negative	<5	Consistent
Propoxyphene		Negative	<62.5	Consistent
Tapentadol		Negative	<20	Consistent
Tramadol HCL		Negative	<20	Consistent
<b>Substances of Abuse</b>				
6-MAM: Heroin Metabolite		Negative	<10	Consistent
Benzoylcegonine: Metabolite of Cocaine		Negative	<50	Consistent
<b>ETHYL GLUCURONIDE (EIA)</b>	1285	<b>Positive</b>	<b>&lt;500</b>	<b>INCONSISTENT</b>
JWH-018 pentanoic		Negative	<5	Consistent
JWH-073 Butanoic		Negative	<5	Consistent
JWH-073 hydroxybutyl		Negative	<5	Consistent
Methylenedioxyamphetamine (MDA)		Negative	<100	Consistent
Methylenedioxyethylamphetamine (MDEA)		Negative	<100	Consistent
Methylenedioxymethamphetamine (MDMA)		Negative	<100	Consistent
Mephedrone		Negative	<10	Consistent
Methamphetamine		Negative	<100	Consistent
PCP (Phencyclidine) (EIA)		Negative	<25	Consistent
<b>THC-COOH Glucuronide</b>	>400	<b>Positive</b>	<b>&lt;20</b>	<b>INCONSISTENT</b>
Inconsistent: Please note THC COOH Glucuronide is a metabolite of THC.				
<b>11 Carboxy THC</b>	81.0	<b>Positive</b>	<b>&lt;10</b>	<b>INCONSISTENT</b>
<b>Validity Tests EIA</b>				
<b>Urine - Creatinine (mg/dL)</b>	<b>233</b>	<b>Abnormal</b>	<b>80-200</b>	
Urine - Oxidants (ug/mL)	0	Normal	0-200	
Urine - PH Level	4.9	Normal	4.7-7.8	
Urine - Specific Gravity Level	1.030	Normal	1.003-1.035	

\*\*\* Comments: Specimens received more than 3 days post collection may be compromised and not reflect actual concentration. This may limit detection of low levels. This test is not approved by the FDA for the treatment, diagnosis, or prevention, of any medical condition. It is performed for information and is intended for educational and research purposes only. Only a physician familiar with a Patient()'s individual medical history can make medical judgments and give that patient specific medical advice. results are not intended to be a substitute for consultation with a licensed health care provider.

False positive and false negative test results do occur. A licensed health care provider must provide any interpretation or recommendation for treatment based upon test results. The results are not for use as evidence in civil or criminal cases. Specimens are not obtained under the guidelines required for secure collection and, therefore, cannot be used for employment purposes. The results are based upon the method used for testing and the sensitivity of that method. A negative result indicates that the drugs tested for were not detected at the sensitivity level used. Positive results may be possible with the same or subsequent specimens if testing is performed using a greater degree of sensitivity. Other factors that may affect the results include the type of drug; the amount, duration and time of last drug use; the body type and weight of the individual being testing; and, in the case of urine drug screens, the concentration, acidity, or alkalinity of the urine.

# LAGS MEDICAL CENTERS

Muhammad A. Molani, MD

Francis P. Lagattuta, MD

\*\*\*This sheet provided at request of  
client for patient identification  
verification purposes only.  
Not a National Labs report.\*\*\*

CLIA Number: 05D1058036

801 East Chapel Street

Santa Maria, CA 93454

Tel: (805) 928-7361

Fax: (805) 928-5742

## Urine Drug Testing Report

Name:	Hohenstein, Phillip	Date Collected:	1/10/2017
Sample ID:	NATLE4881	Date Tested:	1/13/2017
Date of Birth:	12/13/1962	Time Tested:	2:30:04 PM
Sex:	Male	Physician:	Seibenick, O-PA

TEST	RESULT	CUTOFF CONC.
6-AcetylMorphine	RESULT NEGATIVE	10 ng/mL
Amphetamines	RESULT NEGATIVE	1000 ng/mL
Benzodiazepine	RESULT NEGATIVE	200 ng/mL
Buprenorphine	RESULT NEGATIVE	5 ng/mL
Cocaine Metabolite	RESULT NEGATIVE	300 ng/mL
Methadone	RESULT NEGATIVE	300 ng/mL
Opiate	RESULT POSITIVE	300 ng/mL
Oxycodone	RESULT POSITIVE	300 ng/mL
THC	RESULT POSITIVE	50 ng/mL
Tramadol	RESULT NEGATIVE	200 ng/mL

Tests are performed by Enzyme Immunoassay Technique on Siemens VIVA-E (#1) analyzer.

Clinical Scientist: \_\_\_\_\_

