

Patient Name:	Seager Armstrong, Warren	Accession:	1702010025
Patient ID:	07031959WS	Collect Date:	01/24/2017
DOB, Age, Sex:	7/3/1959 57 Male	Receive Date:	02/01/2017
Client:	(1028) Lags Spine and Sportscare	Tested Date:	02/05/2017
Requested By:	Olivia Seibenick PA-C (1083036362)	Release Date:	02/05/2017
Medications:	Gabapentin, Cymbalta, Percocet, Trazodone, Lisinopril, Metformin		

REPORT SUMMARY

UNEXPECTED: Inconsistent Results Based on Patient's Declared Medications

Specimen ID	1702010025	1701170196
Collection Date	1/24/2017	1/10/2017
11 Carboxy THC	11.4	
7-Aminoclonazepam	5.72	168.79
EDDP Percholate: Methadone Metabolite	>200	185.7
ETHYL GLUCURONIDE (EIA)	>2000	>2000
Gabapentin		Negative
Methadone	296.8	>400
Oxycodone		Negative
THC-COOH Glucuronide	31.7	

EXPECTED: Consistent Results of Declared Medications & Metabolites

Specimen ID	1702010025	1701170196
Collection Date	1/24/2017	1/10/2017
Gabapentin	344.2	
Noroxycodone	1116.1	
Oxycodone	726.6	

SPECIMEN VALIDITY RESULTS

Urine - Creatinine (mg/dL)	235	Abnormal	80-200
Urine - Oxidants (ug/mL)	0	Normal	0-200
Urine - PH Level	5.4	Normal	4.7-7.8
Urine - Specific Gravity Level	1.021	Normal	1.003-1.035

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Amphetamine				
Amphetamine		Negative	<20	Consistent
Methylphenidate		Negative	<50	Consistent

Patient Name:	Seager Armstrong, Warren	Accession:	1702010025
Patient ID:	07031959WS	Collect Date:	01/24/2017
DOB, Age, Sex:	7/3/1959 57 Male	Receive Date:	02/01/2017
Client:	(1028) Lags Spine and Sportscare	Tested Date:	02/05/2017
Requested By:	Olivia Seibenick PA-C (1083036362)	Release Date:	02/05/2017
Medications:	Gabapentin, Cymbalta, Percocet, Trazodone, Lisinopril, Metformin		

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Norpseudoephedrine		Negative	<10	Consistent
Ritalinic Acid		Negative	<50	Consistent
Benzodiazepines				
7-Aminoclonazepam	5.72	Positive	<4	INCONSISTENT
Inconsistent: Please note 7-aminoclonazepam is also a metabolite of Clonazepam use.				
alpha-hydroxyalprazolam		Negative	<5	Consistent
Alprazolam		Negative	<4	Consistent
Clonazepam		Negative	<10	Consistent
Diazepam		Negative	<5	Consistent
Flurazepam		Negative	<0.5	Consistent
Lorazepam		Negative	<10	Consistent
Meprobamate		Negative	<50	Consistent
Nordiazepam		Negative	<5	Consistent
Oxazepam		Negative	<5	Consistent
Temazepam		Negative	<5	Consistent
Neuromodulatory				
Carisoprodol		Negative	<20	Consistent
Gabapentin	344.2	Positive	<50	Consistent
Opiates and Semisynthetic Opioids				
Codeine		Negative	<50	Consistent
Hydrocodone		Negative	<50	Consistent
Hydromorphone		Negative	<50	Consistent
Morphine		Negative	<50	Consistent
Norhydrocodone		Negative	<10	Consistent
Noroxycodone	1116.1	Positive	<10	Consistent
Consistent because Noroxycodone is a metabolite of Percocet				
Oxycodone	726.6	Positive	<10	Consistent
Oxymorphone		Negative	<25	Consistent
Synthetic Opioids				
Buprenorphine Glucuronide		Negative	<10	Consistent
Buprenorphine		Negative	<10	Consistent
EDDP Percholate: Methadone Metabolite	>200	Positive	<25	INCONSISTENT
Inconsistent: Please note EDDP is a metabolite of Methadone.				
Fentanyl		Negative	<2	Consistent
Meperidine		Negative	<10	Consistent
Methadone	296.8	Positive	<25	INCONSISTENT

Patient Name:	Seager Armstrong, Warren	Accession:	1702010025
Patient ID:	07031959WS	Collect Date:	01/24/2017
DOB, Age, Sex:	7/3/1959 57 Male	Receive Date:	02/01/2017
Client:	(1028) Lags Spine and Sportscare	Tested Date:	02/05/2017
Requested By:	Olivia Seibenick PA-C (1083036362)	Release Date:	02/05/2017
Medications:	Gabapentin, Cymbalta, Percocet, Trazodone, Lisinopril, Metformin		

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Naloxone		Negative	<10	Consistent
Naltrexone		Negative	<20	Consistent
Norbuprenorphine		Negative	<30	Consistent
Normeperidine		Negative	<10	Consistent
Norbuprenorphine Glucuronide		Negative	<4	Consistent
Norfentanyl oxalate		Negative	<5	Consistent
Propoxyphene		Negative	<62.5	Consistent
Tapentadol		Negative	<20	Consistent
Tramadol HCL		Negative	<20	Consistent
Substances of Abuse				
6-MAM: Heroin Metabolite		Negative	<10	Consistent
Benzoyllecgonine: Metabolite of Cocaine		Negative	<50	Consistent
ETHYL GLUCURONIDE (EIA)	>2000	Positive	<500	INCONSISTENT
JWH-018 pentanoic		Negative	<5	Consistent
JWH-073 Butanoic		Negative	<5	Consistent
JWH-073 hydroxybutyl		Negative	<5	Consistent
Methylenedioxyamphetamine (MDA)		Negative	<100	Consistent
Methylenedioxyethylamphetamine (MDEA)		Negative	<100	Consistent
Methylenedioxymethamphetamine (MDMA)		Negative	<100	Consistent
Mephedrone		Negative	<10	Consistent
Methamphetamine		Negative	<100	Consistent
PCP (Phencyclidine) (EIA)		Negative	<25	Consistent
THC-COOH Glucuronide	31.7	Positive	<20	INCONSISTENT
Inconsistent: Please note THC COOH Glucuronide is a metabolite of THC.				
11 Carboxy THC	11.4	Positive	<10	INCONSISTENT
Validity Tests EIA				
Urine - Creatinine (mg/dL)	235	Abnormal	80-200	
Urine - Oxidants (ug/mL)	0	Normal	0-200	
Urine - PH Level	5.4	Normal	4.7-7.8	
Urine - Specific Gravity Level	1.021	Normal	1.003-1.035	

*** Comments: Specimens received more than 3 days post collection may be compromised and not reflect actual concentration. This may limit detection of low levels. This test is not approved by the FDA for the treatment, diagnosis, or prevention, of any medical condition. It is performed for information and is intended for educational and research purposes only. Only a physician familiar with a Patient()'s individual medical history can make medical judgments and give that patient specific medical advice. results are not intended to be a substitute for consultation with a licensed health care provider.

False positive and false negative test results do occur. A licensed health care provider must provide any interpretation or recommendation for treatment based upon test results. The results are not for use as evidence in civil or criminal cases. Specimens are not obtained under the guidelines required for secure collection and, therefore, cannot be used for employment purposes. The results are based upon the method used for testing and the sensitivity of that method. A negative result indicates that the drugs tested for were not detected at the sensitivity level used. Positive results may be possible with the same or subsequent specimens if testing is performed using a greater degree of sensitivity. Other factors that may affect the results include the type of drug; the amount, duration and time of last drug use; the body type and weight of the individual being testing; and, in the case of urine drug screens, the concentration, acidity, or alkalinity of the urine.