

LABORATORY REPORT

NATIONAL LABS 3948 TRUST WAY

HAYWARD, CA 94545 Ph.: (800) 800-6060

Report Status: Final

Patient Name:GRIGGS, CHYKELAAccession:1709080030Patient ID:746EMRCollect Date:09/07/2017DOB, Age, Sex:6/16/1985 32 FemaleReceive Date:09/08/2017Client:(1028) Lags Spine and SportscareTested Date:09/12/2017Requested By:Heliodoro Magana MD (1093192650)Release Date:09/12/2017

Medications: Topamax, Cymbalta, Percocet, Ibuprofen, Lisinopril

REPORT SUMMARY

UNEXPECTED: Inconsistent Results Based on Patient's Declared Medications				
Specimen ID	1709080030			
Collection Date	9/7/2017			
Hydrocodone	>2000			
Hydromorphone	317.3			
Norhydrocodone	>2000			

EXPECTED: Consistent Results of Declared Medications & Metabolites				
Specimen ID	1709080030			
Collection Date	9/7/2017			
Noroxycodone	>2000			
Oxycodone	>2000			
Oxymorphone	1376.0			

SPECIMEN VALIDITY RESULTS						
Urine - Creatinine (mg/dL)	2	Below Normal	80-200			
Urine - Oxidants (ug/mL)	4	Normal	0-200			
Urine - PH Level	8.5	Abnormal	4.7-7.8			
Urine - Specific Gravity Level	1.030	Normal	1.003-1.035			

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Amphetamine	· ·			
Amphetamine		Negative	<20	Consistent
Methylphenidate		Negative	<50	Consistent
Norpseudoephedrine		Negative	<10	Consistent
Ritalinic Acid		Negative	<50	Consistent
Benzodiazepines	· ·			
7-Aminoclonazepam		Negative	<4	Consistent
alpha-hydroxyalprazolam		Negative	<5	Consistent
Alprazolam		Negative	<4	Consistent



LABORATORY REPORT

NATIONAL LABS 3948 TRUST WAY

HAYWARD, CA 94545 Ph.: (800) 800-6060

Report Status: Final

Patient Name:GRIGGS, CHYKELAAccession:1709080030Patient ID:746EMRCollect Date:09/07/2017DOB, Age, Sex:6/16/1985 32 FemaleReceive Date:09/08/2017Client:(1028) Lags Spine and SportscareTested Date:09/12/2017Requested By:Heliodoro Magana MD (1093192650)Release Date:09/12/2017

Medications: Topamax, Cymbalta, Percocet, Ibuprofen, Lisinopril

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Clonazepam		Negative	<10	Consistent
Diazepam		Negative	<5	Consistent
Flurazepam		Negative	<0.5	Consistent
Lorazepam		Negative	<10	Consistent
Meprobamate		Negative	<50	Consistent
Nordiazepam		Negative	<5	Consistent
Oxazepam		Negative	<5	Consistent
Temazepam		Negative	<20	Consistent
Neuromodulatory		·		
Carisoprodol		Negative	<20	Consistent
Gabapentin		Negative	<50	Consistent
Opiates and Semisynthetic Opioids				
Codeine		Negative	<50	Consistent
Hydrocodone	>2000	Positive	<50	INCONSISTENT
Hydrocodone is also a metabolite of Codeine.	-	<u>'</u>		
Hydromorphone	317.3	Positive	<50	INCONSISTENT
Hydromorphone is also a metabolite of Morphine, Hy	drocodone, Heroin, or	Codeine.		
Morphine		Negative	<50	Consistent
Norhydrocodone	>2000	Positive	<10	INCONSISTENT
Norhydrocodone is a metabolite of Hydrocodone and	Codeine.			
Noroxycodone	>2000	Positive	<10	Consistent
Consistent because Noroxycodone is a metabolite of	Percocet			
Oxycodone	>2000	Positive	<10	Consistent
Oxymorphone	1376.0	Positive	<25	Consistent
Consistent because Oxymorphone is a metabolite of	Percocet			
Synthetic Opioids				
Buprenorphine Glucuronide		Negative	<10	Consistent
Buprenorphine		Negative	<10	Consistent
EDDP Percholate: Methadone Metabolite		Negative	<25	Consistent
Fentanyl		Negative	<2	Consistent
Meperidine		Negative	<10	Consistent
Methadone		Negative	<25	Consistent
Naloxone		Negative	<10	Consistent
Naltrexone		Negative	<20	Consistent



LABORATORY REPORT

NATIONAL LABS 3948 TRUST WAY

HAYWARD, CA 94545 Ph.: (800) 800-6060

Report Status: Final

Patient Name:GRIGGS, CHYKELAAccession:1709080030Patient ID:746EMRCollect Date:09/07/2017DOB, Age, Sex:6/16/1985 32 FemaleReceive Date:09/08/2017Client:(1028) Lags Spine and SportscareTested Date:09/12/2017Requested By:Heliodoro Magana MD (1093192650)Release Date:09/12/2017

Medications: Topamax, Cymbalta, Percocet, Ibuprofen, Lisinopril

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Norbuprenorphine		Negative	<30	Consistent
Normeperidine		Negative	<10	Consistent
Norbuprenorphine Glucuronide		Negative	<4	Consistent
Norfentanyl oxalate		Negative	<5	Consistent
Propoxyphene		Negative	<62.5	Consistent
Tapentadol		Negative	<20	Consistent
Tramadol HCL		Negative	<20	Consistent
Substances of Abuse				
6-MAM: Heroin Metabolite		Negative	<10	Consistent
Benzoylecgonine: Metabolite of Cocaine		Negative	<50	Consistent
ETHYL GLUCURONIDE (EIA)		Negative	<500	Consistent
JWH-018 pentanoic		Negative	<5	Consistent
JWH-073 Butanoic		Negative	<5	Consistent
JWH-073 hydroxybutyl		Negative	<5	Consistent
Methylenedioxyamphetamine (MDA)		Negative	<100	Consistent
Methylenedioxyethylamphetamine (MDEA)		Negative	<100	Consistent
Methylenedioxymethamphetamine (MDMA)		Negative	<100	Consistent
Mephedrone		Negative	<10	Consistent
Methamphetamine		Negative	<100	Consistent
PCP (Phencyclidine) (EIA)		Negative	<25	Consistent
THC-COOH Glucuronide		Negative	<20	Consistent
11 Carboxy THC		Negative	<10	Consistent
Validity Tests EIA				•
Urine - Creatinine (mg/dL)	2	Below Normal	80-200	
Urine - Oxidants (ug/mL)	4	Normal	0-200	
Urine - PH Level	8.5	Abnormal	4.7-7.8	
Urine - Specific Gravity Level	1.030	Normal	1.003-1.035	

^{***} Comments: Specimens received more than 3 days post collection may be compromised and not reflect actual concentration. This may limit detection of low levels. This test is not approved by the FDA for the treatment, diagnosis, or prevention, of any medical condition. It is performed for information and is intended for educational and research purposes only. Only a physician familiar with a Patient() 's individual medical history can make medical judgments and give that patient specific medical advice. results are not intended to be a substitute for consultation with a licensed health care provider.

Those analytes' test results, reported as detected by LC/MS, have not been approved by the FDA. The performance characteristics of the assays have been determined by National Labs in accordance with Clinical Laboratory Improvement Act of 1988 (CLIA '88) guidelines.

False positive and false negative test results do occur. A licensed health care provider must provide any interpretation or recommendation for treatment based upon test results. The results are not for use as evidence in civil or criminal cases. Specimens are not obtained under the guidelines required for secure collection and, therefore, cannot be used for employment purposes. The results are based upon the method used for testing and the sensitivity of that method. A negative result indicates that the drugs tested for were not detected at the sensitivity level used. Positive results may be possible with the same or subsequent specimens if testing is performed using a greater degree of sensitivity. Other factors that may affect the results include the type of drug; the amount, duration and time of last drug use; the body type and weight of the individual being testing; and, in the case of urine drug screens, the concentration, acidity, or alkalinity of the urine.