

**Patient Name:** Beltran, Louis  
**Patient ID:** 07051950LB  
**DOB, Age, Sex:** 7/5/1950 66 Male  
**Client:** (1028) Lags Spine and Sportscare  
**Requested By:** Felista Anugom NP (1891070686)  
  
**Medications:** Ibuprofen

**Accession:** 1705040022  
**Collect Date:** 04/26/2017  
**Receive Date:** 05/04/2017  
**Tested Date:** 05/07/2017  
**Prelim Date:** 05/08/2017  
**Release Date:** 05/16/2017

## REPORT SUMMARY

### UNEXPECTED: Inconsistent Results Based on Patient's Declared Medications

Specimen ID	1705040022
Collection Date	4/26/2017
7-Aminoclonazepam	36.37
Amphetamine	584.3
Benzoyllecgonine: Metabolite of Cocaine	>200
Codeine	699.9
EDDP Percholate: Methadone Metabolite	>200
Hydromorphone	52.4
Methadone	>400
Methamphetamine	>1000
Morphine	135.2
Norpseudoephedrine	28.3
Tramadol HCL	>400

### EXPECTED: Consistent Results of Declared Medications & Metabolites

Specimen ID	1705040022
Collection Date	4/26/2017
NONE	

### SPECIMEN VALIDITY RESULTS

Urine - Creatinine (mg/dL)	154	Normal	80-200
Urine - Oxidants (ug/mL)	0	Normal	0-200
Urine - PH Level	5.6	Normal	4.7-7.8
Urine - Specific Gravity Level	1.017	Normal	1.003-1.035

## REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
<b>Amphetamine</b>				
Amphetamine	584.3	Positive	<20	<b>INCONSISTENT</b>

**Patient Name:** Beltran, Louis  
**Patient ID:** 07051950LB  
**DOB, Age, Sex:** 7/5/1950 66 Male  
**Client:** (1028) Lags Spine and Sportscare  
**Requested By:** Felista Anugom NP (1891070686)

**Accession:** 1705040022  
**Collect Date:** 04/26/2017  
**Receive Date:** 05/04/2017  
**Tested Date:** 05/07/2017  
**Prelim Date:** 05/08/2017  
**Release Date:** 05/16/2017

**Medications:** Ibuprofen

**REPORT DETAILS**

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Methylphenidate		Negative	<50	Consistent
<b>Norpseudoephedrine</b>	28.3	<b>Positive</b>	<b>&lt;10</b>	<b>INCONSISTENT</b>
Ritalinic Acid		Negative	<50	Consistent
<b>Benzodiazepines</b>				
<b>7-Aminoclonazepam</b>	36.37	<b>Positive</b>	<b>&lt;4</b>	<b>INCONSISTENT</b>
7-aminoclonazepam is a metabolite of Clonazepam				
alpha-hydroxyalprazolam		Negative	<5	Consistent
Alprazolam		Negative	<4	Consistent
Clonazepam		Negative	<10	Consistent
Diazepam		Negative	<5	Consistent
Flurazepam		Negative	<0.5	Consistent
Lorazepam		Negative	<10	Consistent
Meprobamate		Negative	<50	Consistent
Nordiazepam		Negative	<5	Consistent
Oxazepam		Negative	<5	Consistent
Temazepam		Negative	<20	Consistent
<b>Neuromodulatory</b>				
Carisoprodol		Negative	<20	Consistent
Gabapentin		Negative	<50	Consistent
<b>Opiates and Semisynthetic Opioids</b>				
<b>Codeine</b>	699.9	<b>Positive</b>	<b>&lt;50</b>	<b>INCONSISTENT</b>
Hydrocodone		Negative	<50	Consistent
<b>Hydromorphone</b>	52.4	<b>Positive</b>	<b>&lt;50</b>	<b>INCONSISTENT</b>
Hydromorphone is also a metabolite of Morphine, Hydrocodone, Heroin, or Codeine.				
<b>Morphine</b>	135.2	<b>Positive</b>	<b>&lt;50</b>	<b>INCONSISTENT</b>
Morphine positive can be from Morphine or as a metabolite of Codeine or Heroin.				
Norhydrocodone		Negative	<10	Consistent
Noroxycodone		Negative	<10	Consistent
Oxycodone		Negative	<10	Consistent
Oxymorphone		Negative	<25	Consistent
<b>Synthetic Opioids</b>				
Buprenorphine Glucuronide		Negative	<10	Consistent
Buprenorphine		Negative	<10	Consistent
<b>EDDP Percholate: Methadone Metabolite</b>	>200	<b>Positive</b>	<b>&lt;25</b>	<b>INCONSISTENT</b>
EDDP is a metabolite of Methadone.				
Fentanyl		Negative	<2	Consistent
Meperidine		Negative	<10	Consistent

**Patient Name:** Beltran, Louis  
**Patient ID:** 07051950LB  
**DOB, Age, Sex:** 7/5/1950 66 Male  
**Client:** (1028) Lags Spine and Sportscore  
**Requested By:** Felista Anugom NP (1891070686)  
  
**Medications:** Ibuprofen

**Accession:** 1705040022  
**Collect Date:** 04/26/2017  
**Receive Date:** 05/04/2017  
**Tested Date:** 05/07/2017  
**Prelim Date:** 05/08/2017  
**Release Date:** 05/16/2017

**REPORT DETAILS**

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
<b>Methadone</b>	>400	<b>Positive</b>	<b>&lt;25</b>	<b>INCONSISTENT</b>
Naloxone		Negative	<10	Consistent
Naltrexone		Negative	<20	Consistent
Norbuprenorphine		Negative	<30	Consistent
Normeperidine		Negative	<10	Consistent
Norbuprenorphine Glucuronide		Negative	<4	Consistent
Norfentanyl oxalate		Negative	<5	Consistent
Propoxyphene		Negative	<62.5	Consistent
Tapentadol		Negative	<20	Consistent
<b>Tramadol HCL</b>	>400	<b>Positive</b>	<b>&lt;20</b>	<b>INCONSISTENT</b>
<b>Substances of Abuse</b>				
6-MAM: Heroin Metabolite		Negative	<10	Consistent
<b>Benzoyllecgonine: Metabolite of Cocaine</b>	>200	<b>Positive</b>	<b>&lt;50</b>	<b>INCONSISTENT</b>
Benzoyllecgonine is the main metabolite of Cocaine.				
ETHYL GLUCURONIDE (EIA)		Negative	<500	Consistent
JWH-018 pentanoic		Negative	<5	Consistent
JWH-073 Butanoic		Negative	<5	Consistent
JWH-073 hydroxybutyl		Negative	<5	Consistent
Methylenedioxyamphetamine (MDA)		Negative	<100	Consistent
Methylenedioxyethylamphetamine (MDEA)		Negative	<100	Consistent
Methylenedioxymethamphetamine (MDMA)		Negative	<100	Consistent
Mephedrone		Negative	<10	Consistent
<b>Methamphetamine</b>	>1000	<b>Positive</b>	<b>&lt;100</b>	<b>INCONSISTENT</b>
See Attached Report.				
PCP (Phencyclidine) (EIA)		Negative	<25	Consistent
THC-COOH Glucuronide		Negative	<20	Consistent
11 Carboxy THC		Negative	<10	Consistent
<b>Validity Tests EIA</b>				
Urine - Creatinine (mg/dL)	154	Normal	80-200	
Urine - Oxidants (ug/mL)	0	Normal	0-200	
Urine - PH Level	5.6	Normal	4.7-7.8	
Urine - Specific Gravity Level	1.017	Normal	1.003-1.035	

\*\*\* Comments: Specimens received more than 3 days post collection may be compromised and not reflect actual concentration. This may limit detection of low levels. This test is not approved by the FDA for the treatment, diagnosis, or prevention, of any medical condition. It is performed for information and is intended for educational and research purposes only. Only a physician familiar with a Patient()'s individual medical history can make medical judgments and give that patient specific medical advice. results are not intended to be a substitute for consultation with a licensed health care provider.

False positive and false negative test results do occur. A licensed health care provider must provide any interpretation or recommendation for treatment based upon test results. The results are not for use as evidence in civil or criminal cases. Specimens are not obtained under the guidelines required for secure collection and, therefore, cannot be used for employment purposes. The results are based upon the method used for testing and the sensitivity of that method. A negative result indicates that the drugs tested for were not detected at the sensitivity level used. Positive results may be possible with the same or subsequent specimens if testing is performed using a greater degree of sensitivity. Other factors that may affect the results include the type of drug; the amount, duration and time of last drug use; the body type and weight of the individual being testing; and, in the case of urine drug screens, the concentration, acidity, or alkalinity of the urine.

# LAGS MEDICAL CENTERS

Muhammad A. Molani, MD

Francis P. Lagattuta, MD

\*\*\*This sheet provided at request of  
client for patient identification  
verification purposes only.  
Not a National Labs report.\*\*\*

CLIA Number: 05D1058036

801 East Chapel Street

Santa Maria, CA 93454

Tel: (805) 928-7361

Fax: (805) 928-5742

## Urine Drug Testing Report

Name: BELTRAN, LOUIS

Date Collected: 4/26/2017

Sample ID: F6783

Date Tested: 4/28/2017

Date of Birth: 7/5/1950

Time Tested: 5:34:38 PM

Sex: Male

Physician: ANUGOM, F-NP

### TEST

### RESULT

### CUTOFF CONC.

6-AcetylMorphine	RESULT NEGATIVE	10 ng/mL
Amphetamines	RESULT POSITIVE	1000 ng/mL
Benzodiazepine	RESULT NEGATIVE	200 ng/mL
Buprenorphine	RESULT NEGATIVE	5 ng/mL
Cocaine Metabolite	RESULT POSITIVE	300 ng/mL
Methadone	RESULT POSITIVE	300 ng/mL
Opiate	RESULT POSITIVE	300 ng/mL
Oxycodone	RESULT NEGATIVE	300 ng/mL
THC	RESULT NEGATIVE	50 ng/mL
Tramadol	RESULT POSITIVE	200 ng/mL

Tests are performed by Enzyme Immunoassay Technique on Siemens VIVA-E (#2) analyzer.

Clinical Scientist: \_\_\_\_\_



12-May-2017

Clinical Reference Laboratory  
CLIA #17D2005163, SAMHSA #0007, CAP #30211-03

10:47

NATIONAL LABS INC	NAME: BELTRAN, LOUIS	SAMPLE ID: 91190221
NATIONAL LABS INC	DOB: N/S	COLLECTED: 05/08/17
3948 TRUST WAY	SSN/ID: 007-05-1950	RECEIVED: 05/09/17
HAYWARD, CA 94545	GENDER: N/S	REPORTED: 05/12/17
	SLIP ID: 2039717859	FAX: (510) 266-0591
PH: (800) 800-6060	REF ID: 1705040022	
COLL. SITE ID: N/S	REFERENCE 1: NONDOT DEFAULT	
	REFERENCE 2:	

REASON FOR TESTING: OTHER  
SAMPLE TYPE: GC/MS CONFIRMATION TESTS

\*\*SPECIMEN TEMPERATURE NOT INDICATED ON CHAIN OF CUSTODY FORM\*\*

CONFIRMATION	RESULT / STATUS	CUTOFF VALUE
-----	-----	-----
MS D-METHAMPHETAMINE %	100.0	
TEST CERTIFIED BY BROOKE E. BERRY		
MS METHAMPHETAMINE (LOD)	5400 POSITIVE	40 ng/mL
TEST CERTIFIED BY JINHUA X. WANG		
MS AMPHETAMINE (LOD)	507 POSITIVE	40 ng/mL
TEST CERTIFIED BY JINHUA X. WANG		

LAB DIRECTOR: DR. DAVID KUNTZ, PHD, DABFT

REPORT CERTIFIED BY BROOKE E. BERRY