

#### LABORATORY REPORT

NATIONAL LABS 3948 TRUST WAY

3948 TRUST WAY HAYWARD, CA 94545 Ph.: (800) 800-6060

**Report Status: Final** 

Patient Name: MAGANA, NICOLAS
Patient ID: 09101967NM

DOB, Age, Sex: 9/10/1967 50 Male
Client: (1028) Lags Spine and Sportscare

**Requested By:** Krisztina Herrera (1780117390) **Medications: Hydrocodone, Acetaminophen** 

**Accession:** 1709260038 **Collect Date:** 09/15/2017

**Receive Date:** 09/26/2017 **Tested Date:** 10/02/2017

**Release Date:** 10/02/2017

#### **REPORT SUMMARY**

UNEXPECTED: Inconsistent Results Based on Patient's Declared Medications					
Specimen ID 1709260038 1706090033					
Collection Date	9/15/2017	6/2/2017			
Gabapentin		Negative			

EXPECTED: Consistent Results of Declared Medications & Metabolites					
Specimen ID	1709260038	1706090033			
Collection Date	9/15/2017	6/2/2017			
Hydrocodone	163.6	103.3			
Norhydrocodone	201.1	213.5			

SPECIMEN VALIDITY RESULTS					
Urine - Creatinine (mg/dL)	69	Below Normal	80-200		
Urine - Oxidants (ug/mL)	6	Normal	0-200		
Urine - PH Level	7.1	Normal	4.7-7.8		
Urine - Specific Gravity Level	1.013	Normal	1.003-1.035		

#### **REPORT DETAILS**

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome		
Amphetamine						
Amphetamine		Negative	<20	Consistent		
Methylphenidate		Negative	<50	Consistent		
Norpseudoephedrine		Negative	<10	Consistent		
Ritalinic Acid		Negative	<50	Consistent		
Benzodiazepines	Benzodiazepines					
7-Aminoclonazepam		Negative	<4	Consistent		
alpha-hydroxyalprazolam		Negative	<5	Consistent		
Alprazolam		Negative	<4	Consistent		
Clonazepam		Negative	<10	Consistent		
Diazepam		Negative	<5	Consistent		
Flurazepam		Negative	<0.5	Consistent		
Lorazepam		Negative	<10	Consistent		



#### LABORATORY REPORT

**NATIONAL LABS** 3948 TRUST WAY HAYWARD, CA 94545 Ph.: (800) 800-6060

**Report Status: Final** 

Patient Name: MAGANA, NICOLAS Accession: 1709260038 **Collect Date:** 09/15/2017 Patient ID: 09101967NM DOB, Age, Sex: 9/10/1967 50 Male **Receive Date:** 09/26/2017 Client: (1028) Lags Spine and Sportscare Tested Date: 10/02/2017 **Release Date:** 10/02/2017 Requested By: Krisztina Herrera (1780117390)

Medications: Hydrocodone, Acetaminophen

#### **REPORT DETAILS**

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Meprobamate		Negative	<50	Consistent
Nordiazepam		Negative	<5	Consistent
Oxazepam		Negative	<5	Consistent
Temazepam		Negative	<20	Consistent
Neuromodulatory		·		
Carisoprodol		Negative	<20	Consistent
Gabapentin		Negative	<50	Consistent
Opiates and Semisynthetic Opioids		<u>.</u>		
Codeine		Negative	<50	Consistent
Hydrocodone	163.6	Positive	<50	Consistent
Hydromorphone		Negative	<50	Consistent
Morphine		Negative	<50	Consistent
Norhydrocodone	201.1	Positive	<10	Consistent
Consistent because Norhydrocodone is a metabolite	of Hydrocodone			•
Noroxycodone		Negative	<10	Consistent
Oxycodone		Negative	<10	Consistent
Oxymorphone		Negative	<25	Consistent
Synthetic Opioids				
Buprenorphine Glucuronide		Negative	<10	Consistent
Buprenorphine		Negative	<10	Consistent
EDDP Percholate: Methadone Metabolite		Negative	<25	Consistent
Fentanyl		Negative	<2	Consistent
Meperidine		Negative	<10	Consistent
Methadone		Negative	<25	Consistent
Naloxone		Negative	<10	Consistent
Naltrexone		Negative	<20	Consistent
Norbuprenorphine		Negative	<30	Consistent
Normeperidine		Negative	<10	Consistent
Norbuprenorphine Glucuronide		Negative	<4	Consistent
Norfentanyl oxalate		Negative	<5	Consistent
Propoxyphene		Negative	<62.5	Consistent
Tapentadol		Negative	<20	Consistent
Tramadol HCL		Negative	<20	Consistent
Substances of Abuse		-		•
6-MAM: Heroin Metabolite		Negative	<10	Consistent
Benzoylecgonine: Metabolite of Cocaine		Negative	<50	Consistent
ETHYL GLUCURONIDE (EIA)		Negative	<500	Consistent
JWH-018 pentanoic		Negative	<5	Consistent
JWH-073 Butanoic		Negative	<5	Consistent
JWH-073 hydroxybutyl		Negative	<5	Consistent



#### LABORATORY REPORT

**NATIONAL LABS** 

1709260038

3948 TRUST WAY HAYWARD, CA 94545 Ph.: (800) 800-6060

**Report Status: Final** 

Patient Name: MAGANA, NICOLAS Accession: Patient ID: 09101967NM **Collect Date:** 09/15/2017 DOB, Age, Sex: 9/10/1967 50 Male Receive Date: 09/26/2017

Client: (1028) Lags Spine and Sportscare **Tested Date:** 10/02/2017 Requested By: Krisztina Herrera (1780117390) Release Date: 10/02/2017

Medications: Hydrocodone, Acetaminophen

#### REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome	
Methylenedioxyamphetamine (MDA)		Negative	<100	Consistent	
Methylenedioxyethylamphetamine (MDEA)		Negative	<100	Consistent	
Methylenedioxymethamphetamine (MDMA)		Negative	<100	Consistent	
Mephedrone		Negative	<10	Consistent	
Methamphetamine		Negative	<100	Consistent	
PCP (Phencyclidine) (EIA)		Negative	<25	Consistent	
THC-COOH Glucuronide		Negative	<20	Consistent	
11 Carboxy THC		Negative	<10	Consistent	
Validity Tests EIA					
Urine - Creatinine (mg/dL)	69	Below Normal	80-200		
Urine - Oxidants (ug/mL)	6	Normal	0-200		
Urine - PH Level	7.1	Normal	4.7-7.8		
Urine - Specific Gravity Level	1.013	Normal	1.003-1.035		

<sup>\*\*\*</sup> Comments: Specimens received more than 3 days post collection may be compromised and not reflect actual concentration. This may limit detection of low levels. This test is not approved by the FDA for the treatment, diagnosis, or prevention, of any medical condition. It is performed for information and is intended for educational and research purposes only. Only a physician familiar with a Patient() is individual medical history can make medical judgments and give that patient specific medical advice. results are not intended to be a substitute for consultation with a licensed health care

Those analytes' test results, reported as detected by LC/MS, have not been approved by the FDA. The performance characteristics of the assays have been determined by National Labs in accordance with Clinical Laboratory Improvement Act of 1988 (CLIA '88) guidelines.

False positive and false negative test results do occur. A licensed health care provider must provide any interpretation or recommendation for treatment based upon test results. The results are not raise positive and hase negative test results do occur. A licensed health care provide must provide any interpretation of recommendation for treatment based upon test results. The results are not for use as evidence in civil or criminal cases. Specimens are not obtained under the guidelines required for secure collection and, therefore, cannot be used for employment purposes. The results are based upon the method used for testing and the sensitivity of that method. A negative result indicates that the drugs tested for were not detected at the sensitivity level used. Positive results may be possible with the same or subsequent specimens if testing is performed using a greater degree of sensitivity. Other factors that may affect the results include the type of drug; the amount, duration and time of last drug use; the body type and weight of the individual being testing; and, in the case of urine drug screens, the concentration, acidity, or alkalinity of the urine.

## LAGS MEDICAL CENTERS

\*\*\*This sheet provided at request of client for patient identification verification purposes only.

Not a National Labs report.\*\*\*

# ammad A. Molani, MD ncis P. Lagattuta, MD

LIA Number: 05D1058036 801 East Chapel Street Santa Maria, CA 93454

Tel: (805) 928-7361

Fax: (805) 928-5742

### **Urine Drug Testing Report**

Name:

MAGANA, NICOLAS

Date Collected: 9/15/2017

Sample ID:

NATLH3167

Date Tested: 9/21/2017

Date of Birth:

9/10/1967

Time Tested:

10:08:50 AM

Sex:

Male

Physician:

HERRERA, K-NP

·		
TEST	RESULT	CUTOFF CONC.
6-AcetylMorphine	RESULT NEGATIVE	10 ng/mL
mphetamines	RESULT NEGATIVE	1000 ng/mL
Benzodiazepine	RESULT NEGATIVE	200 ng/mL
Buprenorphine	RESULT NEGATIVE	5 ng/mL
Cocaine Metabolite	RESULT NEGATIVE	300 ng/mL
Methadone	RESULT NEGATIVE	300 ng/mL
Opiate	RESULT NEGATIVE	300 ng/mL
Oxycodone	RESULT NEGATIVE	300 ng/mL
THC	RESULT NEGATIVE	50 ng/mL
Tramadol	RESULT NEGATIVE	200 ng/mL

Tests are performed by Enzyme Immunoassay Technique on Siemens VIVA-E (#1) analyzer.

Clinical Scientist:		