

LABORATORY REPORT

NATIONAL LABS 3948 TRUST WAY

HAYWARD, CA 94545 Ph.: (800) 800-6060

Report Status: Final

Patient Name:Hilton, MaryAccession:1701250018Patient ID:07121964MHCollect Date:01/17/2017DOB, Age, Sex:7/12/1964 52 FemaleReceive Date:01/25/2017Client:(1028) Lags Spine and SportscareTested Date:01/27/2017Requested By:Olivia Seibenick PA-C (1083036362)Release Date:01/28/2017

Medications: Flexeril, Gabapentin, Mobic, Morphine, Seroquel XR, Norco

REPORT SUMMARY

UNEXPECTED: Inconsistent Results Based on Patient's Declared Medications			
Specimen ID	1701250018		
Collection Date	1/17/2017		
Amphetamine	172.5		
Gabapentin	Negative		
Hydrocodone	Negative		
Morphine	Negative		
Noroxycodone	>2000		
Oxycodone	1340.5		
Oxymorphone	46.2		

EXPECTED: Consistent Results of Declared Medications & Metabolites			
Specimen ID	1701250018		
Collection Date	1/17/2017		
NONE			

SPECIMEN VALIDITY RESULTS					
Urine - Creatinine (mg/dL)	147	Normal	80-200		
Urine - Oxidants (ug/mL)	0	Normal	0-200		
Urine - PH Level	7.3	Normal	4.7-7.8		
Urine - Specific Gravity Level	1.019	Normal	1.003-1.035		

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome	
Amphetamine					
Amphetamine	172.5	Positive	<20	INCONSISTENT	
Methylphenidate		Negative	<50	Consistent	
Norpseudoephedrine		Negative	<10	Consistent	
Ritalinic Acid		Negative	<50	Consistent	
Benzodiazepines					
7-Aminoclonazepam		Negative	<4	Consistent	



LABORATORY REPORT

NATIONAL LABS

3948 TRUST WAY HAYWARD, CA 94545 Ph.: (800) 800-6060

Report Status: Final

Patient Name:Hilton, MaryAccession:1701250018Patient ID:07121964MHCollect Date:01/17/2017DOB, Age, Sex:7/12/1964 52 FemaleReceive Date:01/25/2017Client:(1028) Lags Spine and SportscareTested Date:01/27/2017Requested By:Olivia Seibenick PA-C (1083036362)Release Date:01/28/2017

Medications: Flexeril, Gabapentin, Mobic, Morphine, Seroquel XR, Norco

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
alpha-hydroxyalprazolam		Negative	<5	Consistent
Alprazolam		Negative	<4	Consistent
Clonazepam		Negative	<10	Consistent
Diazepam		Negative	<5	Consistent
Flurazepam		Negative	<0.5	Consistent
Lorazepam		Negative	<10	Consistent
Meprobamate		Negative	<50	Consistent
Nordiazepam		Negative	<5	Consistent
Oxazepam		Negative	<5	Consistent
Temazepam		Negative	<5	Consistent
leuromodulatory	•			·
Carisoprodol		Negative	<20	Consistent
Gabapentin		Negative	<50	INCONSISTENT
Inconsistent with declared drug Gabapentin		,		
Opiates and Semisynthetic Opioids				
Codeine		Negative	<50	Consistent
Hydrocodone		Negative	<50	INCONSISTENT
Inconsistent with declared drug Norco				-
Hydromorphone		Negative	<50	Consistent
Morphine		Negative	<50	INCONSISTENT
Inconsistent with declared drug Morphine		,		
Norhydrocodone		Negative	<10	Consistent
Noroxycodone	>2000	Positive	<10	INCONSISTENT
Inconsistent: Please note Noroxycodone is a metabol	ite of Oxycodone.	,		•
Oxycodone	1340.5	Positive	<10	INCONSISTENT
Oxymorphone	46.2	Positive	<25	INCONSISTENT
Inconsistent: Please note Oxymorphone is also a met	abolite of Oxycodone.	•		-
Synthetic Opioids				
Buprenorphine Glucuronide		Negative	<10	Consistent
Buprenorphine		Negative	<10	Consistent
EDDP Percholate: Methadone Metabolite		Negative	<25	Consistent
Fentanyl		Negative	<2	Consistent
Meperidine		Negative	<10	Consistent
Methadone		Negative	<25	Consistent



LABORATORY REPORT

NATIONAL LABS 3948 TRUST WAY

HAYWARD, CA 94545 Ph.: (800) 800-6060

Report Status: Final

Patient Name:Hilton, MaryAccession:1701250018Patient ID:07121964MHCollect Date:01/17/2017DOB, Age, Sex:7/12/1964 52 FemaleReceive Date:01/25/2017Client:(1028) Lags Spine and SportscareTested Date:01/27/2017Requested By:Olivia Seibenick PA-C (1083036362)Release Date:01/28/2017

Medications: Flexeril, Gabapentin, Mobic, Morphine, Seroquel XR, Norco

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Naloxone		Negative	<10	Consistent
Naltrexone		Negative	<20	Consistent
Norbuprenorphine		Negative	<30	Consistent
Normeperidine		Negative	<10	Consistent
Norbuprenorphine Glucuronide		Negative	<4	Consistent
Norfentanyl oxalate		Negative	<5	Consistent
Propoxyphene		Negative	<62.5	Consistent
Tapentadol		Negative	<20	Consistent
Tramadol HCL		Negative	<20	Consistent
Substances of Abuse	·			·
6-MAM: Heroin Metabolite		Negative	<10	Consistent
Benzoylecgonine: Metabolite of Cocaine		Negative	<50	Consistent
ETHYL GLUCURONIDE (EIA)		Negative	<500	Consistent
JWH-018 pentanoic		Negative	<5	Consistent
JWH-073 Butanoic		Negative	<5	Consistent
JWH-073 hydroxybutyl		Negative	<5	Consistent
Methylenedioxyamphetamine (MDA)		Negative	<100	Consistent
Methylenedioxyethylamphetamine (MDEA)		Negative	<100	Consistent
Methylenedioxymethamphetamine (MDMA)		Negative	<100	Consistent
Mephedrone		Negative	<10	Consistent
Methamphetamine		Negative	<100	Consistent
PCP (Phencyclidine) (EIA)		Negative	<25	Consistent
THC-COOH Glucuronide		Negative	<20	Consistent
11 Carboxy THC		Negative	<10	Consistent
Validity Tests EIA	·			·
Urine - Creatinine (mg/dL)	147	Normal	80-200	
Urine - Oxidants (ug/mL)	0	Normal	0-200	
Urine - PH Level	7.3	Normal	4.7-7.8	
Urine - Specific Gravity Level	1.019	Normal	1.003-1.035	

^{***} Comments: Specimens received more than 3 days post collection may be compromised and not reflect actual concentration. This may limit detection of low levels. This test is not approved by the FDA for the treatment, diagnosis, or prevention, of any medical condition. It is performed for information and is intended for educational and research purposes only. Only a physician familiar with a Patient() 's individual medical history can make medical judgments and give that patient specific medical advice. results are not intended to be a substitute for consultation with a licensed health care provider.

False positive and false negative test results do occur. A licensed health care provider must provide any interpretation or recommendation for treatment based upon test results. The results are not for use as evidence in civil or criminal cases. Specimens are not obtained under the guidelines required for secure collection and, therefore, cannot be used for employment purposes. The results are based upon the method used for testing and the sensitivity of that method. A negative result indicates that the drugs tested for were not detected at the sensitivity level used. Positive results may be possible with the same or subsequent specimens if testing is performed using a greater degree of sensitivity. Other factors that may affect the results include the type of drug; the amount, duration and time of last drug use; the body type and weight of the individual being testing; and, in the case of urine drug screens, the concentration, acidity, or alkalinity of the urine.