

### LABORATORY REPORT

NATIONAL LABS 3948 TRUST WAY

HAYWARD, CA 94545 Ph.: (800) 800-6060

**Report Status: Final** 

Patient Name:Valenzuela, ValenteAccession:1701190022Patient ID:04291976Collect Date:01/10/2017DOB, Age, Sex:4/29/1976 40 MaleReceive Date:01/19/2017Client:(1028) Lags Spine and SportscareTested Date:01/20/2017Requested By:Olivia Seibenick PA-C (1083036362)Release Date:01/20/2017Medications:Baclofen, Morphine, Oxycodone, Duloxetine, Alprazolam, Buspirone, Lisinopril

#### **REPORT SUMMARY**

Specimen ID	1701190022	1701170187	1701110050	1501190062	1409110006
Collection Date	1/10/2017	1/3/2017	12/6/2016	1/14/2015	9/10/2014
-Aminoclonazepam		10.75			
lpha-hydroxyalprazolam				78	
Alprazolam		27.54	115.40	61	
Benzoylecgonine: Metabolite of Cocaine		>200			
Codeine			72.8		
ydrocodone					Negative
Morphine	Negative	Negative			
loroxycodone			685.4		
Oxazepam				85	
Oxycodone			894.6	Negative	
Temazepam				>1000	

EXPECTED: Consistent Results of Declared Medications & Metabolites								
Specimen ID 1701190022 1701170187 1701110050 1501190062 1409110006								
Collection Date	1/10/2017	1/3/2017	12/6/2016	1/14/2015	9/10/2014			
alpha-hydroxyalprazolam					67			
Alprazolam	35.35				62			
Noroxycodone	281.0	1338.1						
Oxazepam					65			
Oxycodone	818.8	816.3						
Temazepam					>1000			

SPECIMEN VALIDITY RESULTS						
Urine - Creatinine (mg/dL)	25	Below Normal	80-200			
Urine - Oxidants (ug/mL)	0	Normal	0-200			
Urine - PH Level	5.2	Normal	4.7-7.8			
Urine - Specific Gravity Level	1.005	Normal	1.003-1.035			

#### **REPORT DETAILS**

Test Name Result (ng	nl) Positive/Negative	Cutoff	Outcome
----------------------	-----------------------	--------	---------



### LABORATORY REPORT

NATIONAL LABS 3948 TRUST WAY

HAYWARD, CA 94545 Ph.: (800) 800-6060

**Report Status: Final** 

Patient Name:Valenzuela, ValenteAccession:1701190022Patient ID:04291976Collect Date:01/10/2017DOB, Age, Sex:4/29/1976 40 MaleReceive Date:01/19/2017Client:(1028) Lags Spine and SportscareTested Date:01/20/2017Requested By:Olivia Seibenick PA-C (1083036362)Release Date:01/20/2017Medications:Baclofen, Morphine, Oxycodone, Duloxetine, Alprazolam, Buspirone, Lisinopril

#### **REPORT DETAILS**

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Amphetamine				
Amphetamine		Negative	<20	Consistent
Methylphenidate		Negative	<50	Consistent
Norpseudoephedrine		Negative	<10	Consistent
Ritalinic Acid		Negative	<50	Consistent
Benzodiazepines				·
7-Aminoclonazepam		Negative	<4	Consistent
alpha-hydroxyalprazolam		Negative	<5	Consistent
Alprazolam	35.35	Positive	<4	Consistent
Clonazepam		Negative	<10	Consistent
Diazepam		Negative	<5	Consistent
Flurazepam		Negative	<0.5	Consistent
Lorazepam		Negative	<10	Consistent
Meprobamate		Negative	<50	Consistent
Nordiazepam		Negative	<5	Consistent
Oxazepam		Negative	<5	Consistent
Temazepam		Negative	<5	Consistent
Neuromodulatory				·
Carisoprodol		Negative	<20	Consistent
Gabapentin		Negative	<50	Consistent
Opiates and Semisynthetic Opioids				·
Codeine		Negative	<50	Consistent
Hydrocodone		Negative	<50	Consistent
Hydromorphone		Negative	<50	Consistent
Morphine		Negative	<50	INCONSISTENT
Inconsistent with declared drug Morphine				·
Norhydrocodone		Negative	<10	Consistent
Noroxycodone	281.0	Positive	<10	Consistent
Consistent because Noroxycodone is a metabolite of	Oxycodone			·
Oxycodone	818.8	Positive	<10	Consistent
Oxymorphone		Negative	<25	Consistent
Synthetic Opioids		,		
Buprenorphine Glucuronide		Negative	<10	Consistent
Buprenorphine		Negative	<10	Consistent
EDDP Percholate: Methadone Metabolite		Negative	<25	Consistent
Fentanyl		Negative	<2	Consistent
Meperidine		Negative	<10	Consistent



#### LABORATORY REPORT

NATIONAL LABS 3948 TRUST WAY

HAYWARD, CA 94545 Ph.: (800) 800-6060

**Report Status: Final** 

Patient Name:Valenzuela, ValenteAccession:1701190022Patient ID:04291976Collect Date:01/10/2017DOB, Age, Sex:4/29/1976 40 MaleReceive Date:01/19/2017Client:(1028) Lags Spine and SportscareTested Date:01/20/2017Requested By:Olivia Seibenick PA-C (1083036362)Release Date:01/20/2017Medications:Baclofen, Morphine, Oxycodone, Duloxetine, Alprazolam, Buspirone, Lisinopril

#### REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Methadone		Negative	<25	Consistent
Naloxone		Negative	<10	Consistent
Naltrexone		Negative	<20	Consistent
Norbuprenorphine		Negative	<30	Consistent
Normeperidine		Negative	<10	Consistent
Norbuprenorphine Glucuronide		Negative	<4	Consistent
Norfentanyl oxalate		Negative	<5	Consistent
Propoxyphene		Negative	<62.5	Consistent
Tapentadol		Negative	<20	Consistent
Tramadol HCL		Negative	<20	Consistent
Substances of Abuse				_
6-MAM: Heroin Metabolite		Negative	<10	Consistent
Benzoylecgonine: Metabolite of Cocaine		Negative	<50	Consistent
ETHYL GLUCURONIDE (EIA)		Negative	<500	Consistent
JWH-018 pentanoic		Negative	<5	Consistent
JWH-073 Butanoic		Negative	<5	Consistent
JWH-073 hydroxybutyl		Negative	<5	Consistent
Methylenedioxyamphetamine (MDA)		Negative	<100	Consistent
Methylenedioxyethylamphetamine (MDEA)		Negative	<100	Consistent
Methylenedioxymethamphetamine (MDMA)		Negative	<100	Consistent
Mephedrone		Negative	<10	Consistent
Methamphetamine		Negative	<100	Consistent
PCP (Phencyclidine) (EIA)		Negative	<25	Consistent
THC-COOH Glucuronide		Negative	<20	Consistent
11 Carboxy THC		Negative	<10	Consistent
Validity Tests EIA				
Urine - Creatinine (mg/dL)	25	Below Normal	80-200	
Urine - Oxidants (ug/mL)	0	Normal	0-200	
Urine - PH Level	5.2	Normal	4.7-7.8	
Urine - Specific Gravity Level	1.005	Normal	1.003-1.035	

<sup>\*\*\*</sup> Comments: Specimens received more than 3 days post collection may be compromised and not reflect actual concentration. This may limit detection of low levels. This test is not approved by the FDA for the treatment, diagnosis, or prevention, of any medical condition. It is performed for information and is intended for educational and research purposes only. Only a physician familiar with a Patient() 's individual medical history can make medical judgments and give that patient specific medical advice. results are not intended to be a substitute for consultation with a licensed health care provider.

False positive and false negative test results do occur. A licensed health care provider must provide any interpretation or recommendation for treatment based upon test results. The results are not for use as evidence in civil or criminal cases. Specimens are not obtained under the guidelines required for secure collection and, therefore, cannot be used for employment purposes. The results are based upon the method used for testing and the sensitivity of that method. A negative result indicates that the drugs tested for were not detected at the sensitivity level used. Positive results may be possible with the same or subsequent specimens if testing is performed using a greater degree of sensitivity. Other factors that may affect the results include the type of drug; the amount, duration and time of last drug use; the body type and weight of the individual being testing; and, in the case of urine drug screens, the concentration, acidity, or alkalinity of the urine.

# LAGS MEDICAL CENTERS

# Muhammad A. Molani, MD

Francis P. Lagattuta, MD CLIA Number: 05D1058036

> 801 East Chapel Street Santa Maria, CA 93454

\*\*\*This sheet provided at request of client for patient identification verification purposes only. Not a National Labs report.\*\*\*

Tel: (805) 928-7361

Fax: (805) 928-5742

### **Urine Drug Testing Report**

Name:

Valenzuela, Valente

Date Collected: 1/10/2017

Sample ID:

NATLE4889

Date Tested:

1/13/2017

Date of Birth:

4/29/1976

Time Tested:

2:34:34 PM

Sex:

Male

Physician:

Seibenick, O-PA

 TEST	RESULT	CUTOFF CONC.
6-AcetylMorphine	RESULT NEGATIVE	10 ng/mL
 Amphetamines	RESULT NEGATIVE	1000 ng/mL
Benzodiazepine	RESULT POSITIVE	200 ng/mL
Buprenorphine	RESULT NEGATIVE	5 ng/mL
Cocaine Metabolite	RESULT NEGATIVE	300 ng/mL
Methadone	RESULT NEGATIVE	300 ng/mL
Opiate	RESULT NEGATIVE	300 ng/mL
Oxycodone	RESULT POSITIVE	300 ng/mL
THC	RESULT NEGATIVE	50 ng/mL
Tramadol	RESULT NEGATIVE	200 ng/mL

Tests are performed by Enzyme Immunoassay Technique on Siemens VIVA-E (#1) analyzer.

