

LABORATORY REPORT

NATIONAL LABS 3948 TRUST WAY

HAYWARD, CA 94545 Ph.: (800) 800-6060

Report Status: Final

Patient Name:BAUMAN, ANNEAccession:1708180019Patient ID:12121957ABCollect Date:08/09/2017DOB, Age, Sex:12/12/1957 59 FemaleReceive Date:08/18/2017Client:(1028) Lags Spine and SportscareTested Date:08/22/2017Requested By:Olivia Seibenick PA-C (1083036362)Release Date:08/22/2017Medications:Percocet, Tizanidine, Topamax, Amitriptyline, Lyrica, Cymbalta, Benadryl

REPORT SUMMARY

UNEXPECTED: Inconsis	tent Results B	Based on Pat	ient's Declar	ed Medicatio	ns
Specimen ID	1708180019	1708070021	1707030032	1706200023	1502020060
Collection Date	8/9/2017	7/21/2017	6/23/2017	6/2/2017	1/12/2015
ETHYL GLUCURONIDE (EIA)	>2000				
Gabapentin			>2000		
Hydrocodone				1071.8	
Meprobamate					>2000
Norhydrocodone				966.2	
Noroxycodone			813.4		
Oxycodone			186.0		
Tramadol HCL					>1000

EXPECTED: Consis	tent Results of Dec	clared Medic	ations & Met	abolites		
Specimen ID	1708180019	1708070021	1707030032	1706200023	1502020060	
Collection Date	8/9/2017	7/21/2017	6/23/2017	6/2/2017	1/12/2015	
Hydrocodone					291	
Hydromorphone					149	
Noroxycodone	>2000	1783.7				
Oxycodone	>2000	863.0		40.6		
Oxymorphone		37.0				

SPECIMEN VALIDITY RESULTS			
Urine - Creatinine (mg/dL)	81	Normal	80-200
Urine - Oxidants (ug/mL)	0	Normal	0-200
Urine - PH Level	5.5	Normal	4.7-7.8
Urine - Specific Gravity Level	1.015	Normal	1.003-1.035

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Amphetamine				
Amphetamine		Negative	<20	Consistent



LABORATORY REPORT

NATIONAL LABS 3948 TRUST WAY

3948 TRUST WAY HAYWARD, CA 94545 Ph.: (800) 800-6060

Report Status: Final

Patient Name:BAUMAN, ANNEAccession:1708180019Patient ID:12121957ABCollect Date:08/09/2017DOB, Age, Sex:12/12/1957 59 FemaleReceive Date:08/18/2017Client:(1028) Lags Spine and SportscareTested Date:08/22/2017Requested By:Olivia Seibenick PA-C (1083036362)Release Date:08/22/2017Medications:Percocet, Tizanidine, Topamax, Amitriptyline, Lyrica, Cymbalta, Benadryl

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Methylphenidate		Negative	<50	Consistent
Norpseudoephedrine		Negative	<10	Consistent
Ritalinic Acid		Negative	<50	Consistent
Benzodiazepines		·		
7-Aminoclonazepam		Negative	<4	Consistent
alpha-hydroxyalprazolam		Negative	<5	Consistent
Alprazolam		Negative	<4	Consistent
Clonazepam		Negative	<10	Consistent
Diazepam		Negative	<5	Consistent
Flurazepam		Negative	<0.5	Consistent
Lorazepam		Negative	<10	Consistent
Meprobamate		Negative	<50	Consistent
Nordiazepam		Negative	<5	Consistent
Oxazepam		Negative	<5	Consistent
Temazepam		Negative	<20	Consistent
Neuromodulatory		•		•
Carisoprodol		Negative	<20	Consistent
Gabapentin		Negative	<50	Consistent
Opiates and Semisynthetic Opioids		•		'
Codeine		Negative	<50	Consistent
Hydrocodone		Negative	<50	Consistent
Hydromorphone		Negative	<50	Consistent
Morphine		Negative	<50	Consistent
Norhydrocodone		Negative	<10	Consistent
Noroxycodone	>2000	Positive	<10	Consistent
Consistent because Noroxycodone is a metabolite of	Percocet	•		•
Oxycodone	>2000	Positive	<10	Consistent
Oxymorphone		Negative	<25	Consistent
Synthetic Opioids	<u> </u>			•
Buprenorphine Glucuronide		Negative	<10	Consistent
Buprenorphine		Negative	<10	Consistent
EDDP Percholate: Methadone Metabolite		Negative	<25	Consistent
Fentanyl		Negative	<2	Consistent
Meperidine		Negative	<10	Consistent
Methadone		Negative	<25	Consistent
Naloxone		Negative	<10	Consistent
Naltrexone		Negative	<20	Consistent
Norbuprenorphine		Negative	<30	Consistent



LABORATORY REPORT

NATIONAL LABS 3948 TRUST WAY

HAYWARD, CA 94545 Ph.: (800) 800-6060

Report Status: Final

Patient Name:BAUMAN, ANNEAccession:1708180019Patient ID:12121957ABCollect Date:08/09/2017DOB, Age, Sex:12/12/1957 59 FemaleReceive Date:08/18/2017Client:(1028) Lags Spine and SportscareTested Date:08/22/2017Requested By:Olivia Seibenick PA-C (1083036362)Release Date:08/22/2017Medications:Percocet, Tizanidine, Topamax, Amitriptyline, Lyrica, Cymbalta, Benadryl

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Normeperidine		Negative	<10	Consistent
Norbuprenorphine Glucuronide		Negative	<4	Consistent
Norfentanyl oxalate		Negative	<5	Consistent
Propoxyphene		Negative	<62.5	Consistent
Tapentadol		Negative	<20	Consistent
Tramadol HCL		Negative	<20	Consistent
Substances of Abuse				
6-MAM: Heroin Metabolite		Negative	<10	Consistent
Benzoylecgonine: Metabolite of Cocaine		Negative	<50	Consistent
ETHYL GLUCURONIDE (EIA)	>2000	Positive	<500	INCONSISTENT
JWH-018 pentanoic		Negative	<5	Consistent
JWH-073 Butanoic		Negative	<5	Consistent
JWH-073 hydroxybutyl		Negative	<5	Consistent
Methylenedioxyamphetamine (MDA)		Negative	<100	Consistent
Methylenedioxyethylamphetamine (MDEA)		Negative	<100	Consistent
Methylenedioxymethamphetamine (MDMA)		Negative	<100	Consistent
Mephedrone		Negative	<10	Consistent
Methamphetamine		Negative	<100	Consistent
PCP (Phencyclidine) (EIA)		Negative	<25	Consistent
THC-COOH Glucuronide		Negative	<20	Consistent
11 Carboxy THC		Negative	<10	Consistent
Validity Tests EIA				
Urine - Creatinine (mg/dL)	81	Normal	80-200	
Urine - Oxidants (ug/mL)	0	Normal	0-200	
Urine - PH Level	5.5	Normal	4.7-7.8	
Urine - Specific Gravity Level	1.015	Normal	1.003-1.035	

^{***} Comments: Specimens received more than 3 days post collection may be compromised and not reflect actual concentration. This may limit detection of low levels. This test is not approved by the FDA for the treatment, diagnosis, or prevention, of any medical condition. It is performed for information and is intended for educational and research purposes only. Only a physician familiar with a Patient() 's individual medical history can make medical judgments and give that patient specific medical advice. results are not intended to be a substitute for consultation with a licensed health care provider.

Those analytes' test results, reported as detected by LC/MS, have not been approved by the FDA. The performance characteristics of the assays have been determined by National Labs in accordance with Clinical Laboratory Improvement Act of 1988 (CLIA '88) guidelines.

False positive and false negative test results do occur. A licensed health care provider must provide any interpretation or recommendation for treatment based upon test results. The results are not for use as evidence in civil or criminal cases. Specimens are not obtained under the guidelines required for secure collection and, therefore, cannot be used for employment purposes. The results are based upon the method used for testing and the sensitivity of that method. A negative result indicates that the drugs tested for were not detected at the sensitivity level used. Positive results may be possible with the same or subsequent specimens if testing is performed using a greater degree of sensitivity. Other factors that may affect the results include the type of drug; the amount, duration and time of last drug use; the body type and weight of the individual being testing; and, in the case of urine drug screens, the concentration, acidity, or alkalinity of the urine.

LAGS MEDICAL CENTERS

Muhammad A. Molani, MD Francis P. Lagattuta, MD

CLIA Number: 05D1058036 801 East Chapel Street Santa Maria, CA 93454

Fax: (805) 928-5742

Tel: (805) 928-7361

Urine Drug Testing Report

Name:

BAUMAN, ANNE

Date Collected: 8/9/2017

Sample ID:

NATLG8855

Date Tested: 8/13/2017

Date of Birth:

12/12/1957

Time Tested:

2:12:10 PM

Sex:

Female

Physician:

SEIBENICK, O-PA

***This sheet provided at request of client for patient identification

verification purposes only.

Not a National Labs report.***

TEST	DEOLU T	
ILUI	RESULT	CUTOFF CONC.
6-AcetylMorphine	RESULT NEGATIVE	10 ng/mL
mphetamines	RESULT NEGATIVE	1000 ng/mL
Benzodiazepine	RESULT NEGATIVE	200 ng/mL
Buprenorphine	RESULT NEGATIVE	5 ng/mL
Cocaine Metabolite	RESULT NEGATIVE	300 ng/mL
Methadone	RESULT NEGATIVE	300 ng/mL
Opiate	RESULT POSITIVE	300 ng/mL
Oxycodone	RESULT POSITIVE	300 ng/mL
THC	RESULT NEGATIVE	50 ng/mL
Tramadol	RESULT NEGATIVE	200 ng/mL

Tests are performed by Enzyme Immunoassay Technique on Siemens VIVA-E (#2) analyzer.

|--|