

LABORATORY REPORT

NATIONAL LABS 3948 TRUST WAY

HAYWARD, CA 94545 Ph.: (800) 800-6060

Report Status: Final

Patient Name:MEDINA, NATALIEAccession:1709060045Patient ID:690EMRCollect Date:08/29/2017DOB, Age, Sex:10/4/1961 55 FemaleReceive Date:09/06/2017Client:(1028) Lags Spine and SportscareTested Date:09/08/2017Requested By:Olivia Seibenick PA-C (1083036362)Release Date:09/11/2017

Medications: Norco, Norvasc, Omeprazole, Ambien, Clonazepam, Gabapentin, Lisinopril, Methadone

REPORT SUMMARY

UNEXPECTED: Inconsistent Results Based on Patient's Declared Medications			
Specimen ID	1709060045		
Collection Date	8/29/2017		
ETHYL GLUCURONIDE (EIA)	>2000		
Gabapentin	Negative		

EXPECTED: Consistent Results of Declared Medications & Metabolites			
Specimen ID	1709060045		
Collection Date	8/29/2017		
7-Aminoclonazepam	>200		
EDDP Percholate: Methadone Metabolite	>200		
Hydrocodone	869.3		
Methadone	>400		
Norhydrocodone	844.5		

SPECIMEN VALIDITY RESULTS			
Urine - Creatinine (mg/dL)	56	Below Normal	80-200
Urine - Oxidants (ug/mL)	0	Normal	0-200
Urine - PH Level	5.3	Normal	4.7-7.8
Urine - Specific Gravity Level	1.007	Normal	1.003-1.035

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Amphetamine				
Amphetamine		Negative	<20	Consistent
Methylphenidate		Negative	<50	Consistent
Norpseudoephedrine		Negative	<10	Consistent
Ritalinic Acid		Negative	<50	Consistent
Benzodiazepines				
7-Aminoclonazepam	>200	Positive	<4	Consistent
Consistent because 7-Aminoclonazepam is a metabolite of Clonazepam				



LABORATORY REPORT

NATIONAL LABS 3948 TRUST WAY

3948 TRUST WAY HAYWARD, CA 94545 Ph.: (800) 800-6060

Report Status: Final

Patient Name:MEDINA, NATALIEAccession:1709060045Patient ID:690EMRCollect Date:08/29/2017DOB, Age, Sex:10/4/1961 55 FemaleReceive Date:09/06/2017Client:(1028) Lags Spine and SportscareTested Date:09/08/2017Requested By:Olivia Seibenick PA-C (1083036362)Release Date:09/11/2017

Medications: Norco, Norvasc, Omeprazole, Ambien, Clonazepam, Gabapentin, Lisinopril, Methadone

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
alpha-hydroxyalprazolam		Negative	<5	Consistent
Alprazolam		Negative	<4	Consistent
Clonazepam		Negative	<10	Consistent
This drug metabolizes into 7-Aminoclonazepam.		<u>.</u>		
Diazepam		Negative	<5	Consistent
Flurazepam		Negative	<0.5	Consistent
Lorazepam		Negative	<10	Consistent
Meprobamate		Negative	<50	Consistent
Nordiazepam		Negative	<5	Consistent
Oxazepam		Negative	<5	Consistent
Temazepam		Negative	<20	Consistent
Neuromodulatory	<u> </u>	<u>'</u>		·
Carisoprodol		Negative	<20	Consistent
Gabapentin		Negative	<50	INCONSISTENT
Inconsistent with declared drug Gabapentin	'			•
Opiates and Semisynthetic Opioids				
Codeine		Negative	<50	Consistent
Hydrocodone	869.3	Positive	<50	Consistent
Hydromorphone		Negative	<50	Consistent
Morphine		Negative	<50	Consistent
Norhydrocodone	844.5	Positive	<10	Consistent
Consistent because Norhydrocodone is a metabolite of	f Norco	•		
Noroxycodone		Negative	<10	Consistent
Oxycodone		Negative	<10	Consistent
Oxymorphone		Negative	<25	Consistent
Synthetic Opioids	1	<u>'</u>		•
Buprenorphine Glucuronide		Negative	<10	Consistent
Buprenorphine		Negative	<10	Consistent
EDDP Percholate: Methadone Metabolite	>200	Positive	<25	Consistent
Consistent because EDDP Percholate: Methadone Met	abolite is a metabolite	of Methadone		•
Fentanyl		Negative	<2	Consistent
Meperidine		Negative	<10	Consistent
Methadone	>400	Positive	<25	Consistent
Naloxone		Negative	<10	Consistent
Naltrexone		Negative	<20	Consistent



LABORATORY REPORT

NATIONAL LABS 3948 TRUST WAY

HAYWARD, CA 94545 Ph.: (800) 800-6060

Report Status: Final

Patient Name:MEDINA, NATALIEAccession:1709060045Patient ID:690EMRCollect Date:08/29/2017DOB, Age, Sex:10/4/1961 55 FemaleReceive Date:09/06/2017Client:(1028) Lags Spine and SportscareTested Date:09/08/2017Requested By:Olivia Seibenick PA-C (1083036362)Release Date:09/11/2017

Medications: Norco, Norvasc, Omeprazole, Ambien, Clonazepam, Gabapentin, Lisinopril, Methadone

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Norbuprenorphine		Negative	<30	Consistent
Normeperidine		Negative	<10	Consistent
Norbuprenorphine Glucuronide		Negative	<4	Consistent
Norfentanyl oxalate		Negative	<5	Consistent
Propoxyphene		Negative	<62.5	Consistent
Tapentadol		Negative	<20	Consistent
Tramadol HCL		Negative	<20	Consistent
Substances of Abuse				•
6-MAM: Heroin Metabolite		Negative	<10	Consistent
Benzoylecgonine: Metabolite of Cocaine		Negative	<50	Consistent
ETHYL GLUCURONIDE (EIA)	>2000	Positive	<500	INCONSISTENT
JWH-018 pentanoic		Negative	<5	Consistent
JWH-073 Butanoic		Negative	<5	Consistent
JWH-073 hydroxybutyl		Negative	<5	Consistent
Methylenedioxyamphetamine (MDA)		Negative	<100	Consistent
Methylenedioxyethylamphetamine (MDEA)		Negative	<100	Consistent
Methylenedioxymethamphetamine (MDMA)		Negative	<100	Consistent
Mephedrone		Negative	<10	Consistent
Methamphetamine		Negative	<100	Consistent
PCP (Phencyclidine) (EIA)		Negative	<25	Consistent
THC-COOH Glucuronide		Negative	<20	Consistent
11 Carboxy THC		Negative	<10	Consistent
Validity Tests EIA	<u> </u>			
Urine - Creatinine (mg/dL)	56	Below Normal	80-200	
Urine - Oxidants (ug/mL)	0	Normal	0-200	
Urine - PH Level	5.3	Normal	4.7-7.8	
Urine - Specific Gravity Level	1.007	Normal	1.003-1.035	

^{***} Comments: Specimens received more than 3 days post collection may be compromised and not reflect actual concentration. This may limit detection of low levels. This test is not approved by the FDA for the treatment, diagnosis, or prevention, of any medical condition. It is performed for information and is intended for educational and research purposes only. Only a physician familiar with a Patient() 's individual medical history can make medical judgments and give that patient specific medical advice. results are not intended to be a substitute for consultation with a licensed health care provider.

Those analytes' test results, reported as detected by LC/MS, have not been approved by the FDA. The performance characteristics of the assays have been determined by National Labs in accordance with Clinical Laboratory Improvement Act of 1988 (CLIA '88) guidelines.

False positive and false negative test results do occur. A licensed health care provider must provide any interpretation or recommendation for treatment based upon test results. The results are not for use as evidence in civil or criminal cases. Specimens are not obtained under the guidelines required for secure collection and, therefore, cannot be used for employment purposes. The results are based upon the method used for testing and the sensitivity of that method. A negative result indicates that the drugs tested for were not detected at the sensitivity level used. Positive results may be possible with the same or subsequent specimens if testing is performed using a greater degree of sensitivity. Other factors that may affect the results include the type of drug; the amount, duration and time of last drug use; the body type and weight of the individual being testing; and, in the case of urine drug screens, the concentration, acidity, or alkalinity of the urine.

LAGS MEDICAL CENTERS

Muhammad A. Molani, MD ***This sheet provided at request of Francis P. Lagattuta, MD

***This sheet provided at request of client for patient identification verification purposes only.

Not a National Labs report.***

CLIA Number: 05D1058036 801 East Chapel Street

Santa Maria, CA 93454

Tel: (805) 928-7361

Fax: (805) 928-5742

Urine Drug Testing Report

Name:

MEDINA, NATALIE

Date Collected: 8/29/2017

Sample ID:

NATL H1040

Date Tested:

8/31/2017

Date of Birth:

10/4/1961

Time Tested:

5:34:50 PM

Sex:

Female

Physician:

SEIBENICK, O -PA-C

TEST	RESULT	CUTOFF CONC.
6-AcetylMorphine Amphetamines Benzodiazepine Buprenorphine Cocaine Metabolite Methadone Opiate Oxycodone	RESULT NEGATIVE RESULT NEGATIVE RESULT NEGATIVE RESULT NEGATIVE RESULT NEGATIVE RESULT POSITIVE RESULT POSITIVE RESULT POSITIVE RESULT NEGATIVE	10 ng/mL
THC Tramadol	RESULT NEGATIVE RESULT NEGATIVE	50 ng/mL 200 ng/mL
•		

Tests are performed by Enzyme Immunoassay Technique on Siemens VIVA-E (#1) analyzer.

