

Patient Name: Gutierrez, Mario
Patient ID: 02221969MG
DOB, Age, Sex: 2/22/1969 47 Male
Client: (1028) Lags Spine and Sportscare
Requested By: Andrew Tang (1346656055)

Medications: Baclofen

Accession: 1701300020
Collect Date: 01/03/2017
Receive Date: 01/30/2017
Tested Date: 02/01/2017
Prelim Date: 02/01/2017
Release Date: 02/16/2017

REPORT SUMMARY

UNEXPECTED: Inconsistent Results Based on Patient's Declared Medications

Specimen ID	1701300020
Collection Date	1/3/2017
11 Carboxy THC	161.4
Amphetamine	1436.9
Methamphetamine	>1000
THC-COOH Glucuronide	>400

EXPECTED: Consistent Results of Declared Medications & Metabolites

Specimen ID	1701300020
Collection Date	1/3/2017
NONE	

SPECIMEN VALIDITY RESULTS

Urine - Creatinine (mg/dL)	167	Normal	80-200
Urine - Oxidants (ug/mL)	0	Normal	0-200
Urine - PH Level	6.1	Normal	4.7-7.8
Urine - Specific Gravity Level	1.026	Normal	1.003-1.035

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Amphetamine				
Amphetamine	1436.9	Positive	<20	INCONSISTENT
Methylphenidate		Negative	<50	Consistent
Norpseudoephedrine		Negative	<10	Consistent
Ritalinic Acid		Negative	<50	Consistent
Benzodiazepines				
7-Aminoclonazepam		Negative	<4	Consistent
alpha-hydroxyalprazolam		Negative	<5	Consistent
Alprazolam		Negative	<4	Consistent
Clonazepam		Negative	<10	Consistent
Diazepam		Negative	<5	Consistent

Patient Name: Gutierrez, Mario
Patient ID: 02221969MG
DOB, Age, Sex: 2/22/1969 47 Male
Client: (1028) Lags Spine and Sportscare
Requested By: Andrew Tang (1346656055)

Medications: Baclofen

Accession: 1701300020
Collect Date: 01/03/2017
Receive Date: 01/30/2017
Tested Date: 02/01/2017
Prelim Date: 02/01/2017
Release Date: 02/16/2017

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Flurazepam		Negative	<0.5	Consistent
Lorazepam		Negative	<10	Consistent
Meprobamate		Negative	<50	Consistent
Nordiazepam		Negative	<5	Consistent
Oxazepam		Negative	<5	Consistent
Temazepam		Negative	<5	Consistent
Neuromodulatory				
Carisoprodol		Negative	<20	Consistent
Gabapentin		Negative	<50	Consistent
Opiates and Semisynthetic Opioids				
Codeine		Negative	<50	Consistent
Hydrocodone		Negative	<50	Consistent
Hydromorphone		Negative	<50	Consistent
Morphine		Negative	<50	Consistent
Norhydrocodone		Negative	<10	Consistent
Noroxycodone		Negative	<10	Consistent
Oxycodone		Negative	<10	Consistent
Oxymorphone		Negative	<25	Consistent
Synthetic Opioids				
Buprenorphine Glucuronide		Negative	<10	Consistent
Buprenorphine		Negative	<10	Consistent
EDDP Percholate: Methadone Metabolite		Negative	<25	Consistent
Fentanyl		Negative	<2	Consistent
Meperidine		Negative	<10	Consistent
Methadone		Negative	<25	Consistent
Naloxone		Negative	<10	Consistent
Naltrexone		Negative	<20	Consistent
Norbuprenorphine		Negative	<30	Consistent
Normeperidine		Negative	<10	Consistent
Norbuprenorphine Glucuronide		Negative	<4	Consistent
Norfentanyl oxalate		Negative	<5	Consistent
Propoxyphene		Negative	<62.5	Consistent
Tapentadol		Negative	<20	Consistent
Tramadol HCL		Negative	<20	Consistent
Substances of Abuse				
6-MAM: Heroin Metabolite		Negative	<10	Consistent
Benzoyllecgonine: Metabolite of Cocaine		Negative	<50	Consistent
ETHYL GLUCURONIDE (EIA)		Negative	<500	Consistent
JWH-018 pentanoic		Negative	<5	Consistent
JWH-073 Butanoic		Negative	<5	Consistent
JWH-073 hydroxybutyl		Negative	<5	Consistent

Patient Name: Gutierrez, Mario
Patient ID: 02221969MG
DOB, Age, Sex: 2/22/1969 47 Male
Client: (1028) Lags Spine and Sportscare
Requested By: Andrew Tang (1346656055)

Medications: Baclofen

Accession: 1701300020
Collect Date: 01/03/2017
Receive Date: 01/30/2017
Tested Date: 02/01/2017
Prelim Date: 02/01/2017
Release Date: 02/16/2017

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Methylenedioxyamphetamine (MDA)		Negative	<100	Consistent
Methylenedioxyethylamphetamine (MDEA)		Negative	<100	Consistent
Methylenedioxymethamphetamine (MDMA)		Negative	<100	Consistent
Mephedrone		Negative	<10	Consistent
Methamphetamine	>1000	Positive	<100	INCONSISTENT
See Attached Report.				
PCP (Phencyclidine) (EIA)		Negative	<25	Consistent
THC-COOH Glucuronide	>400	Positive	<20	INCONSISTENT
Inconsistent: Please note THC COOH Glucuronide is a metabolite of THC.				
11 Carboxy THC	161.4	Positive	<10	INCONSISTENT
Validity Tests EIA				
Urine - Creatinine (mg/dL)	167	Normal	80-200	
Urine - Oxidants (ug/mL)	0	Normal	0-200	
Urine - PH Level	6.1	Normal	4.7-7.8	
Urine - Specific Gravity Level	1.026	Normal	1.003-1.035	

*** Comments: Specimens received more than 3 days post collection may be compromised and not reflect actual concentration. This may limit detection of low levels. This test is not approved by the FDA for the treatment, diagnosis, or prevention, of any medical condition. It is performed for information and is intended for educational and research purposes only. Only a physician familiar with a Patient()'s individual medical history can make medical judgments and give that patient specific medical advice. results are not intended to be a substitute for consultation with a licensed health care provider.

False positive and false negative test results do occur. A licensed health care provider must provide any interpretation or recommendation for treatment based upon test results. The results are not for use as evidence in civil or criminal cases. Specimens are not obtained under the guidelines required for secure collection and, therefore, cannot be used for employment purposes. The results are based upon the method used for testing and the sensitivity of that method. A negative result indicates that the drugs tested for were not detected at the sensitivity level used. Positive results may be possible with the same or subsequent specimens if testing is performed using a greater degree of sensitivity. Other factors that may affect the results include the type of drug; the amount, duration and time of last drug use; the body type and weight of the individual being testing; and, in the case of urine drug screens, the concentration, acidity, or alkalinity of the urine.

15-Feb-2017

Clinical Reference Laboratory
CLIA #17D2005163, SAMHSA #0007, CAP #30211-03

08:17

NATIONAL LABS INC	NAME: GUITERREZ, MARIO	SAMPLE ID: 90495881
NATIONAL LABS INC	DOB: N/S	COLLECTED: 02/03/17
3948 TRUST WAY	SSN/ID: 002-22-1969	RECEIVED: 02/04/17
HAYWARD, CA 94545	GENDER: N/S	REPORTED: 02/07/17
	SLIP ID: 2036832346	FAX: (510) 266-0591
PH: (800) 800-6060	REF ID: 1701300020	
COLL. SITE ID: N/S	REFERENCE 1: NONDOT DEFAULT	
	REFERENCE 2:	

REASON FOR TESTING: OTHER
SAMPLE TYPE: GC/MS CONFIRMATION TESTS

SPECIMEN TEMPERATURE NOT INDICATED ON CHAIN OF CUSTODY FORM

CONFIRMATION	RESULT / STATUS	CUTOFF VALUE
MS AMPHETAMINE	886 POSITIVE	40 ng/mL

TEST CERTIFIED BY R. DUNCAN JENKINS

MS METHAMPHETAMINE	4780 POSITIVE	40 ng/mL
--------------------	---------------	----------

TEST CERTIFIED BY R. DUNCAN JENKINS

MS D-METHAMPHETAMINE %	98.0
------------------------	------

TEST CERTIFIED BY GLYNIS D ARNALL

LAB DIRECTOR: DR. DAVID KUNTZ, PHD, DABFT

REPORT CERTIFIED BY GLYNIS D ARNALL

Page 1

Copyright 2017 Clinical Reference Laboratory. All Rights Reserved.
8433 Quivira Road. Lenexa, Kansas 66215. (913) 492-3652

FCB: CLS.NLB.LOD.DEFNON

[end of report]

LAGS MEDICAL CENTERS

Muhammad A. Molani, MD

***This sheet provided at request of
client for patient identification
verification purposes only.
Not a National Labs report.***

Francis P. Lagattuta, MD

CLIA Number: 05D1058036

801 East Chapel Street

Santa Maria, CA 93454

Tel: (805) 928-7361

Fax: (805) 928-5742

Urine Drug Testing Report

Name: GUTIERREZ, MARIO

Date Collected: 1/3/2017

Sample ID: E4062

Date Tested: 1/25/2017

Date of Birth: 2/22/1969

Time Tested: 9:02:15 PM

Sex: Male

Physician: TANG, A-NP

TEST	RESULT	CUTOFF CONC.
6-AcetylMorphine	RESULT NEGATIVE	10 ng/mL
Amphetamines	RESULT POSITIVE	1000 ng/mL
Benzodiazepine	RESULT NEGATIVE	200 ng/mL
Buprenorphine	RESULT NEGATIVE	5 ng/mL
Cocaine Metabolite	RESULT NEGATIVE	300 ng/mL
Methadone	RESULT NEGATIVE	300 ng/mL
Opiate	RESULT NEGATIVE	300 ng/mL
Oxycodone	RESULT NEGATIVE	300 ng/mL
THC	RESULT POSITIVE	50 ng/mL
Tramadol	RESULT NEGATIVE	200 ng/mL

Tests are performed by Enzyme Immunoassay Technique on Siemens VIVA-E (#1) analyzer.

Clinical Scientist: _____

