

LABORATORY REPORT

NATIONAL LABS 3948 TRUST WAY

HAYWARD, CA 94545 Ph.: (800) 800-6060

Report Status: Final

Patient Name: WAYNE, JESSICA Accession: 1708250031 Patient ID: 504EMR **Collect Date:** 08/18/2017 DOB, Age, Sex: 9/22/1988 28 Female **Receive Date:** 08/25/2017 Client: (1028) Lags Spine and Sportscare Tested Date: 09/01/2017 Requested By: Heliodoro Magana MD (1093192650) Release Date: 09/01/2017

Oxycodone, Topamax, Flexeril, Hydrocodone, Acetaminophen, Lorazepam, Ativan, Buspirone, Diclofenac Sodium Medications:

REPORT SUMMARY

UNEXPECTED: Inconsistent Results Based on Patient's Declared Medications			
Specimen ID	1708250031		
Collection Date	8/18/2017		
11 Carboxy THC	236.0		
Hydrocodone	Negative		
Lorazepam	Negative		

EXPECTED: Consistent Results of Declared Medications & Metabolites				
Specimen ID	1708250031			
Collection Date	8/18/2017			
Noroxycodone	>2000			
Oxycodone	>2000			
Oxymorphone	29.8			

SPECIMEN VALIDITY RESULTS					
Urine - Creatinine (mg/dL)	210	Abnormal	80-200		
Urine - Oxidants (ug/mL)	46	Normal	0-200		
Urine - PH Level	6.1	Normal	4.7-7.8		
Urine - Specific Gravity Level	1.020	Normal	1.003-1.035		

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Amphetamine				·
Amphetamine		Negative	<20	Consistent
Methylphenidate		Negative	<50	Consistent
Norpseudoephedrine		Negative	<10	Consistent
Ritalinic Acid		Negative	<50	Consistent
Benzodiazepines				·
7-Aminoclonazepam		Negative	<4	Consistent
alpha-hydroxyalprazolam		Negative	<5	Consistent
Alprazolam		Negative	<4	Consistent



LABORATORY REPORT

NATIONAL LABS

3948 TRUST WAY HAYWARD, CA 94545 Ph.: (800) 800-6060

Report Status: Final

Patient Name: WAYNE, JESSICA Accession: 1708250031 **Collect Date:** 08/18/2017 Patient ID: 504EMR DOB, Age, Sex: 9/22/1988 28 Female **Receive Date:** 08/25/2017 Client: (1028) Lags Spine and Sportscare Tested Date: 09/01/2017 Requested By: Heliodoro Magana MD (1093192650) Release Date: 09/01/2017

Oxycodone, Topamax, Flexeril, Hydrocodone, Acetaminophen, Lorazepam, Ativan, Buspirone, Diclofenac Sodium Medications:

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Clonazepam		Negative	<10	Consistent
Diazepam		Negative	<5	Consistent
Flurazepam		Negative	<0.5	Consistent
Lorazepam		Negative	<10	INCONSISTENT
Inconsistent with declared drug Lorazepam Inconsistent with declared drug Ativan				•
Meprobamate		Negative	<50	Consistent
Nordiazepam		Negative	<5	Consistent
Oxazepam		Negative	<5	Consistent
Temazepam		Negative	<20	Consistent
Neuromodulatory				
Carisoprodol		Negative	<20	Consistent
Gabapentin		Negative	<50	Consistent
Opiates and Semisynthetic Opioids				·
Codeine		Negative	<50	Consistent
Hydrocodone		Negative	<50	INCONSISTENT
Inconsistent with declared drug Hydrocodone				
Hydromorphone		Negative	<50	Consistent
Morphine		Negative	<50	Consistent
Norhydrocodone		Negative	<10	Consistent
Noroxycodone	>2000	Positive	<10	Consistent
Consistent because Noroxycodone is a metabolite of	Oxycodone			
Oxycodone	>2000	Positive	<10	Consistent
Oxymorphone	29.8	Positive	<25	Consistent
Consistent because Oxymorphone is a metabolite of	Oxycodone			•
Synthetic Opioids				
Buprenorphine Glucuronide		Negative	<10	Consistent
Buprenorphine		Negative	<10	Consistent
EDDP Percholate: Methadone Metabolite		Negative	<25	Consistent
Fentanyl		Negative	<2	Consistent
Meperidine		Negative	<10	Consistent
Methadone		Negative	<25	Consistent
Naloxone		Negative	<10	Consistent
Naltrexone		Negative	<20	Consistent
Norbuprenorphine		Negative	<30	Consistent
Normeperidine		Negative	<10	Consistent



LABORATORY REPORT

NATIONAL LABS 3948 TRUST WAY

HAYWARD, CA 94545 Ph.: (800) 800-6060

Report Status: Final

Patient Name: WAYNE, JESSICA Accession: 1708250031 Patient ID: **504EMR Collect Date:** 08/18/2017 DOB, Age, Sex: 9/22/1988 28 Female Receive Date: 08/25/2017 (1028) Lags Spine and Sportscare Client: **Tested Date:** 09/01/2017 Requested By: Heliodoro Magana MD (1093192650) Release Date: 09/01/2017

Oxycodone, Topamax, Flexeril, Hydrocodone, Acetaminophen, Lorazepam, Ativan, Buspirone, Diclofenac Sodium Medications:

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Norbuprenorphine Glucuronide		Negative	<4	Consistent
Norfentanyl oxalate		Negative	<5	Consistent
Propoxyphene		Negative	<62.5	Consistent
Tapentadol		Negative	<20	Consistent
Tramadol HCL		Negative	<20	Consistent
Substances of Abuse				
6-MAM: Heroin Metabolite		Negative	<10	Consistent
Benzoylecgonine: Metabolite of Cocaine		Negative	<50	Consistent
ETHYL GLUCURONIDE (EIA)		Negative	<500	Consistent
JWH-018 pentanoic		Negative	<5	Consistent
JWH-073 Butanoic		Negative	<5	Consistent
JWH-073 hydroxybutyl		Negative	<5	Consistent
Methylenedioxyamphetamine (MDA)		Negative	<100	Consistent
Methylenedioxyethylamphetamine (MDEA)		Negative	<100	Consistent
Methylenedioxymethamphetamine (MDMA)		Negative	<100	Consistent
Mephedrone		Negative	<10	Consistent
Methamphetamine		Negative	<100	Consistent
PCP (Phencyclidine) (EIA)		Negative	<25	Consistent
THC-COOH Glucuronide		Negative	<20	Consistent
11 Carboxy THC	236.0	Positive	<10	INCONSISTENT
THC COOH is a metabolite of THC.				
Validity Tests EIA				
Urine - Creatinine (mg/dL)	210	Abnormal	80-200	
Urine - Oxidants (ug/mL)	46	Normal	0-200	
Urine - PH Level	6.1	Normal	4.7-7.8	
Urine - Specific Gravity Level	1.020	Normal	1.003-1.035	

^{***} Comments: Specimens received more than 3 days post collection may be compromised and not reflect actual concentration. This may limit detection of low levels. This test is not approved by the FDA for the treatment, diagnosis, or prevention, of any medical condition. It is performed for information and is intended for educational and research purposes only. Only a physician familiar with a Patient() is individual medical history can make medical judgments and give that patient specific medical advice. results are not intended to be a substitute for consultation with a licensed health care provider.

Those analytes' test results, reported as detected by LC/MS, have not been approved by the FDA. The performance characteristics of the assays have been determined by National Labs in accordance with Clinical Laboratory Improvement Act of 1988 (CLIA '88) guidelines.

False positive and false negative test results do occur. A licensed health care provider must provide any interpretation or recommendation for treatment based upon test results. The results are not for use as evidence in civil or criminal cases. Specimens are not obtained under the guidelines required for secure collection and, therefore, cannot be used for employment purposes. The results are based upon the method used for testing and the sensitivity of that method. A negative result indicates that the drugs tested for were not detected at the sensitivity level used. Positive results may be possible with the same or subsequent specimens if testing is performed using a greater degree of sensitivity. Other factors that may affect the results include the type of drug; the amount, duration and time of last drug use; the body type and weight of the individual being testing; and, in the case of urine drug screens, the concentration, acidity, or alkalinity of the urine.

LAGS MEDICAL CENTERS

Muhammad A. Molani, MD Francis P. Lagattuta, MD

CLIA Number: 05D1058036 801 East Chapel Street Santa Maria, CA 93454 ***This sheet provided at request of client for patient identification verification purposes only. Not a National Labs report.***

Tel: (805) 928-7361

Fax: (805) 928-5742

Urine Drug Testing Report

Name:

WAYNE, JESSICA L

Date Collected: 8/18/2017

Sample ID:

G9851

Date Tested:

8/23/2017

Date of Birth:

9/22/1988

Time Tested:

12:55:58 PM

Sex:

Female

Physician:

SKLYARENKO,L-NP

		OUTOFF CONC
TEST	RESULT	CUTOFF CONC.
6-AcetylMorphine	RESULT NEGATIVE	10 ng/mL
Amphetamines	RESULT NEGATIVE	1000 ng/mL
Benzodiazepine	RESULT NEGATIVE	200 ng/mL
Buprenorphine	RESULT NEGATIVE	5 ng/mL
Cocaine Metabolite	RESULT NEGATIVE	300 ng/mL
Methadone	RESULT NEGATIVE	300 ng/mL
Opiate	RESULT POSITIVE	300 ng/mL
Oxycodone	RESULT POSITIVE	300 ng/mL
•	RESULT POSITIVE	50 ng/mL
THC	RESULT NEGATIVE	200 ng/mL
Tramadol	I/LOOL! I/LO/!!!	

Tests are performed by Enzyme Immunoassay Technique on Siemens VIVA-E (#1) analyzer.

