

Patient Name:	BERMUDEZ, SHARAIL	Accession:	1708160030
Patient ID:	213EMR	Collect Date:	08/04/2017
DOB, Age, Sex:	8/28/1978 38 Female	Receive Date:	08/16/2017
Client:	(1028) Lags Spine and Sportscare	Tested Date:	08/17/2017
Requested By:	Heliodoro Magana MD (1093192650)	Release Date:	08/17/2017
Medications:	Amitriptyline, Norco, Carisoprodol, Temazepam, Ibuprofen		

REPORT SUMMARY

UNEXPECTED: Inconsistent Results Based on Patient's Declared Medications

Specimen ID	1708160030
Collection Date	8/4/2017
11 Carboxy THC	72.9
alpha-hydroxyalprazolam	17.64
Alprazolam	35.30
Carisoprodol	Negative
Gabapentin	>2000
Nordiazepam	9.6
Noroxycodone	261.4
Oxycodone	58.6
Temazepam	Negative

EXPECTED: Consistent Results of Declared Medications & Metabolites

Specimen ID	1708160030
Collection Date	8/4/2017
Hydrocodone	>2000
Norhydrocodone	>2000

SPECIMEN VALIDITY RESULTS

Urine - Creatinine (mg/dL)	174	Normal	80-200
Urine - Oxidants (ug/mL)	7	Normal	0-200
Urine - PH Level	8.8	Abnormal	4.7-7.8
Urine - Specific Gravity Level	1.022	Normal	1.003-1.035

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Amphetamine				
Amphetamine		Negative	<20	Consistent
Methylphenidate		Negative	<50	Consistent
Norpseudoephedrine		Negative	<10	Consistent

Patient Name:	BERMUDEZ, SHARAIL	Accession:	1708160030
Patient ID:	213EMR	Collect Date:	08/04/2017
DOB, Age, Sex:	8/28/1978 38 Female	Receive Date:	08/16/2017
Client:	(1028) Lags Spine and Sportscare	Tested Date:	08/17/2017
Requested By:	Heliodoro Magana MD (1093192650)	Release Date:	08/17/2017
Medications:	Amitriptyline, Norco, Carisoprodol, Temazepam, Ibuprofen		

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Ritalinic Acid		Negative	<50	Consistent
Benzodiazepines				
7-Aminoclonazepam		Negative	<4	Consistent
alpha-hydroxyalprazolam	17.64	Positive	<5	INCONSISTENT
A-hydroxyalprazolam is a metabolite of Alprazolam.				
Alprazolam	35.30	Positive	<4	INCONSISTENT
Clonazepam		Negative	<10	Consistent
Diazepam		Negative	<5	Consistent
Flurazepam		Negative	<0.5	Consistent
Lorazepam		Negative	<10	Consistent
Meprobamate		Negative	<50	Consistent
Nordiazepam	9.6	Positive	<5	INCONSISTENT
Nordiazepam positive can be from Nordiazepam or as a metabolite of Diazepam.				
Oxazepam		Negative	<5	Consistent
Temazepam		Negative	<20	INCONSISTENT
Inconsistent with declared drug Temazepam				
Neuromodulatory				
Carisoprodol		Negative	<20	INCONSISTENT
Inconsistent with declared drug Carisoprodol				
Gabapentin	>2000	Positive	<50	INCONSISTENT
Opiates and Semisynthetic Opioids				
Codeine		Negative	<50	Consistent
Hydrocodone	>2000	Positive	<50	Consistent
Hydromorphone		Negative	<50	Consistent
Morphine		Negative	<50	Consistent
Norhydrocodone	>2000	Positive	<10	Consistent
Consistent because Norhydrocodone is a metabolite of Norco				
Noroxycodone	261.4	Positive	<10	INCONSISTENT
Noroxycodone is a metabolite of Oxycodone.				
Oxycodone	58.6	Positive	<10	INCONSISTENT
Oxymorphone		Negative	<25	Consistent
Synthetic Opioids				
Buprenorphine Glucuronide		Negative	<10	Consistent

Patient Name:	BERMUDEZ, SHARAIL	Accession:	1708160030
Patient ID:	213EMR	Collect Date:	08/04/2017
DOB, Age, Sex:	8/28/1978 38 Female	Receive Date:	08/16/2017
Client:	(1028) Lags Spine and Sportscare	Tested Date:	08/17/2017
Requested By:	Heliodoro Magana MD (1093192650)	Release Date:	08/17/2017
Medications:	Amitriptyline, Norco, Carisoprodol, Temazepam, Ibuprofen		

REPORT DETAILS

Test Name	Result (ng/ml)	Positive/Negative	Cutoff	Outcome
Buprenorphine		Negative	<10	Consistent
EDDP Percholate: Methadone Metabolite		Negative	<25	Consistent
Fentanyl		Negative	<2	Consistent
Meperidine		Negative	<10	Consistent
Methadone		Negative	<25	Consistent
Naloxone		Negative	<10	Consistent
Naltrexone		Negative	<20	Consistent
Norbuprenorphine		Negative	<30	Consistent
Normeperidine		Negative	<10	Consistent
Norbuprenorphine Glucuronide		Negative	<4	Consistent
Norfentanyl oxalate		Negative	<5	Consistent
Propoxyphene		Negative	<62.5	Consistent
Tapentadol		Negative	<20	Consistent
Tramadol HCL		Negative	<20	Consistent
Substances of Abuse				
6-MAM: Heroin Metabolite		Negative	<10	Consistent
Benzoylcegonine: Metabolite of Cocaine		Negative	<50	Consistent
ETHYL GLUCURONIDE (EIA)		Negative	<500	Consistent
JWH-018 pentanoic		Negative	<5	Consistent
JWH-073 Butanoic		Negative	<5	Consistent
JWH-073 hydroxybutyl		Negative	<5	Consistent
Methylenedioxyamphetamine (MDA)		Negative	<100	Consistent
Methylenedioxyethylamphetamine (MDEA)		Negative	<100	Consistent
Methylenedioxymethamphetamine (MDMA)		Negative	<100	Consistent
Mephedrone		Negative	<10	Consistent
Methamphetamine		Negative	<100	Consistent
PCP (Phencyclidine) (EIA)		Negative	<25	Consistent
THC-COOH Glucuronide		Negative	<20	Consistent
11 Carboxy THC	72.9	Positive	<10	INCONSISTENT
THC COOH is a metabolite of THC.				
Validity Tests EIA				
Urine - Creatinine (mg/dL)	174	Normal	80-200	
Urine - Oxidants (ug/mL)	7	Normal	0-200	
Urine - PH Level	8.8	Abnormal	4.7-7.8	
Urine - Specific Gravity Level	1.022	Normal	1.003-1.035	

Patient Name: BERMUDEZ, SHARAIL**Patient ID:** 213EMR**DOB, Age, Sex:** 8/28/1978 38 Female**Client:** (1028) Lags Spine and Sportscare**Requested By:** Heliodoro Magana MD (1093192650)**Medications:** Amitriptyline, Norco, Carisoprodol, Temazepam, Ibuprofen**Accession:** 1708160030**Collect Date:** 08/04/2017**Receive Date:** 08/16/2017**Tested Date:** 08/17/2017**Release Date:** 08/17/2017

*** Comments: Specimens received more than 3 days post collection may be compromised and not reflect actual concentration. This may limit detection of low levels. This test is not approved by the FDA for the treatment, diagnosis, or prevention, of any medical condition. It is performed for information and is intended for educational and research purposes only. Only a physician familiar with a Patient()'s individual medical history can make medical judgments and give that patient specific medical advice. results are not intended to be a substitute for consultation with a licensed health care provider.

Those analytes' test results, reported as detected by LC/MS, have not been approved by the FDA. The performance characteristics of the assays have been determined by National Labs in accordance with Clinical Laboratory Improvement Act of 1988 (CLIA '88) guidelines.

False positive and false negative test results do occur. A licensed health care provider must provide any interpretation or recommendation for treatment based upon test results. The results are not for use as evidence in civil or criminal cases. Specimens are not obtained under the guidelines required for secure collection and, therefore, cannot be used for employment purposes. The results are based upon the method used for testing and the sensitivity of that method. A negative result indicates that the drugs tested for were not detected at the sensitivity level used. Positive results may be possible with the same or subsequent specimens if testing is performed using a greater degree of sensitivity. Other factors that may affect the results include the type of drug; the amount, duration and time of last drug use; the body type and weight of the individual being testing; and, in the case of urine drug screens, the concentration, acidity, or alkalinity of the urine.

LAGS MEDICAL CENTERS

Muhammad A. Molani, MD
Francis P. Lagattuta, MD

CLIA Number: 05D1058036

801 East Chapel Street

Santa Maria, CA 93454

Tel: (805) 928-7361

Fax: (805) 928-5742

***This sheet provided at request of
client for patient identification
verification purposes only.
Not a National Labs report.***

Urine Drug Testing Report

Name: BERMUNDEZ, SHARAIL

Date Collected: 8/4/2017

Sample ID: G8273

Date Tested: 8/9/2017

Date of Birth: 8/28/1978

Time Tested: 5:48:57 PM

Sex: Female

Physician: MAGANA, H-PA

TEST	RESULT	CUTOFF CONC.
6-AcetylMorphine	RESULT NEGATIVE	10 ng/mL
Amphetamines	RESULT NEGATIVE	1000 ng/mL
Benzodiazepine	RESULT POSITIVE	200 ng/mL
Buprenorphine	RESULT NEGATIVE	5 ng/mL
Cocaine Metabolite	RESULT NEGATIVE	300 ng/mL
Methadone	RESULT NEGATIVE	300 ng/mL
Opiate	RESULT POSITIVE	300 ng/mL
Oxycodone	RESULT NEGATIVE	300 ng/mL
THC	RESULT POSITIVE	50 ng/mL
Tramadol	RESULT NEGATIVE	200 ng/mL

Tests are performed by Enzyme Immunoassay Technique on Siemens VIVA-E (#2) analyzer.

Clinical Scientist: _____

